

Software Sleuthing

Software Testing, Development, and Related

- [RSS 2.0](#)
- [Atom 1.0](#)

- [Home](#)
- [About](#)
- [Email](#)

Search

[Go](#)


Tags

- [64bit](#)
- [Automation](#)
- [Bad UI](#)
- [C/C++](#)
- [Command Line](#)
- [Communication](#)
- [Conferences](#)
- [Database](#)
- [Debugging](#)
- [Error Codes](#)
- [Hardware](#)
- [Knowledge](#)
- [Lost Arts](#)
- [Math](#)
- [Organization](#)
- [Performance](#)
- [Photography](#)
- [Poor-Man](#)
- [Random](#)
- [Recruiting](#)
- [Scripting](#)
- [Security](#)
- [Testing](#)
- [Web Tools](#)
- [Windows](#)
- [Xbox](#)
- [Zune](#)

News

"everybody works together. we hold hands. that's scrum." - Sean

Translate

Traduci questa pagina 

Archives

- [June 2009 \(1\)](#)
- [May 2009 \(3\)](#)
- [April 2009 \(1\)](#)
- [January 2009 \(2\)](#)
- [November 2008 \(3\)](#)
- [September 2008 \(5\)](#)
- [August 2008 \(4\)](#)
- [July 2008 \(5\)](#)
- [June 2008 \(7\)](#)
- [May 2008 \(7\)](#)
- [April 2008 \(5\)](#)
- [March 2008 \(6\)](#)
- [February 2008 \(6\)](#)
- [January 2008 \(10\)](#)
- [December 2007 \(6\)](#)

Links

- [Josh Poley](#)
- [Tester Center](#)
- [LinkedIn Profile](#)

Testing Blogs

- [alanpa: notes and rants](#)
- [Google Testing](#)
- [I. M. Testy](#)
- [The Braidy Tester](#)
- [James Bach's Blog](#)
- [Brent Strange's QA Blog](#)

Friday, January 04, 2008 3:24 PM [joshpoley](#)

Errors (007) FACILITY_WIN32 ★★★★★

Note: Most of the #defines map to the decimal Code, not the HRESULT value.

Code	HRESULT	Description	#define
0	0x00070000	The operation completed successfully.	ERROR_SUCCESS
1	0x80070001	Incorrect function.	ERROR_INVALID_FUNCTION
2	0x80070002	The system cannot find the file specified.	ERROR_FILE_NOT_FOUND
3	0x80070003	The system cannot find the path specified.	ERROR_PATH_NOT_FOUND
4	0x80070004	The system cannot open the file.	ERROR_TOO_MANY_OPEN_FILES
5	0x80070005	Access is denied.	ERROR_ACCESS_DENIED
5	0x80070005	General access denied error	E_ACCESSDENIED
6	0x80070006	The handle is invalid.	ERROR_INVALID_HANDLE
6	0x80070006	Invalid handle	E_HANDLE
7	0x80070007	The storage control blocks were destroyed.	ERROR_ARENA_TRASHED
8	0x80070008	Not enough storage is available to process this command.	ERROR_NOT_ENOUGH_MEMORY
9	0x80070009	The storage control block address is invalid.	ERROR_INVALID_BLOCK
10	0x8007000A	The environment is incorrect.	ERROR_BAD_ENVIRONMENT
11	0x8007000B	The format of DLL or executable being loaded is invalid.	COR_E_BADIMAGEFORMAT
11	0x8007000B	An attempt was made to load a program with an incorrect format.	ERROR_BAD_FORMAT
12	0x8007000C	The access code is invalid.	ERROR_INVALID_ACCESS
13	0x8007000D	The data is invalid.	ERROR_INVALID_DATA
14	0x8007000E	Not enough storage is available to complete this operation.	ERROR_OUTOFMEMORY
14	0x8007000E	Ran out of memory	E_OUTOFMEMORY
15	0x8007000F	The system cannot find the drive specified.	ERROR_INVALID_DRIVE
16	0x80070010	The directory cannot be removed.	ERROR_CURRENT_DIRECTORY
17	0x80070011	The system cannot move the file to a different disk drive.	ERROR_NOT_SAME_DEVICE
18	0x80070012	There are no more files.	ERROR_NO_MORE_FILES
19	0x80070013	The media is write protected.	ERROR_WRITE_PROTECT
20	0x80070014	The system cannot find the device specified.	ERROR_BAD_UNIT
21	0x80070015	The device is not ready.	ERROR_NOT_READY
22	0x80070016	The device does not recognize the command.	ERROR_BAD_COMMAND
23	0x80070017	Data error (cyclic redundancy check).	ERROR_CRC
24	0x80070018	The program issued a command but the command length is incorrect.	ERROR_BAD_LENGTH
25	0x80070019	The drive cannot locate a specific area or track on the disk.	ERROR_SEEK
26	0x8007001A	The specified disk or diskette cannot be accessed.	ERROR_NOT_DOS_DISK
27	0x8007001B	The drive cannot find the sector requested.	ERROR_SECTOR_NOT_FOUND
28	0x8007001C	The printer is out of paper.	ERROR_OUT_OF_PAPER
29	0x8007001D	The system cannot write to the specified device.	ERROR_WRITE_FAULT
30	0x8007001E	The system cannot read from the specified device.	ERROR_READ_FAULT
31	0x8007001F	A device attached to the system is not functioning.	ERROR_GEN_FAILURE
32	0x80070020	The process cannot access the file because it is being used by another process.	ERROR_SHARING_VIOLATION
33	0x80070021	The process cannot access the file because another process has locked a portion of the file.	ERROR_LOCK_VIOLATION

34	0x80070022	The wrong diskette is in the drive. Insert %2 (Volume Serial Number: %3) into drive %1.	ERROR_WRONG_DISK
36	0x80070024	Too many files opened for sharing.	ERROR_SHARING_BUFFER_EXCEEDED
38	0x80070026	Reached the end of the file.	ERROR_HANDLE_EOF
38	0x80070026	0x26 = 38L = ERROR_HANDLE_EOF	STRSAFE_E_END_OF_FILE
39	0x80070027	The disk is full.	ERROR_HANDLE_DISK_FULL
50	0x80070032	The request is not supported.	ERROR_NOT_SUPPORTED
51	0x80070033	Windows cannot find the network path. Verify that the network path is correct and the destination computer is not busy or turned off. If Windows still cannot find the network path, contact your network administrator.	ERROR_REM_NOT_LIST
52	0x80070034	You were not connected because a duplicate name exists on the network. If joining a domain, go to System in Control Panel to change the computer name and try again. If joining a workgroup, choose another workgroup name.	ERROR_DUP_NAME
53	0x80070035	The network path was not found.	ERROR_BAD_NETPATH
54	0x80070036	The network is busy.	ERROR_NETWORK_BUSY
55	0x80070037	The specified network resource or device is no longer available.	ERROR_DEV_NOT_EXIST
56	0x80070038	The network BIOS command limit has been reached.	ERROR_TOO_MANY_CMDS
57	0x80070039	A network adapter hardware error occurred.	ERROR_ADAP_HDW_ERR
58	0x8007003A	The specified server cannot perform the requested operation.	ERROR_BAD_NET_RESP
59	0x8007003B	An unexpected network error occurred.	ERROR_UNEXP_NET_ERR
60	0x8007003C	The remote adapter is not compatible.	ERROR_BAD_REM_ADAP
61	0x8007003D	The printer queue is full.	ERROR_PRINTQ_FULL
62	0x8007003E	Space to store the file waiting to be printed is not available on the server.	ERROR_NO_SPOOL_SPACE
63	0x8007003F	Your file waiting to be printed was deleted.	ERROR_PRINT_CANCELLED
64	0x80070040	The specified network name is no longer available.	ERROR_NETNAME_DELETED
65	0x80070041	Network access is denied.	ERROR_NETWORK_ACCESS_DENIED
66	0x80070042	The network resource type is not correct.	ERROR_BAD_DEV_TYPE
67	0x80070043	The network name cannot be found.	ERROR_BAD_NET_NAME
68	0x80070044	The name limit for the local computer network adapter card was exceeded.	ERROR_TOO_MANY_NAMES
69	0x80070045	The network BIOS session limit was exceeded.	ERROR_TOO_MANY_SESS
70	0x80070046	The remote server has been paused or is in the process of being started.	ERROR_SHARING_PAUSED
71	0x80070047	No more connections can be made to this remote computer at this time because there are already as many connections as the computer can accept.	ERROR_REQ_NOT_ACCEP
72	0x80070048	The specified printer or disk device has been paused.	ERROR_REDIR_PAUSED
80	0x80070050	The file exists.	ERROR_FILE_EXISTS
82	0x80070052	The directory or file cannot be created.	ERROR_CANNOT_MAKE
83	0x80070053	Fail on INT 24.	ERROR_FAIL_I24
84	0x80070054	Storage to process this request is not available.	ERROR_OUT_OF_STRUCTURES
85	0x80070055	The local device name is already in use.	ERROR_ALREADY_ASSIGNED
86	0x80070056	The specified network password is not correct.	ERROR_INVALID_PASSWORD
87	0x80070057	The parameter is incorrect.	ERROR_INVALID_PARAMETER
87	0x80070057	One or more arguments are invalid	E_INVALIDARG
87	0x80070057	0x57 = 87L = ERROR_INVALID_PARAMETER	STRSAFE_E_INVALID_PARAMETER
88	0x80070058	A write fault occurred on the network.	ERROR_NET_WRITE_FAULT
89	0x80070059	The system cannot start another process at this time.	ERROR_NO_PROC_SLOTS
100	0x80070064	Cannot create another system semaphore.	ERROR_TOO_MANY_SEMAPHORES
101	0x80070065	The exclusive semaphore is owned by another process.	ERROR_EXCL_SEM_ALREADY_OWNED
102	0x80070066	The semaphore is set and cannot be closed.	ERROR_SEM_IS_SET
103	0x80070067	The semaphore cannot be set again.	ERROR_TOO_MANY_SEM_REQUESTS
104	0x80070068	Cannot request exclusive semaphores at interrupt time.	ERROR_INVALID_AT_INTERRUPT_TIME

105	0x80070069	The previous ownership of this semaphore has ended.	ERROR_SEM_OWNER_DIED
106	0x8007006A	Insert the diskette for drive %1.	ERROR_SEM_USER_LIMIT
107	0x8007006B	The program stopped because an alternate diskette was not inserted.	ERROR_DISK_CHANGE
108	0x8007006C	The disk is in use or locked by another process.	ERROR_DRIVE_LOCKED
109	0x8007006D	The pipe has been ended.	ERROR_BROKEN_PIPE
110	0x8007006E	The system cannot open the device or file specified.	ERROR_OPEN_FAILED
111	0x8007006F	The file name is too long.	ERROR_BUFFER_OVERFLOW
112	0x80070070	There is not enough space on the disk.	ERROR_DISK_FULL
113	0x80070071	No more internal file identifiers available.	ERROR_NO_MORE_SEARCH_HANDLES
114	0x80070072	The target internal file identifier is incorrect.	ERROR_INVALID_TARGET_HANDLE
117	0x80070075	The IOCTL call made by the application program is not correct.	ERROR_INVALID_CATEGORY
118	0x80070076	The verify-on-write switch parameter value is not correct.	ERROR_INVALID_VERIFY_SWITCH
119	0x80070077	The system does not support the command requested.	ERROR_BAD_DRIVER_LEVEL
120	0x80070078	This function is not supported on this system.	ERROR_CALL_NOT_IMPLEMENTED
121	0x80070079	The semaphore timeout period has expired.	ERROR_SEM_TIMEOUT
122	0x8007007A	The data area passed to a system call is too small.	ERROR_INSUFFICIENT_BUFFER
122	0x8007007A	0x7A = 122L = ERROR_INSUFFICIENT_BUFFER	STRSAFE_E_INSUFFICIENT_BUFFER
123	0x8007007B	The filename, directory name, or volume label syntax is incorrect.	ERROR_INVALID_NAME
124	0x8007007C	The system call level is not correct.	ERROR_INVALID_LEVEL
125	0x8007007D	The disk has no volume label.	ERROR_NO_VOLUME_LABEL
126	0x8007007E	The specified module could not be found.	ERROR_MOD_NOT_FOUND
127	0x8007007F	The specified procedure could not be found.	ERROR_PROC_NOT_FOUND
128	0x80070080	There are no child processes to wait for.	ERROR_WAIT_NO_CHILDREN
129	0x80070081	The %1 application cannot be run in Win32 mode.	ERROR_CHILD_NOT_COMPLETE
130	0x80070082	Attempt to use a file handle to an open disk partition for an operation other than raw disk I/O.	ERROR_DIRECT_ACCESS_HANDLE
131	0x80070083	An attempt was made to move the file pointer before the beginning of the file.	ERROR_NEGATIVE_SEEK
132	0x80070084	The file pointer cannot be set on the specified device or file.	ERROR_SEEK_ON_DEVICE
133	0x80070085	A JOIN or SUBST command cannot be used for a drive that contains previously joined drives.	ERROR_IS_JOIN_TARGET
134	0x80070086	An attempt was made to use a JOIN or SUBST command on a drive that has already been joined.	ERROR_IS_JOINED
135	0x80070087	An attempt was made to use a JOIN or SUBST command on a drive that has already been substituted.	ERROR_IS_SUBSTED
136	0x80070088	The system tried to delete the JOIN of a drive that is not joined.	ERROR_NOT_JOINED
137	0x80070089	The system tried to delete the substitution of a drive that is not substituted.	ERROR_NOT_SUBSTED
138	0x8007008A	The system tried to join a drive to a directory on a joined drive.	ERROR_JOIN_TO_JOIN
139	0x8007008B	The system tried to substitute a drive to a directory on a substituted drive.	ERROR_SUBST_TO_SUBST
140	0x8007008C	The system tried to join a drive to a directory on a substituted drive.	ERROR_JOIN_TO_SUBST
141	0x8007008D	The system tried to SUBST a drive to a directory on a joined drive.	ERROR_SUBST_TO_JOIN
142	0x8007008E	The system cannot perform a JOIN or SUBST at this time.	ERROR_BUSY_DRIVE
143	0x8007008F	The system cannot join or substitute a drive to or for a directory on the same drive.	ERROR_SAME_DRIVE
144	0x80070090	The directory is not a subdirectory of the root directory.	ERROR_DIR_NOT_ROOT
145	0x80070091	The directory is not empty.	ERROR_DIR_NOT_EMPTY
146	0x80070092	The path specified is being used in a substitute.	ERROR_IS_SUBST_PATH

147	0x80070093	Not enough resources are available to process this command.	ERROR_IS_JOIN_PATH
148	0x80070094	The path specified cannot be used at this time.	ERROR_PATH_BUSY
149	0x80070095	An attempt was made to join or substitute a drive for which a directory on the drive is the target of a previous substitute.	ERROR_IS_SUBST_TARGET
150	0x80070096	System trace information was not specified in your CONFIG.SYS file, or tracing is disallowed.	ERROR_SYSTEM_TRACE
151	0x80070097	The number of specified semaphore events for DosMuxSemWait is not correct.	ERROR_INVALID_EVENT_COUNT
152	0x80070098	DosMuxSemWait did not execute; too many semaphores are already set.	ERROR_TOO_MANY_MUXWAITERS
153	0x80070099	The DosMuxSemWait list is not correct.	ERROR_INVALID_LIST_FORMAT
154	0x8007009A	The volume label you entered exceeds the label character limit of the target file system.	ERROR_LABEL_TOO_LONG
155	0x8007009B	Cannot create another thread.	ERROR_TOO_MANY_TCBS
156	0x8007009C	The recipient process has refused the signal.	ERROR_SIGNAL_REFUSED
157	0x8007009D	The segment is already discarded and cannot be locked.	ERROR_DISCARDED
158	0x8007009E	The segment is already unlocked.	ERROR_NOT_LOCKED
159	0x8007009F	The address for the thread ID is not correct.	ERROR_BAD_THREADID_ADDR
160	0x800700A0	One or more arguments are not correct.	ERROR_BAD_ARGUMENTS
161	0x800700A1	The specified path is invalid.	ERROR_BAD_PATHNAME
162	0x800700A2	A signal is already pending.	ERROR_SIGNAL_PENDING
164	0x800700A4	No more threads can be created in the system.	ERROR_MAX_THRDS_REACHED
167	0x800700A7	Unable to lock a region of a file.	ERROR_LOCK_FAILED
170	0x800700AA	The requested resource is in use.	ERROR_BUSY
173	0x800700AD	A lock request was not outstanding for the supplied cancel region.	ERROR_CANCEL_VIOLATION
174	0x800700AE	The file system does not support atomic changes to the lock type.	ERROR_ATOMIC_LOCKS_NOT_SUPPORTED
180	0x800700B4	The system detected a segment number that was not correct.	ERROR_INVALID_SEGMENT_NUMBER
182	0x800700B6	The operating system cannot run %1.	ERROR_INVALID_ORDINAL
183	0x800700B7	Cannot create a file when that file already exists.	ERROR_ALREADY_EXISTS
186	0x800700BA	The flag passed is not correct.	ERROR_INVALID_FLAG_NUMBER
187	0x800700BB	The specified system semaphore name was not found.	ERROR_SEM_NOT_FOUND
188	0x800700BC	The operating system cannot run %1.	ERROR_INVALID_STARTING_CODESEG
189	0x800700BD	The operating system cannot run %1.	ERROR_INVALID_STACKSEG
190	0x800700BE	The operating system cannot run %1.	ERROR_INVALID_MODULETYPE
191	0x800700BF	Cannot run %1 in Win32 mode.	ERROR_INVALID_EXE_SIGNATURE
192	0x800700C0	The operating system cannot run %1.	ERROR_EXE_MARKED_INVALID
193	0x800700C1	%1 is not a valid Win32 application.	ERROR_BAD_EXE_FORMAT
194	0x800700C2	The operating system cannot run %1.	ERROR_ITERATED_DATA_EXCEEDS_64k
195	0x800700C3	The operating system cannot run %1.	ERROR_INVALID_MINALLOCSIZE
196	0x800700C4	The operating system cannot run this application program.	ERROR_DYNLINK_FROM_INVALID_RING
197	0x800700C5	The operating system is not presently configured to run this application.	ERROR_IOPL_NOT_ENABLED
198	0x800700C6	The operating system cannot run %1.	ERROR_INVALID_SEGDPL
199	0x800700C7	The operating system cannot run this application program.	ERROR_AUTODATASEG_EXCEEDS_64k
200	0x800700C8	The code segment cannot be greater than or equal to 64K.	ERROR_RING2SEG_MUST_BE_MOVABLE
201	0x800700C9	The operating system cannot run %1.	ERROR_RELOC_CHAIN_XEEDS_SEGLIM
202	0x800700CA	The operating system cannot run %1.	ERROR_INFLOOP_IN_RELOC_CHAIN
203	0x800700CB	The system could not find the environment option that was entered.	ERROR_ENVVAR_NOT_FOUND
205	0x800700CD	No process in the command subtree has a signal handler.	ERROR_NO_SIGNAL_SENT
206	0x800700CE	The filename or extension is too long.	ERROR_FILENAME_EXCED_RANGE
207	0x800700CF	The ring 2 stack is in use.	ERROR_RING2_STACK_IN_USE
208	0x800700D0	The global filename characters, * or ?, are entered incorrectly or too many global filename characters are specified.	ERROR_META_EXPANSION_TOO_LONG
209	0x800700D1	The signal being posted is not correct.	ERROR_INVALID_SIGNAL_NUMBER

210	0x800700D2	The signal handler cannot be set.	ERROR_THREAD_1_INACTIVE
212	0x800700D4	The segment is locked and cannot be reallocated.	ERROR_LOCKED
214	0x800700D6	Too many dynamic-link modules are attached to this program or dynamic-link module.	ERROR_TOO_MANY_MODULES
215	0x800700D7	Cannot nest calls to LoadModule.	ERROR_NESTING_NOT_ALLOWED
216	0x800700D8	This version of %1 is not compatible with the version of Windows you're running. Check your computer's system information to see whether you need a x86 (32-bit) or x64 (64-bit) version of the program, and then contact the software publisher.	ERROR_EXE_MACHINE_TYPE_MISMATCH
217	0x800700D9	The image file %1 is signed, unable to modify.	ERROR_EXE_CANNOT_MODIFY_SIGNED_BINARY
218	0x800700DA	The image file %1 is strong signed, unable to modify.	ERROR_EXE_CANNOT_MODIFY_STRONG_SIGNED_BINARY
220	0x800700DC	This file is checked out or locked for editing by another user.	ERROR_FILE_CHECKED_OUT
221	0x800700DD	The file must be checked out before saving changes.	ERROR_CHECKOUT_REQUIRED
222	0x800700DE	The file type being saved or retrieved has been blocked.	ERROR_BAD_FILE_TYPE
223	0x800700DF	The file size exceeds the limit allowed and cannot be saved.	ERROR_FILE_TOO_LARGE
224	0x800700E0	Access Denied. Before opening files in this location, you must first browse to the web site and select the option to login automatically.	ERROR_FORMS_AUTH_REQUIRED
225	0x800700E1	Operation did not complete successfully because the file contains a virus.	ERROR_VIRUS_INFECTED
226	0x800700E2	This file contains a virus and cannot be opened. Due to the nature of this virus, the file has been removed from this location.	ERROR_VIRUS_DELETED
229	0x800700E5	The pipe is local.	ERROR_PIPE_LOCAL
230	0x800700E6	The pipe state is invalid.	ERROR_BAD_PIPE
231	0x800700E7	All pipe instances are busy.	ERROR_PIPE_BUSY
232	0x800700E8	The pipe is being closed.	ERROR_NO_DATA
233	0x800700E9	No process is on the other end of the pipe.	ERROR_PIPE_NOT_CONNECTED
234	0x800700EA	More data is available.	ERROR_MORE_DATA
240	0x800700F0	The session was canceled.	ERROR_VC_DISCONNECTED
254	0x800700FE	The specified extended attribute name was invalid.	ERROR_INVALID_EA_NAME
255	0x800700FF	The extended attributes are inconsistent.	ERROR_EA_LIST_INCONSISTENT
258	0x80070102	The wait operation timed out.	WAIT_TIMEOUT
259	0x80070103	No more data is available.	ERROR_NO_MORE_ITEMS
266	0x8007010A	The copy functions cannot be used.	ERROR_CANNOT_COPY
267	0x8007010B	The directory name is invalid.	ERROR_DIRECTORY
275	0x80070113	The extended attributes did not fit in the buffer.	ERROR_EAS_DIDNT_FIT
276	0x80070114	The extended attribute file on the mounted file system is corrupt.	ERROR_EA_FILE_CORRUPT
277	0x80070115	The extended attribute table file is full.	ERROR_EA_TABLE_FULL
278	0x80070116	The specified extended attribute handle is invalid.	ERROR_INVALID_EA_HANDLE
282	0x8007011A	The mounted file system does not support extended attributes.	ERROR_EAS_NOT_SUPPORTED
288	0x80070120	Attempt to release mutex not owned by caller.	ERROR_NOT_OWNER
298	0x8007012A	Too many posts were made to a semaphore.	ERROR_TOO_MANY_POSTS
299	0x8007012B	Only part of a ReadProcessMemory or WriteProcessMemory request was completed.	ERROR_PARTIAL_COPY
300	0x8007012C	The oplock request is denied.	ERROR_OPLOCK_NOT_GRANTED
301	0x8007012D	An invalid oplock acknowledgment was received by the system.	ERROR_INVALID_OPLOCK_PROTOCOL
302	0x8007012E	The volume is too fragmented to complete this operation.	ERROR_DISK_TOO_FRAGMENTED
303	0x8007012F	The file cannot be opened because it is in the process of being deleted.	ERROR_DELETE_PENDING
317	0x8007013D	The system cannot find message text for message number 0x%1 in the message file for %2.	ERROR_MR_MID_NOT_FOUND
318	0x8007013E	The scope specified was not found.	ERROR_SCOPE_NOT_FOUND
350	0x8007015E	No action was taken as a system reboot is required.	ERROR_FAIL_NOACTION_REBOOT

351	0x8007015F	The shutdown operation failed.	ERROR_FAIL_SHUTDOWN
352	0x80070160	The restart operation failed.	ERROR_FAIL_RESTART
353	0x80070161	The maximum number of sessions has been reached.	ERROR_MAX_SESSIONS_REACHED
400	0x80070190	The thread is already in background processing mode.	ERROR_THREAD_MODE_ALREADY_BACKGROUND
401	0x80070191	The thread is not in background processing mode.	ERROR_THREAD_MODE_NOT_BACKGROUND
402	0x80070192	The process is already in background processing mode.	ERROR_PROCESS_MODE_ALREADY_BACKGROUND
403	0x80070193	The process is not in background processing mode.	ERROR_PROCESS_MODE_NOT_BACKGROUND
487	0x800701E7	Attempt to access invalid address.	ERROR_INVALID_ADDRESS
500	0x800701F4	User profile cannot be loaded.	ERROR_USER_PROFILE_LOAD
534	0x80070216	Arithmetic result exceeded 32 bits.	ERROR_ARITHMETIC_OVERFLOW
534	0x80070216	0x216 = 534 = ERROR_ARITHMETIC_OVERFLOW	INTSAFE_E_ARITHMETIC_OVERFLOW
535	0x80070217	There is a process on other end of the pipe.	ERROR_PIPE_CONNECTED
536	0x80070218	Waiting for a process to open the other end of the pipe.	ERROR_PIPE_LISTENING
537	0x80070219	Application verifier has found an error in the current process.	ERROR_VERIFIER_STOP
538	0x8007021A	An error occurred in the ABIOS subsystem.	ERROR_ABIOS_ERROR
539	0x8007021B	A warning occurred in the WX86 subsystem.	ERROR_WX86_WARNING
540	0x8007021C	An error occurred in the WX86 subsystem.	ERROR_WX86_ERROR
541	0x8007021D	An attempt was made to cancel or set a timer that has an associated APC and the subject thread is not the thread that originally set the timer with an associated APC routine.	ERROR_TIMER_NOT_CANCELED
542	0x8007021E	Unwind exception code.	ERROR_UNWIND
543	0x8007021F	An invalid or unaligned stack was encountered during an unwind operation.	ERROR_BAD_STACK
544	0x80070220	An invalid unwind target was encountered during an unwind operation.	ERROR_INVALID_UNWIND_TARGET
545	0x80070221	Invalid Object Attributes specified to NtCreatePort or invalid Port Attributes specified to NtConnectPort	ERROR_INVALID_PORT_ATTRIBUTES
546	0x80070222	Length of message passed to NtRequestPort or NtRequestWaitReplyPort was longer than the maximum message allowed by the port.	ERROR_PORT_MESSAGE_TOO_LONG
547	0x80070223	An attempt was made to lower a quota limit below the current usage.	ERROR_INVALID_QUOTA_LOWER
548	0x80070224	An attempt was made to attach to a device that was already attached to another device.	ERROR_DEVICE_ALREADY_ATTACHED
549	0x80070225	An attempt was made to execute an instruction at an unaligned address and the host system does not support unaligned instruction references.	ERROR_INSTRUCTION_MISALIGNMENT
550	0x80070226	Profiling not started.	ERROR_PROFILING_NOT_STARTED
551	0x80070227	Profiling not stopped.	ERROR_PROFILING_NOT_STOPPED
552	0x80070228	The passed ACL did not contain the minimum required information.	ERROR_COULD_NOT_INTERPRET
553	0x80070229	The number of active profiling objects is at the maximum and no more may be started.	ERROR_PROFILING_AT_LIMIT
554	0x8007022A	Used to indicate that an operation cannot continue without blocking for I/O.	ERROR_CANT_WAIT
555	0x8007022B	Indicates that a thread attempted to terminate itself by default (called NtTerminateThread with NULL) and it was the last thread in the current process.	ERROR_CANT_TERMINATE_SELF
556	0x8007022C	If an MM error is returned which is not defined in the standard FsRtl filter, it is converted to one of the following errors which is guaranteed to be in the filter. In this case information is lost, however, the filter correctly handles the exception.	ERROR_UNEXPECTED_MM_CREATE_ERR
557	0x8007022D	If an MM error is returned which is not defined in the standard FsRtl filter, it is converted to one of the following errors which is guaranteed to be in the filter. In this case information is lost, however, the filter correctly handles the exception.	ERROR_UNEXPECTED_MM_MAP_ERROR

558	0x8007022E	If an MM error is returned which is not defined in the standard FsRtl filter, it is converted to one of the following errors which is guaranteed to be in the filter. In this case information is lost, however, the filter correctly handles the exception.	ERROR_UNEXPECTED_MM_EXTEND_ERR
559	0x8007022F	A malformed function table was encountered during an unwind operation.	ERROR_BAD_FUNCTION_TABLE
560	0x80070230	Indicates that an attempt was made to assign protection to a file system file or directory and one of the SIDs in the security descriptor could not be translated into a GUID that could be stored by the file system. This causes the protection attempt to fail, which may cause a file creation attempt to fail.	ERROR_NO_GUID_TRANSLATION
561	0x80070231	Indicates that an attempt was made to grow an LDT by setting its size, or that the size was not an even number of selectors.	ERROR_INVALID_LDT_SIZE
563	0x80070233	Indicates that the starting value for the LDT information was not an integral multiple of the selector size.	ERROR_INVALID_LDT_OFFSET
564	0x80070234	Indicates that the user supplied an invalid descriptor when trying to set up Ldt descriptors.	ERROR_INVALID_LDT_DESCRIPTOR
565	0x80070235	Indicates a process has too many threads to perform the requested action. For example, assignment of a primary token may only be performed when a process has zero or one threads.	ERROR_TOO_MANY_THREADS
566	0x80070236	An attempt was made to operate on a thread within a specific process, but the thread specified is not in the process specified.	ERROR_THREAD_NOT_IN_PROCESS
567	0x80070237	Page file quota was exceeded.	ERROR_PAGEFILE_QUOTA_EXCEEDED
568	0x80070238	The Netlogon service cannot start because another Netlogon service running in the domain conflicts with the specified role.	ERROR_LOGON_SERVER_CONFLICT
569	0x80070239	The SAM database on a Windows Server is significantly out of synchronization with the copy on the Domain Controller. A complete synchronization is required.	ERROR_SYNCHRONIZATION_REQUIRED
570	0x8007023A	The NtCreateFile API failed. This error should never be returned to an application, it is a place holder for the Windows Lan Manager Redirector to use in its internal error mapping routines.	ERROR_NET_OPEN_FAILED
571	0x8007023B	{Privilege Failed} The I/O permissions for the process could not be changed.	ERROR_IO_PRIVILEGE_FAILED
572	0x8007023C	{Application Exit by CTRL+C} The application terminated as a result of a CTRL+C.	ERROR_CONTROL_C_EXIT
573	0x8007023D	{Missing System File} The required system file %hs is bad or missing.	ERROR_MISSING_SYSTEMFILE
574	0x8007023E	{Application Error} The exception %s (0x%08lx) occurred in the application at location 0x%08lx.	ERROR_UNHANDLED_EXCEPTION
575	0x8007023F	{Application Error} The application failed to initialize properly (0x%lx). Click OK to terminate the application.	ERROR_APP_INIT_FAILURE
576	0x80070240	{Unable to Create Paging File} The creation of the paging file %hs failed (%lx). The requested size was %ld.	ERROR_PAGEFILE_CREATE_FAILED
577	0x80070241	Windows cannot verify the digital signature for this file. A recent hardware or software change might have installed a file that is signed incorrectly or damaged, or that might be malicious software from an unknown source.	ERROR_INVALID_IMAGE_HASH
578	0x80070242	{No Paging File Specified} No paging file was specified in the system configuration.	ERROR_NO_PAGEFILE
579	0x80070243	{EXCEPTION} A real-mode application issued a floating-point instruction and floating-point hardware is not present.	ERROR_ILLEGAL_FLOAT_CONTEXT
580	0x80070244	An event pair synchronization operation was performed using the thread specific client/server event pair object, but no event pair object was associated with the thread.	ERROR_NO_EVENT_PAIR

581	0x80070245	A Windows Server has an incorrect configuration.	ERROR_DOMAIN_CTRLR_CONFIG_ERROR
582	0x80070246	An illegal character was encountered. For a multi-byte character set this includes a lead byte without a succeeding trail byte. For the Unicode character set this includes the characters 0xFFFF and 0xFFFE.	ERROR_ILLEGAL_CHARACTER
583	0x80070247	The Unicode character is not defined in the Unicode character set installed on the system.	ERROR_UNDEFINED_CHARACTER
584	0x80070248	The paging file cannot be created on a floppy diskette.	ERROR_FLOPPY_VOLUME
585	0x80070249	The system BIOS failed to connect a system interrupt to the device or bus for which the device is connected.	ERROR_BIOS_FAILED_TO_CONNECT_INTERRUPT
586	0x8007024A	This operation is only allowed for the Primary Domain Controller of the domain.	ERROR_BACKUP_CONTROLLER
587	0x8007024B	An attempt was made to acquire a mutant such that its maximum count would have been exceeded.	ERROR_MUTANT_LIMIT_EXCEEDED
588	0x8007024C	A volume has been accessed for which a file system driver is required that has not yet been loaded.	ERROR_FS_DRIVER_REQUIRED
589	0x8007024D	{Registry File Failure} The registry cannot load the hive (file): %hs or its log or alternate. It is corrupt, absent, or not writable.	ERROR_CANNOT_LOAD_REGISTRY_FILE
590	0x8007024E	{Unexpected Failure in DebugActiveProcess} An unexpected failure occurred while processing a DebugActiveProcess API request. You may choose OK to terminate the process, or Cancel to ignore the error.	ERROR_DEBUG_ATTACH_FAILED
591	0x8007024F	{Fatal System Error} The %hs system process terminated unexpectedly with a status of 0x%08x (0x%08x 0x%08x). The system has been shut down.	ERROR_SYSTEM_PROCESS_TERMINATED
592	0x80070250	{Data Not Accepted} The TDI client could not handle the data received during an indication.	ERROR_DATA_NOT_ACCEPTED
593	0x80070251	NTVDM encountered a hard error.	ERROR_VDM_HARD_ERROR
594	0x80070252	{Cancel Timeout} The driver %hs failed to complete a cancelled I/O request in the allotted time.	ERROR_DRIVER_CANCEL_TIMEOUT
595	0x80070253	{Reply Message Mismatch} An attempt was made to reply to an LPC message, but the thread specified by the client ID in the message was not waiting on that message.	ERROR_REPLY_MESSAGE_MISMATCH
596	0x80070254	{Delayed Write Failed} Windows was unable to save all the data for the file %hs. The data has been lost. This error may be caused by a failure of your computer hardware or network connection. Please try to save this file elsewhere.	ERROR_LOST_WRITEBEHIND_DATA
597	0x80070255	The parameter(s) passed to the server in the client/server shared memory window were invalid. Too much data may have been put in the shared memory window.	ERROR_CLIENT_SERVER_PARAMETERS_INVALID
598	0x80070256	The stream is not a tiny stream.	ERROR_NOT_TINY_STREAM
599	0x80070257	The request must be handled by the stack overflow code.	ERROR_STACK_OVERFLOW_READ
600	0x80070258	Internal OFS status codes indicating how an allocation operation is handled. Either it is retried after the containing onode is moved or the extent stream is converted to a large stream.	ERROR_CONVERT_TO_LARGE
601	0x80070259	The attempt to find the object found an object matching by ID on the volume but it is out of the scope of the handle used for the operation.	ERROR_FOUND_OUT_OF_SCOPE
602	0x8007025A	The bucket array must be grown. Retry transaction after doing so.	ERROR_ALLOCATE_BUCKET
603	0x8007025B	The user/kernel marshalling buffer has overflowed.	ERROR_MARSHALL_OVERFLOW
604	0x8007025C	The supplied variant structure contains invalid data.	ERROR_INVALID_VARIANT
605	0x8007025D	The specified buffer contains ill-formed data.	ERROR_BAD_COMPRESSION_BUFFER
606	0x8007025E	{Audit Failed} An attempt to generate a security audit failed.	ERROR_AUDIT_FAILED

607	0x8007025F	The timer resolution was not previously set by the current process.	ERROR_TIMER_RESOLUTION_NOT_SET
608	0x80070260	There is insufficient account information to log you on.	ERROR_INSUFFICIENT_LOGON_INFO
609	0x80070261	{Invalid DLL Entrypoint} The dynamic link library %hs is not written correctly. The stack pointer has been left in an inconsistent state. The entrypoint should be declared as WINAPI or STDCALL. Select YES to fail the DLL load. Select NO to continue execution. Selecting NO may cause the application to operate incorrectly.	ERROR_BAD_DLL_ENTRYPOINT
610	0x80070262	{Invalid Service Callback Entrypoint} The %hs service is not written correctly. The stack pointer has been left in an inconsistent state. The callback entrypoint should be declared as WINAPI or STDCALL. Selecting OK will cause the service to continue operation. However, the service process may operate incorrectly.	ERROR_BAD_SERVICE_ENTRYPOINT
611	0x80070263	There is an IP address conflict with another system on the network	ERROR_IP_ADDRESS_CONFLICT1
612	0x80070264	There is an IP address conflict with another system on the network	ERROR_IP_ADDRESS_CONFLICT2
613	0x80070265	{Low On Registry Space} The system has reached the maximum size allowed for the system part of the registry. Additional storage requests will be ignored.	ERROR_REGISTRY_QUOTA_LIMIT
614	0x80070266	A callback return system service cannot be executed when no callback is active.	ERROR_NO_CALLBACK_ACTIVE
615	0x80070267	The password provided is too short to meet the policy of your user account. Please choose a longer password.	ERROR_PWD_TOO_SHORT
616	0x80070268	The policy of your user account does not allow you to change passwords too frequently. This is done to prevent users from changing back to a familiar, but potentially discovered, password. If you feel your password has been compromised then please contact your administrator immediately to have a new one assigned.	ERROR_PWD_TOO_RECENT
617	0x80070269	You have attempted to change your password to one that you have used in the past. The policy of your user account does not allow this. Please select a password that you have not previously used.	ERROR_PWD_HISTORY_CONFLICT
618	0x8007026A	The specified compression format is unsupported.	ERROR_UNSUPPORTED_COMPRESSION
619	0x8007026B	The specified hardware profile configuration is invalid.	ERROR_INVALID_HW_PROFILE
620	0x8007026C	The specified Plug and Play registry device path is invalid.	ERROR_INVALID_PLUGPLAY_DEVICE_PATH
621	0x8007026D	The specified quota list is internally inconsistent with its descriptor.	ERROR_QUOTA_LIST_INCONSISTENT
622	0x8007026E	{Windows Evaluation Notification} The evaluation period for this installation of Windows has expired. This system will shutdown in 1 hour. To restore access to this installation of Windows, please upgrade this installation using a licensed distribution of this product.	ERROR_EVALUATION_EXPIRATION
623	0x8007026F	{Illegal System DLL Relocation} The system DLL %hs was relocated in memory. The application will not run properly. The relocation occurred because the DLL %hs occupied an address range reserved for Windows system DLLs. The vendor supplying the DLL should be contacted for a new DLL.	ERROR_ILLEGAL_DLL_RELOCATION
624	0x80070270	{DLL Initialization Failed} The application failed to initialize because the window station is shutting down.	ERROR_DLL_INIT_FAILED_LOGOFF
625	0x80070271	The validation process needs to continue on to the next step.	ERROR_VALIDATE_CONTINUE
626	0x80070272	There are no more matches for the current index enumeration.	ERROR_NO_MORE_MATCHES
627	0x80070273	The range could not be added to the range list because of a conflict.	ERROR_RANGE_LIST_CONFLICT

628	0x80070274	The server process is running under a SID different than that required by client.	ERROR_SERVER_SID_MISMATCH
629	0x80070275	A group marked use for deny only cannot be enabled.	ERROR_CANT_ENABLE_DENY_ONLY
630	0x80070276	{EXCEPTION} Multiple floating point faults.	ERROR_FLOAT_MULTIPLE_FAULTS
631	0x80070277	{EXCEPTION} Multiple floating point traps.	ERROR_FLOAT_MULTIPLE_TRAPS
632	0x80070278	The requested interface is not supported.	ERROR_NOINTERFACE
633	0x80070279	{System Standby Failed} The driver %hs does not support standby mode. Updating this driver may allow the system to go to standby mode.	ERROR_DRIVER_FAILED_SLEEP
634	0x8007027A	The system file %1 has become corrupt and has been replaced.	ERROR_CORRUPT_SYSTEM_FILE
635	0x8007027B	{Virtual Memory Minimum Too Low} Your system is low on virtual memory. Windows is increasing the size of your virtual memory paging file. During this process, memory requests for some applications may be denied. For more information, see Help.	ERROR_COMMITMENT_MINIMUM
636	0x8007027C	A device was removed so enumeration must be restarted.	ERROR_PNP_RESTART_ENUMERATION
637	0x8007027D	{Fatal System Error} The system image %s is not properly signed. The file has been replaced with the signed file. The system has been shut down.	ERROR_SYSTEM_IMAGE_BAD_SIGNATURE
638	0x8007027E	Device will not start without a reboot.	ERROR_PNP_REBOOT_REQUIRED
639	0x8007027F	There is not enough power to complete the requested operation.	ERROR_INSUFFICIENT_POWER
640	0x80070280	ERROR_MULTIPLE_FAULT_VIOLATION	ERROR_MULTIPLE_FAULT_VIOLATION
641	0x80070281	The system is in the process of shutting down.	ERROR_SYSTEM_SHUTDOWN
642	0x80070282	An attempt to remove a processes DebugPort was made, but a port was not already associated with the process.	ERROR_PORT_NOT_SET
643	0x80070283	This version of Windows is not compatible with the behavior version of directory forest, domain or domain controller.	ERROR_DS_VERSION_CHECK_FAILURE
644	0x80070284	The specified range could not be found in the range list.	ERROR_RANGE_NOT_FOUND
646	0x80070286	The driver was not loaded because the system is booting into safe mode.	ERROR_NOT_SAFE_MODE_DRIVER
647	0x80070287	The driver was not loaded because it failed it's initialization call.	ERROR_FAILED_DRIVER_ENTRY
648	0x80070288	The "%hs" encountered an error while applying power or reading the device configuration. This may be caused by a failure of your hardware or by a poor connection.	ERROR_DEVICE_ENUMERATION_ERROR
649	0x80070289	The create operation failed because the name contained at least one mount point which resolves to a volume to which the specified device object is not attached.	ERROR_MOUNT_POINT_NOT_RESOLVED
650	0x8007028A	The device object parameter is either not a valid device object or is not attached to the volume specified by the file name.	ERROR_INVALID_DEVICE_OBJECT_PARAMETER
651	0x8007028B	A Machine Check Error has occurred. Please check the system eventlog for additional information.	ERROR_MCA_OCCURED
652	0x8007028C	There was error [%2] processing the driver database.	ERROR_DRIVER_DATABASE_ERROR
653	0x8007028D	System hive size has exceeded its limit.	ERROR_SYSTEM_HIVE_TOO_LARGE
654	0x8007028E	The driver could not be loaded because a previous version of the driver is still in memory.	ERROR_DRIVER_FAILED_PRIOR_UNLOAD
655	0x8007028F	{Volume Shadow Copy Service} Please wait while the Volume Shadow Copy Service prepares volume %hs for hibernation.	ERROR_VOLSnap_PREPARE_HIBERNATE
656	0x80070290	The system has failed to hibernate (The error code is %hs). Hibernation will be disabled until the system is restarted.	ERROR_HIBERNATION_FAILURE
665	0x80070299	The requested operation could not be completed due to a file system limitation	ERROR_FILE_SYSTEM_LIMITATION
668	0x8007029C	An assertion failure has occurred.	ERROR_ASSERTION_FAILURE
669	0x8007029D	An error occurred in the ACPI subsystem.	ERROR_ACPI_ERROR
670	0x8007029E	WOW Assertion Error.	ERROR_WOW_ASSERTION

671	0x8007029F	A device is missing in the system BIOS MPS table. This device will not be used. Please contact your system vendor for system BIOS update.	ERROR_PNP_BAD_MPS_TABLE
672	0x800702A0	A translator failed to translate resources.	ERROR_PNP_TRANSLATION_FAILED
673	0x800702A1	A IRQ translator failed to translate resources.	ERROR_PNP_IRQ_TRANSLATION_FAILED
674	0x800702A2	Driver %2 returned invalid ID for a child device (%3).	ERROR_PNP_INVALID_ID
675	0x800702A3	{Kernel Debugger Awakened} the system debugger was awakened by an interrupt.	ERROR_WAKE_SYSTEM_DEBUGGER
676	0x800702A4	{Handles Closed} Handles to objects have been automatically closed as a result of the requested operation.	ERROR_HANDLES_CLOSED
677	0x800702A5	{Too Much Information} The specified access control list (ACL) contained more information than was expected.	ERROR_EXTRANEIOUS_INFORMATION
678	0x800702A6	This warning level status indicates that the transaction state already exists for the registry sub-tree, but that a transaction commit was previously aborted. The commit has NOT been completed, but has not been rolled back either (so it may still be committed if desired).	ERROR_RXACT_COMMIT_NECESSARY
679	0x800702A7	{Media Changed} The media may have changed.	ERROR_MEDIA_CHECK
680	0x800702A8	{GUID Substitution} During the translation of a global identifier (GUID) to a Windows security ID (SID), no administratively-defined GUID prefix was found. A substitute prefix was used, which will not compromise system security. However, this may provide a more restrictive access than intended.	ERROR_GUID_SUBSTITUTION_MADE
681	0x800702A9	The create operation stopped after reaching a symbolic link	ERROR_STOPPED_ON_SYMLINK
682	0x800702AA	A long jump has been executed.	ERROR_LONGJUMP
683	0x800702AB	The Plug and Play query operation was not successful.	ERROR_PLUGPLAY_QUERY_VETOED
684	0x800702AC	A frame consolidation has been executed.	ERROR_UNWIND_CONSOLIDATE
685	0x800702AD	{Registry Hive Recovered} Registry hive (file): %hs was corrupted and it has been recovered. Some data might have been lost.	ERROR_REGISTRY_HIVE_RECOVERED
686	0x800702AE	The application is attempting to run executable code from the module %hs. This may be insecure. An alternative, %hs, is available. Should the application use the secure module %hs?	ERROR_DLL_MIGHT_BE_INSECURE
687	0x800702AF	The application is loading executable code from the module %hs. This is secure, but may be incompatible with previous releases of the operating system. An alternative, %hs, is available. Should the application use the secure module %hs?	ERROR_DLL_MIGHT_BE_INCOMPATIBLE
688	0x800702B0	Debugger did not handle the exception.	ERROR_DBG_EXCEPTION_NOT_HANDLED
689	0x800702B1	Debugger will reply later.	ERROR_DBG_REPLY_LATER
690	0x800702B2	Debugger cannot provide handle.	ERROR_DBG_UNABLE_TO_PROVIDE_HANDLE
691	0x800702B3	Debugger terminated thread.	ERROR_DBG_TERMINATE_THREAD
692	0x800702B4	Debugger terminated process.	ERROR_DBG_TERMINATE_PROCESS
693	0x800702B5	Debugger got control C.	ERROR_DBG_CONTROL_C
694	0x800702B6	Debugger printed exception on control C.	ERROR_DBG_PRINTEXCEPTION_C
695	0x800702B7	Debugger received RIP exception.	ERROR_DBG_RIPEXCEPTION
696	0x800702B8	Debugger received control break.	ERROR_DBG_CONTROL_BREAK
697	0x800702B9	Debugger command communication exception.	ERROR_DBG_COMMAND_EXCEPTION
698	0x800702BA	{Object Exists} An attempt was made to create an object and the object name already existed.	ERROR_OBJECT_NAME_EXISTS
699	0x800702BB	{Thread Suspended} A thread termination occurred while the thread was suspended. The thread was resumed, and termination proceeded.	ERROR_THREAD_WAS_SUSPENDED
700	0x800702BC	{Image Relocated} An image file could not be mapped at the address specified in the image file. Local fixups must be performed on this image.	ERROR_IMAGE_NOT_AT_BASE

701	0x800702BD	This informational level status indicates that a specified registry sub-tree transaction state did not yet exist and had to be created.	ERROR_RXACT_STATE_CREATED
702	0x800702BE	{Segment Load} A virtual DOS machine (VDM) is loading, unloading, or moving an MS-DOS or Win16 program segment image. An exception is raised so a debugger can load, unload or track symbols and breakpoints within these 16-bit segments.	ERROR_SEGMENT_NOTIFICATION
703	0x800702BF	{Invalid Current Directory} The process cannot switch to the startup current directory %hs. Select OK to set current directory to %hs, or select CANCEL to exit.	ERROR_BAD_CURRENT_DIRECTORY
704	0x800702C0	{Redundant Read} To satisfy a read request, the NT fault-tolerant file system successfully read the requested data from a redundant copy. This was done because the file system encountered a failure on a member of the fault-tolerant volume, but was unable to reassign the failing area of the device.	ERROR_FT_READ_RECOVERY_FROM_BACKUP
705	0x800702C1	{Redundant Write} To satisfy a write request, the NT fault-tolerant file system successfully wrote a redundant copy of the information. This was done because the file system encountered a failure on a member of the fault-tolerant volume, but was not able to reassign the failing area of the device.	ERROR_FT_WRITE_RECOVERY
706	0x800702C2	{Machine Type Mismatch} The image file %hs is valid, but is for a machine type other than the current machine. Select OK to continue, or CANCEL to fail the DLL load.	ERROR_IMAGE_MACHINE_TYPE_MISMATCH
707	0x800702C3	{Partial Data Received} The network transport returned partial data to its client. The remaining data will be sent later.	ERROR_RECEIVE_PARTIAL
708	0x800702C4	{Expedited Data Received} The network transport returned data to its client that was marked as expedited by the remote system.	ERROR_RECEIVE_EXPEDITED
709	0x800702C5	{Partial Expedited Data Received} The network transport returned partial data to its client and this data was marked as expedited by the remote system. The remaining data will be sent later.	ERROR_RECEIVE_PARTIAL_EXPEDITED
710	0x800702C6	{TDI Event Done} The TDI indication has completed successfully.	ERROR_EVENT_DONE
711	0x800702C7	{TDI Event Pending} The TDI indication has entered the pending state.	ERROR_EVENT_PENDING
712	0x800702C8	Checking file system on %wZ	ERROR_CHECKING_FILE_SYSTEM
713	0x800702C9	{Fatal Application Exit} %hs	ERROR_FATAL_APP_EXIT
714	0x800702CA	The specified registry key is referenced by a predefined handle.	ERROR_PREDEFINED_HANDLE
715	0x800702CB	{Page Unlocked} The page protection of a locked page was changed to 'No Access' and the page was unlocked from memory and from the process.	ERROR_WAS_UNLOCKED
716	0x800702CC	%hs	ERROR_SERVICE_NOTIFICATION
717	0x800702CD	{Page Locked} One of the pages to lock was already locked.	ERROR_WAS_LOCKED
718	0x800702CE	Application popup: %1 : %2	ERROR_LOG_HARD_ERROR
719	0x800702CF	ERROR_ALREADY_WIN32	ERROR_ALREADY_WIN32
720	0x800702D0	{Machine Type Mismatch} The image file %hs is valid, but is for a machine type other than the current machine.	ERROR_IMAGE_MACHINE_TYPE_MISMATCH_EXE
721	0x800702D1	A yield execution was performed and no thread was available to run.	ERROR_NO_YIELD_PERFORMED
722	0x800702D2	The resumable flag to a timer API was ignored.	ERROR_TIMER_RESUME_IGNORED
723	0x800702D3	The arbiter has deferred arbitration of these resources to its parent	ERROR_ARBITRATION_UNHANDLED
724	0x800702D4	The inserted CardBus device cannot be started because of a configuration error on "%hs".	ERROR_CARDBUS_NOT_SUPPORTED
725	0x800702D5	The CPUs in this multiprocessor system are not all the same revision level. To use all processors the operating system restricts itself to the features of the least capable processor in the system. Should problems occur with this	ERROR_MP_PROCESSOR_MISMATCH

		system, contact the CPU manufacturer to see if this mix of processors is supported.	
726	0x800702D6	The system was put into hibernation.	ERROR_HIBERNATED
727	0x800702D7	The system was resumed from hibernation.	ERROR_RESUME_HIBERNATION
728	0x800702D8	Windows has detected that the system firmware (BIOS) was updated [previous firmware date = %2, current firmware date %3].	ERROR_FIRMWARE_UPDATED
729	0x800702D9	A device driver is leaking locked I/O pages causing system degradation. The system has automatically enabled tracking code in order to try and catch the culprit.	ERROR_DRIVERS_LEAKING_LOCKED_PAGES
730	0x800702DA	The system has awoken	ERROR_WAKE_SYSTEM
731	0x800702DB	ERROR_WAIT_1	ERROR_WAIT_1
732	0x800702DC	ERROR_WAIT_2	ERROR_WAIT_2
733	0x800702DD	ERROR_WAIT_3	ERROR_WAIT_3
734	0x800702DE	ERROR_WAIT_63	ERROR_WAIT_63
735	0x800702DF	ERROR_ABANDONED_WAIT_0	ERROR_ABANDONED_WAIT_0
736	0x800702E0	ERROR_ABANDONED_WAIT_63	ERROR_ABANDONED_WAIT_63
737	0x800702E1	ERROR_USER_APC	ERROR_USER_APC
738	0x800702E2	ERROR_KERNEL_APC	ERROR_KERNEL_APC
739	0x800702E3	ERROR_ALERTED	ERROR_ALERTED
740	0x800702E4	The requested operation requires elevation.	ERROR_ELEVATION_REQUIRED
741	0x800702E5	A reparse should be performed by the Object Manager since the name of the file resulted in a symbolic link.	ERROR_REPARSE
742	0x800702E6	An open/create operation completed while an oplock break is underway.	ERROR_OPLOCK_BREAK_IN_PROGRESS
743	0x800702E7	A new volume has been mounted by a file system.	ERROR_VOLUME_MOUNTED
744	0x800702E8	This success level status indicates that the transaction state already exists for the registry sub-tree, but that a transaction commit was previously aborted. The commit has now been completed.	ERROR_RXACT_COMMITTED
745	0x800702E9	This indicates that a notify change request has been completed due to closing the handle which made the notify change request.	ERROR_NOTIFY_CLEANUP
746	0x800702EA	{Connect Failure on Primary Transport} An attempt was made to connect to the remote server %hs on the primary transport, but the connection failed. The computer WAS able to connect on a secondary transport.	ERROR_PRIMARY_TRANSPORT_CONNECT_FAILED
747	0x800702EB	Page fault was a transition fault.	ERROR_PAGE_FAULT_TRANSITION
748	0x800702EC	Page fault was a demand zero fault.	ERROR_PAGE_FAULT_DEMAND_ZERO
749	0x800702ED	Page fault was a demand zero fault.	ERROR_PAGE_FAULT_COPY_ON_WRITE
750	0x800702EE	Page fault was a demand zero fault.	ERROR_PAGE_FAULT_GUARD_PAGE
751	0x800702EF	Page fault was satisfied by reading from a secondary storage device.	ERROR_PAGE_FAULT_PAGING_FILE
752	0x800702F0	Cached page was locked during operation.	ERROR_CACHE_PAGE_LOCKED
753	0x800702F1	Crash dump exists in paging file.	ERROR_CRASH_DUMP
754	0x800702F2	Specified buffer contains all zeros.	ERROR_BUFFER_ALL_ZEROS
755	0x800702F3	A reparse should be performed by the Object Manager since the name of the file resulted in a symbolic link.	ERROR_REPARSE_OBJECT
756	0x800702F4	The device has succeeded a query-stop and its resource requirements have changed.	ERROR_RESOURCE_REQUIREMENTS_CHANGED
757	0x800702F5	The translator has translated these resources into the global space and no further translations should be performed.	ERROR_TRANSLATION_COMPLETE
758	0x800702F6	A process being terminated has no threads to terminate.	ERROR_NOTHING_TO_TERMINATE
759	0x800702F7	The specified process is not part of a job.	ERROR_PROCESS_NOT_IN_JOB
760	0x800702F8	The specified process is part of a job.	ERROR_PROCESS_IN_JOB
761	0x800702F9	{Volume Shadow Copy Service} The system is now ready for hibernation.	ERROR_VOLSNAP_HIBERNATE_READY
762	0x800702FA	A file system or file system filter driver has successfully completed an FsFilter operation.	ERROR_FSFILTER_OP_COMPLETED_SUCCESSFULLY
763	0x800702FB	The specified interrupt vector was already connected.	ERROR_INTERRUPT_VECTOR_ALREADY_CONNECTED

764	0x800702FC	The specified interrupt vector is still connected.	ERROR_INTERRUPT_STILL_CONNECTED
765	0x800702FD	An operation is blocked waiting for an oplock.	ERROR_WAIT_FOR_OPLOCK
766	0x800702FE	Debugger handled exception	ERROR_DBG_EXCEPTION_HANDLED
767	0x800702FF	Debugger continued	ERROR_DBG_CONTINUE
768	0x80070300	An exception occurred in a user mode callback and the kernel callback frame should be removed.	ERROR_CALLBACK_POP_STACK
769	0x80070301	Compression is disabled for this volume.	ERROR_COMPRESSION_DISABLED
770	0x80070302	The data provider cannot fetch backwards through a result set.	ERROR_CANTFETCHBACKWARDS
771	0x80070303	The data provider cannot scroll backwards through a result set.	ERROR_CANTSCROLLBACKWARDS
772	0x80070304	The data provider requires that previously fetched data is released before asking for more data.	ERROR_ROWSNOTRELEASED
773	0x80070305	The data provider was not able to interpret the flags set for a column binding in an accessor.	ERROR_BAD_ACCESSOR_FLAGS
774	0x80070306	One or more errors occurred while processing the request.	ERROR_ERRORS_ENCOUNTERED
775	0x80070307	The implementation is not capable of performing the request.	ERROR_NOT_CAPABLE
776	0x80070308	The client of a component requested an operation which is not valid given the state of the component instance.	ERROR_REQUEST_OUT_OF_SEQUENCE
777	0x80070309	A version number could not be parsed.	ERROR_VERSION_PARSE_ERROR
778	0x8007030A	The iterator's start position is invalid.	ERROR_BADSTARTPOSITION
779	0x8007030B	The hardware has reported an uncorrectable memory error.	ERROR_MEMORY_HARDWARE
780	0x8007030C	The attempted operation required self healing to be enabled.	ERROR_DISK_REPAIR_DISABLED
781	0x8007030D	The Desktop heap encountered an error while allocating session memory. There is more information in the system event log.	ERROR_INSUFFICIENT_RESOURCE_FOR_SPECIFIED_SHARED_SECTION_SIZE
782	0x8007030E	The system powerstate is transitioning from %2 to %3.	ERROR_SYSTEM_POWERSTATE_TRANSITION
783	0x8007030F	The system powerstate is transitioning from %2 to %3 but could enter %4.	ERROR_SYSTEM_POWERSTATE_COMPLEX_TRANSITION
784	0x80070310	A thread is getting dispatched with MCA EXCEPTION because of MCA.	ERROR_MCA_EXCEPTION
785	0x80070311	Access to %1 is monitored by policy rule %2.	ERROR_ACCESS_AUDIT_BY_POLICY
786	0x80070312	Access to %1 has been restricted by your Administrator by policy rule %2.	ERROR_ACCESS_DISABLED_NO_SAFER_UI_BY_POLICY
787	0x80070313	A valid hibernation file has been invalidated and should be abandoned.	ERROR_ABANDON_HIBERFILE
788	0x80070314	{Delayed Write Failed} Windows was unable to save all the data for the file %hs; the data has been lost. This error may be caused by network connectivity issues. Please try to save this file elsewhere.	ERROR_LOST_WRITEBEHIND_DATA_NETWORK_DISCONNECTED
789	0x80070315	{Delayed Write Failed} Windows was unable to save all the data for the file %hs; the data has been lost. This error was returned by the server on which the file exists. Please try to save this file elsewhere.	ERROR_LOST_WRITEBEHIND_DATA_NETWORK_SERVER_ERROR
790	0x80070316	{Delayed Write Failed} Windows was unable to save all the data for the file %hs; the data has been lost. This error may be caused if the device has been removed or the media is write-protected.	ERROR_LOST_WRITEBEHIND_DATA_LOCAL_DISK_ERROR
791	0x80070317	The resources required for this device conflict with the MCFG table.	ERROR_BAD_MCFG_TABLE
994	0x800703E2	Access to the extended attribute was denied.	ERROR_EA_ACCESS_DENIED
995	0x800703E3	The I/O operation has been aborted because of either a thread exit or an application request.	ERROR_OPERATION_ABORTED
996	0x800703E4	Overlapped I/O event is not in a signaled state.	ERROR_IO_INCOMPLETE
997	0x800703E5	Overlapped I/O operation is in progress.	ERROR_IO_PENDING
998	0x800703E6	Invalid access to memory location.	ERROR_NOACCESS
999	0x800703E7	Error performing inpage operation.	ERROR_SWAPERROR
1001	0x800703E9	Recursion too deep; the stack overflowed.	ERROR_STACK_OVERFLOW
1002	0x800703EA	The window cannot act on the sent message.	ERROR_INVALID_MESSAGE
1003	0x800703EB	Cannot complete this function.	ERROR_CAN_NOT_COMPLETE

1004	0x800703EC	Invalid flags.	ERROR_INVALID_FLAGS
1005	0x800703ED	The volume does not contain a recognized file system. Please make sure that all required file system drivers are loaded and that the volume is not corrupted.	ERROR_UNRECOGNIZED_VOLUME
1006	0x800703EE	The volume for a file has been externally altered so that the opened file is no longer valid.	ERROR_FILE_INVALID
1007	0x800703EF	The requested operation cannot be performed in full-screen mode.	ERROR_FULLSCREEN_MODE
1008	0x800703F0	An attempt was made to reference a token that does not exist.	ERROR_NO_TOKEN
1009	0x800703F1	The configuration registry database is corrupt.	ERROR_BADDB
1010	0x800703F2	The configuration registry key is invalid.	ERROR_BADKEY
1011	0x800703F3	The configuration registry key could not be opened.	ERROR_CANTOPEN
1012	0x800703F4	The configuration registry key could not be read.	ERROR_CANTREAD
1013	0x800703F5	The configuration registry key could not be written.	ERROR_CANTWRITE
1014	0x800703F6	One of the files in the registry database had to be recovered by use of a log or alternate copy. The recovery was successful.	ERROR_REGISTRY_RECOVERED
1015	0x800703F7	The registry is corrupted. The structure of one of the files containing registry data is corrupted, or the system's memory image of the file is corrupted, or the file could not be recovered because the alternate copy or log was absent or corrupted.	ERROR_REGISTRY_CORRUPT
1016	0x800703F8	An I/O operation initiated by the registry failed unrecoverably. The registry could not read in, or write out, or flush, one of the files that contain the system's image of the registry.	ERROR_REGISTRY_IO_FAILED
1017	0x800703F9	The system has attempted to load or restore a file into the registry, but the specified file is not in a registry file format.	ERROR_NOT_REGISTRY_FILE
1018	0x800703FA	Illegal operation attempted on a registry key that has been marked for deletion.	ERROR_KEY_DELETED
1019	0x800703FB	System could not allocate the required space in a registry log.	ERROR_NO_LOG_SPACE
1020	0x800703FC	Cannot create a symbolic link in a registry key that already has subkeys or values.	ERROR_KEY_HAS_CHILDREN
1021	0x800703FD	Cannot create a stable subkey under a volatile parent key.	ERROR_CHILD_MUST_BE_VOLATILE
1022	0x800703FE	A notify change request is being completed and the information is not being returned in the caller's buffer. The caller now needs to enumerate the files to find the changes.	ERROR_NOTIFY_ENUM_DIR
1051	0x8007041B	A stop control has been sent to a service that other running services are dependent on.	ERROR_DEPENDENT_SERVICES_RUNNING
1052	0x8007041C	The requested control is not valid for this service.	ERROR_INVALID_SERVICE_CONTROL
1053	0x8007041D	The service did not respond to the start or control request in a timely fashion.	ERROR_SERVICE_REQUEST_TIMEOUT
1054	0x8007041E	A thread could not be created for the service.	ERROR_SERVICE_NO_THREAD
1055	0x8007041F	The service database is locked.	ERROR_SERVICE_DATABASE_LOCKED
1056	0x80070420	An instance of the service is already running.	ERROR_SERVICE_ALREADY_RUNNING
1057	0x80070421	The account name is invalid or does not exist, or the password is invalid for the account name specified.	ERROR_INVALID_SERVICE_ACCOUNT
1058	0x80070422	The service cannot be started, either because it is disabled or because it has no enabled devices associated with it.	ERROR_SERVICE_DISABLED
1059	0x80070423	Circular service dependency was specified.	ERROR_CIRCULAR_DEPENDENCY
1060	0x80070424	The specified service does not exist as an installed service.	ERROR_SERVICE_DOES_NOT_EXIST
1061	0x80070425	The service cannot accept control messages at this time.	ERROR_SERVICE_CANNOT_ACCEPT_CTRL
1062	0x80070426	The service has not been started.	ERROR_SERVICE_NOT_ACTIVE
1063	0x80070427	The service process could not connect to the service controller.	ERROR_FAILED_SERVICE_CONTROLLER_CONNECT
1064	0x80070428	An exception occurred in the service when handling the control request.	ERROR_EXCEPTION_IN_SERVICE

1065	0x80070429	The database specified does not exist.	ERROR_DATABASE_DOES_NOT_EXIST
1066	0x8007042A	The service has returned a service-specific error code.	ERROR_SERVICE_SPECIFIC_ERROR
1067	0x8007042B	The process terminated unexpectedly.	ERROR_PROCESS_ABORTED
1068	0x8007042C	The dependency service or group failed to start.	ERROR_SERVICE_DEPENDENCY_FAIL
1069	0x8007042D	The service did not start due to a logon failure.	ERROR_SERVICE_LOGON_FAILED
1070	0x8007042E	After starting, the service hung in a start-pending state.	ERROR_SERVICE_START_HANG
1071	0x8007042F	The specified service database lock is invalid.	ERROR_INVALID_SERVICE_LOCK
1072	0x80070430	The specified service has been marked for deletion.	ERROR_SERVICE_MARKED_FOR_DELETE
1073	0x80070431	The specified service already exists.	ERROR_SERVICE_EXISTS
1074	0x80070432	The system is currently running with the last-known-good configuration.	ERROR_ALREADY_RUNNING_LKG
1075	0x80070433	The dependency service does not exist or has been marked for deletion.	ERROR_SERVICE_DEPENDENCY_DELETED
1076	0x80070434	The current boot has already been accepted for use as the last-known-good control set.	ERROR_BOOT_ALREADY_ACCEPTED
1077	0x80070435	No attempts to start the service have been made since the last boot.	ERROR_SERVICE_NEVER_STARTED
1078	0x80070436	The name is already in use as either a service name or a service display name.	ERROR_DUPLICATE_SERVICE_NAME
1079	0x80070437	The account specified for this service is different from the account specified for other services running in the same process.	ERROR_DIFFERENT_SERVICE_ACCOUNT
1080	0x80070438	Failure actions can only be set for Win32 services, not for drivers.	ERROR_CANNOT_DETECT_DRIVER_FAILURE
1081	0x80070439	This service runs in the same process as the service control manager. Therefore, the service control manager cannot take action if this service's process terminates unexpectedly.	ERROR_CANNOT_DETECT_PROCESS_ABORT
1082	0x8007043A	No recovery program has been configured for this service.	ERROR_NO_RECOVERY_PROGRAM
1083	0x8007043B	The executable program that this service is configured to run in does not implement the service.	ERROR_SERVICE_NOT_IN_EXE
1084	0x8007043C	This service cannot be started in Safe Mode	ERROR_NOT_SAFEBOOT_SERVICE
1100	0x8007044C	The physical end of the tape has been reached.	ERROR_END_OF_MEDIA
1101	0x8007044D	A tape access reached a filemark.	ERROR_FILEMARK_DETECTED
1102	0x8007044E	The beginning of the tape or a partition was encountered.	ERROR_BEGINNING_OF_MEDIA
1103	0x8007044F	A tape access reached the end of a set of files.	ERROR_SETMARK_DETECTED
1104	0x80070450	No more data is on the tape.	ERROR_NO_DATA_DETECTED
1105	0x80070451	Tape could not be partitioned.	ERROR_PARTITION_FAILURE
1106	0x80070452	When accessing a new tape of a multivolume partition, the current block size is incorrect.	ERROR_INVALID_BLOCK_LENGTH
1107	0x80070453	Tape partition information could not be found when loading a tape.	ERROR_DEVICE_NOT_PARTITIONED
1108	0x80070454	Unable to lock the media eject mechanism.	ERROR_UNABLE_TO_LOCK_MEDIA
1109	0x80070455	Unable to unload the media.	ERROR_UNABLE_TO_UNLOAD_MEDIA
1110	0x80070456	The media in the drive may have changed.	ERROR_MEDIA_CHANGED
1111	0x80070457	The I/O bus was reset.	ERROR_BUS_RESET
1112	0x80070458	No media in drive.	ERROR_NO_MEDIA_IN_DRIVE
1113	0x80070459	No mapping for the Unicode character exists in the target multi-byte code page.	ERROR_NO_UNICODE_TRANSLATION
1114	0x8007045A	A dynamic link library (DLL) initialization routine failed.	ERROR_DLL_INIT_FAILED
1115	0x8007045B	A system shutdown is in progress.	ERROR_SHUTDOWN_IN_PROGRESS
1116	0x8007045C	Unable to abort the system shutdown because no shutdown was in progress.	ERROR_NO_SHUTDOWN_IN_PROGRESS
1117	0x8007045D	The request could not be performed because of an I/O device error.	ERROR_IO_DEVICE
1118	0x8007045E	No serial device was successfully initialized. The serial driver will unload.	ERROR_SERIAL_NO_DEVICE
1119	0x8007045F	Unable to open a device that was sharing an interrupt request (IRQ) with other devices. At least one other device that uses that IRQ was already opened.	ERROR_IRQ_BUSY

1120	0x80070460	A serial I/O operation was completed by another write to the serial port. (The IOCTL_SERIAL_XOFF_COUNTER reached zero.)	ERROR_MORE_WRITES
1121	0x80070461	A serial I/O operation completed because the timeout period expired. (The IOCTL_SERIAL_XOFF_COUNTER did not reach zero.)	ERROR_COUNTER_TIMEOUT
1122	0x80070462	No ID address mark was found on the floppy disk.	ERROR_FLOPPY_ID_MARK_NOT_FOUND
1123	0x80070463	Mismatch between the floppy disk sector ID field and the floppy disk controller track address.	ERROR_FLOPPY_WRONG_CYLINDER
1124	0x80070464	The floppy disk controller reported an error that is not recognized by the floppy disk driver.	ERROR_FLOPPY_UNKNOWN_ERROR
1125	0x80070465	The floppy disk controller returned inconsistent results in its registers.	ERROR_FLOPPY_BAD_REGISTERS
1126	0x80070466	While accessing the hard disk, a recalibrate operation failed, even after retries.	ERROR_DISK_RECALIBRATE_FAILED
1127	0x80070467	While accessing the hard disk, a disk operation failed even after retries.	ERROR_DISK_OPERATION_FAILED
1128	0x80070468	While accessing the hard disk, a disk controller reset was needed, but even that failed.	ERROR_DISK_RESET_FAILED
1129	0x80070469	Physical end of tape encountered.	ERROR_EOM_OVERFLOW
1130	0x8007046A	Not enough server storage is available to process this command.	ERROR_NOT_ENOUGH_SERVER_MEMORY
1131	0x8007046B	A potential deadlock condition has been detected.	ERROR_POSSIBLE_DEADLOCK
1132	0x8007046C	The base address or the file offset specified does not have the proper alignment.	ERROR_MAPPED_ALIGNMENT
1140	0x80070474	An attempt to change the system power state was vetoed by another application or driver.	ERROR_SET_POWER_STATE_VETOED
1141	0x80070475	The system BIOS failed an attempt to change the system power state.	ERROR_SET_POWER_STATE_FAILED
1142	0x80070476	An attempt was made to create more links on a file than the file system supports.	ERROR_TOO_MANY_LINKS
1150	0x8007047E	The specified program requires a newer version of Windows.	ERROR_OLD_WIN_VERSION
1151	0x8007047F	The specified program is not a Windows or MS-DOS program.	ERROR_APP_WRONG_OS
1152	0x80070480	Cannot start more than one instance of the specified program.	ERROR_SINGLE_INSTANCE_APP
1153	0x80070481	The specified program was written for an earlier version of Windows.	ERROR_RMODE_APP
1154	0x80070482	One of the library files needed to run this application is damaged.	ERROR_INVALID_DLL
1155	0x80070483	No application is associated with the specified file for this operation.	ERROR_NO_ASSOCIATION
1156	0x80070484	An error occurred in sending the command to the application.	ERROR_DDE_FAIL
1157	0x80070485	One of the library files needed to run this application cannot be found.	ERROR_DLL_NOT_FOUND
1158	0x80070486	The current process has used all of its system allowance of handles for Window Manager objects.	ERROR_NO_MORE_USER_HANDLES
1159	0x80070487	The message can be used only with synchronous operations.	ERROR_MESSAGE_SYNC_ONLY
1160	0x80070488	The indicated source element has no media.	ERROR_SOURCE_ELEMENT_EMPTY
1161	0x80070489	The indicated destination element already contains media.	ERROR_DESTINATION_ELEMENT_FULL
1162	0x8007048A	The indicated element does not exist.	ERROR_ILLEGAL_ELEMENT_ADDRESS
1163	0x8007048B	The indicated element is part of a magazine that is not present.	ERROR_MAGAZINE_NOT_PRESENT
1164	0x8007048C	The indicated device requires reinitialization due to hardware errors.	ERROR_DEVICE_REINITIALIZATION_NEEDED
1165	0x8007048D	The device has indicated that cleaning is required before further operations are attempted.	ERROR_DEVICE_REQUIRES_CLEANING
1166	0x8007048E	The device has indicated that its door is open.	ERROR_DEVICE_DOOR_OPEN
1167	0x8007048F	The device is not connected.	ERROR_DEVICE_NOT_CONNECTED
1168	0x80070490	Element not found.	ERROR_NOT_FOUND

1168	0x80070490	The specified property ID is not supported for the specified property set.%0	E_PROP_ID_UNSUPPORTED
1169	0x80070491	There was no match for the specified key in the index.	ERROR_NO_MATCH
1170	0x80070492	The property set specified does not exist on the object.	ERROR_SET_NOT_FOUND
1170	0x80070492	The Specified property set is not supported.%0	E_PROP_SET_UNSUPPORTED
1171	0x80070493	The point passed to GetMouseMovePoints is not in the buffer.	ERROR_POINT_NOT_FOUND
1172	0x80070494	The tracking (workstation) service is not running.	ERROR_NO_TRACKING_SERVICE
1173	0x80070495	The Volume ID could not be found.	ERROR_NO_VOLUME_ID
1175	0x80070497	Unable to remove the file to be replaced.	ERROR_UNABLE_TO_REMOVE_REPLACED
1176	0x80070498	Unable to move the replacement file to the file to be replaced. The file to be replaced has retained its original name.	ERROR_UNABLE_TO_MOVE_REPLACEMENT
1177	0x80070499	Unable to move the replacement file to the file to be replaced. The file to be replaced has been renamed using the backup name.	ERROR_UNABLE_TO_MOVE_REPLACEMENT_2
1178	0x8007049A	The volume change journal is being deleted.	ERROR_JOURNAL_DELETE_IN_PROGRESS
1179	0x8007049B	The volume change journal is not active.	ERROR_JOURNAL_NOT_ACTIVE
1180	0x8007049C	A file was found, but it may not be the correct file.	ERROR_POTENTIAL_FILE_FOUND
1181	0x8007049D	The journal entry has been deleted from the journal.	ERROR_JOURNAL_ENTRY_DELETED
1190	0x800704A6	A system shutdown has already been scheduled.	ERROR_SHUTDOWN_IS_SCHEDULED
1191	0x800704A7	The system shutdown cannot be initiated because there are other users logged on to the computer.	ERROR_SHUTDOWN_USERS_LOGGED_ON
1200	0x800704B0	The specified device name is invalid.	ERROR_BAD_DEVICE
1201	0x800704B1	The device is not currently connected but it is a remembered connection.	ERROR_CONNECTION_UNAVAIL
1202	0x800704B2	The local device name has a remembered connection to another network resource.	ERROR_DEVICE_ALREADY_REMEMBERED
1203	0x800704B3	The network path was either typed incorrectly, does not exist, or the network provider is not currently available. Please try retyping the path or contact your network administrator.	ERROR_NO_NET_OR_BAD_PATH
1204	0x800704B4	The specified network provider name is invalid.	ERROR_BAD_PROVIDER
1205	0x800704B5	Unable to open the network connection profile.	ERROR_CANNOT_OPEN_PROFILE
1206	0x800704B6	The network connection profile is corrupted.	ERROR_BAD_PROFILE
1207	0x800704B7	Cannot enumerate a noncontainer.	ERROR_NOT_CONTAINER
1208	0x800704B8	An extended error has occurred.	ERROR_EXTENDED_ERROR
1209	0x800704B9	The format of the specified group name is invalid.	ERROR_INVALID_GROUPNAME
1210	0x800704BA	The format of the specified computer name is invalid.	ERROR_INVALID_COMPUTERNAME
1211	0x800704BB	The format of the specified event name is invalid.	ERROR_INVALID_EVENTNAME
1212	0x800704BC	The format of the specified domain name is invalid.	ERROR_INVALID_DOMAINNAME
1213	0x800704BD	The format of the specified service name is invalid.	ERROR_INVALID_SERVICENAME
1214	0x800704BE	The format of the specified network name is invalid.	ERROR_INVALID_NETNAME
1215	0x800704BF	The format of the specified share name is invalid.	ERROR_INVALID_SHARENAME
1216	0x800704C0	The format of the specified password is invalid.	ERROR_INVALID_PASSWORDNAME
1217	0x800704C1	The format of the specified message name is invalid.	ERROR_INVALID_MESSAGE_NAME
1218	0x800704C2	The format of the specified message destination is invalid.	ERROR_INVALID_MESSAGEDEST
1219	0x800704C3	Multiple connections to a server or shared resource by the same user, using more than one user name, are not allowed. Disconnect all previous connections to the server or shared resource and try again.	ERROR_SESSION_CREDENTIAL_CONFLICT

1220	0x800704C4	An attempt was made to establish a session to a network server, but there are already too many sessions established to that server.	ERROR_REMOTE_SESSION_LIMIT_EXCEEDED
1221	0x800704C5	The workgroup or domain name is already in use by another computer on the network.	ERROR_DUP_DOMAINNAME
1222	0x800704C6	The network is not present or not started.	ERROR_NO_NETWORK
1223	0x800704C7	The operation was canceled by the user.	ERROR_CANCELLED
1224	0x800704C8	The requested operation cannot be performed on a file with a user-mapped section open.	ERROR_USER_MAPPED_FILE
1225	0x800704C9	The remote computer refused the network connection.	ERROR_CONNECTION_REFUSED
1226	0x800704CA	The network connection was gracefully closed.	ERROR_GRACEFUL_DISCONNECT
1227	0x800704CB	The network transport endpoint already has an address associated with it.	ERROR_ADDRESS_ALREADY_ASSOCIATED
1228	0x800704CC	An address has not yet been associated with the network endpoint.	ERROR_ADDRESS_NOT_ASSOCIATED
1229	0x800704CD	An operation was attempted on a nonexistent network connection.	ERROR_CONNECTION_INVALID
1230	0x800704CE	An invalid operation was attempted on an active network connection.	ERROR_CONNECTION_ACTIVE
1231	0x800704CF	The network location cannot be reached. For information about network troubleshooting, see Windows Help.	ERROR_NETWORK_UNREACHABLE
1232	0x800704D0	The network location cannot be reached. For information about network troubleshooting, see Windows Help.	ERROR_HOST_UNREACHABLE
1233	0x800704D1	The network location cannot be reached. For information about network troubleshooting, see Windows Help.	ERROR_PROTOCOL_UNREACHABLE
1234	0x800704D2	No service is operating at the destination network endpoint on the remote system.	ERROR_PORT_UNREACHABLE
1235	0x800704D3	The request was aborted.	ERROR_REQUEST_ABORTED
1236	0x800704D4	The network connection was aborted by the local system.	ERROR_CONNECTION_ABORTED
1237	0x800704D5	The operation could not be completed. A retry should be performed.	ERROR_RETRY
1238	0x800704D6	A connection to the server could not be made because the limit on the number of concurrent connections for this account has been reached.	ERROR_CONNECTION_COUNT_LIMIT
1239	0x800704D7	Attempting to log in during an unauthorized time of day for this account.	ERROR_LOGIN_TIME_RESTRICTION
1240	0x800704D8	The account is not authorized to log in from this station.	ERROR_LOGIN_WKSTA_RESTRICTION
1241	0x800704D9	The network address could not be used for the operation requested.	ERROR_INCORRECT_ADDRESS
1242	0x800704DA	The service is already registered.	ERROR_ALREADY_REGISTERED
1243	0x800704DB	The specified service does not exist.	ERROR_SERVICE_NOT_FOUND
1244	0x800704DC	The operation being requested was not performed because the user has not been authenticated.	ERROR_NOT_AUTHENTICATED
1245	0x800704DD	The operation being requested was not performed because the user has not logged on to the network. The specified service does not exist.	ERROR_NOT_LOGGED_ON
1246	0x800704DE	Continue with work in progress.	ERROR_CONTINUE
1247	0x800704DF	An attempt was made to perform an initialization operation when initialization has already been completed.	ERROR_ALREADY_INITIALIZED
1248	0x800704E0	No more local devices.	ERROR_NO_MORE_DEVICES
1249	0x800704E1	The specified site does not exist.	ERROR_NO_SUCH_SITE
1250	0x800704E2	A domain controller with the specified name already exists.	ERROR_DOMAIN_CONTROLLER_EXISTS
1251	0x800704E3	This operation is supported only when you are connected to the server.	ERROR_ONLY_IF_CONNECTED
1252	0x800704E4	The group policy framework should call the extension even if there are no changes.	ERROR_OVERRIDE_NOCHANGES
1253	0x800704E5	The specified user does not have a valid profile.	ERROR_BAD_USER_PROFILE
1254	0x800704E6	This operation is not supported on a computer running Windows Server 2003 for Small Business Server	ERROR_NOT_SUPPORTED_ON_SBS
1255	0x800704E7	The server machine is shutting down.	ERROR_SERVER_SHUTDOWN_IN_PROGRESS

1256	0x800704E8	The remote system is not available. For information about network troubleshooting, see Windows Help.	ERROR_HOST_DOWN
1257	0x800704E9	The security identifier provided is not from an account domain.	ERROR_NON_ACCOUNT_SID
1258	0x800704EA	The security identifier provided does not have a domain component.	ERROR_NON_DOMAIN_SID
1259	0x800704EB	AppHelp dialog canceled thus preventing the application from starting.	ERROR_APPHELP_BLOCK
1260	0x800704EC	This program is blocked by group policy. For more information, contact your system administrator.	ERROR_ACCESS_DISABLED_BY_POLICY
1261	0x800704ED	A program attempt to use an invalid register value. Normally caused by an uninitialized register. This error is Itanium specific.	ERROR_REG_NAT_CONSUMPTION
1262	0x800704EE	The share is currently offline or does not exist.	ERROR_CSCSHARE_OFFLINE
1263	0x800704EF	The kerberos protocol encountered an error while validating the KDC certificate during smartcard logon. There is more information in the system event log.	ERROR_PKINIT_FAILURE
1264	0x800704F0	The kerberos protocol encountered an error while attempting to utilize the smartcard subsystem.	ERROR_SMARTCARD_SUBSYSTEM_FAILURE
1265	0x800704F1	The system detected a possible attempt to compromise security. Please ensure that you can contact the server that authenticated you.	ERROR_DOWNGRADE_DETECTED
1271	0x800704F7	The machine is locked and cannot be shut down without the force option.	ERROR_MACHINE_LOCKED
1273	0x800704F9	An application-defined callback gave invalid data when called.	ERROR_CALLBACK_SUPPLIED_INVALID_DATA
1274	0x800704FA	The group policy framework should call the extension in the synchronous foreground policy refresh.	ERROR_SYNC_FOREGROUND_REFRESH_REQUIRED
1275	0x800704FB	This driver has been blocked from loading	ERROR_DRIVER_BLOCKED
1276	0x800704FC	A dynamic link library (DLL) referenced a module that was neither a DLL nor the process's executable image.	ERROR_INVALID_IMPORT_OF_NON_DLL
1277	0x800704FD	Windows cannot open this program since it has been disabled.	ERROR_ACCESS_DISABLED_WEBBLADE
1278	0x800704FE	Windows cannot open this program because the license enforcement system has been tampered with or become corrupted.	ERROR_ACCESS_DISABLED_WEBBLADE_TAMPER
1279	0x800704FF	A transaction recover failed.	ERROR_RECOVERY_FAILURE
1280	0x80070500	The current thread has already been converted to a fiber.	ERROR_ALREADY_FIBER
1281	0x80070501	The current thread has already been converted from a fiber.	ERROR_ALREADY_THREAD
1282	0x80070502	The system detected an overrun of a stack-based buffer in this application. This overrun could potentially allow a malicious user to gain control of this application.	ERROR_STACK_BUFFER_OVERRUN
1283	0x80070503	Data present in one of the parameters is more than the function can operate on.	ERROR_PARAMETER_QUOTA_EXCEEDED
1284	0x80070504	An attempt to do an operation on a debug object failed because the object is in the process of being deleted.	ERROR_DEBUGGER_INACTIVE
1285	0x80070505	An attempt to delay-load a .dll or get a function address in a delay-loaded .dll failed.	ERROR_DELAY_LOAD_FAILED
1286	0x80070506	%1 is a 16-bit application. You do not have permissions to execute 16-bit applications. Check your permissions with your system administrator.	ERROR_VDM_DISALLOWED
1287	0x80070507	Insufficient information exists to identify the cause of failure.	ERROR_UNIDENTIFIED_ERROR
1288	0x80070508	The parameter passed to a C runtime function is incorrect.	ERROR_INVALID_CRUNTIME_PARAMETER
1289	0x80070509	The operation occurred beyond the valid data length of the file.	ERROR_BEYOND_VDL
1290	0x8007050A	The service start failed since one or more services in the same process have an incompatible service SID type setting. A service with restricted service SID type can only coexist in the same process with other services with a restricted SID type. If the	ERROR_INCOMPATIBLE_SERVICE_SID_TYPE

		service SID type for this service was just configured, the hosting process must be restarted in order to start this service.	
1291	0x8007050B	The process hosting the driver for this device has been terminated.	ERROR_DRIVER_PROCESS_TERMINATED
1292	0x8007050C	An operation attempted to exceed an implementation-defined limit.	ERROR_IMPLEMENTATION_LIMIT
1293	0x8007050D	Either the target process, or the target thread's containing process, is a protected process.	ERROR_PROCESS_IS_PROTECTED
1294	0x8007050E	The service notification client is lagging too far behind the current state of services in the machine.	ERROR_SERVICE_NOTIFY_CLIENT_LAGGING
1295	0x8007050F	The requested file operation failed because the storage quota was exceeded. To free up disk space, move files to a different location or delete unnecessary files. For more information, contact your system administrator.	ERROR_DISK_QUOTA_EXCEEDED
1296	0x80070510	The requested file operation failed because the storage policy blocks that type of file. For more information, contact your system administrator.	ERROR_CONTENT_BLOCKED
1297	0x80070511	A privilege that the service requires to function properly does not exist in the service account configuration. You may use the Services Microsoft Management Console (MMC) snap-in (services.msc) and the Local Security Settings MMC snap-in (secpol.msc) to view the service configuration and the account configuration.	ERROR_INCOMPATIBLE_SERVICE_PRIVILEGE
1299	0x80070513	Indicates a particular Security ID may not be assigned as the label of an object.	ERROR_INVALID_LABEL
1300	0x80070514	Not all privileges or groups referenced are assigned to the caller.	ERROR_NOT_ALL_ASSIGNED
1301	0x80070515	Some mapping between account names and security IDs was not done.	ERROR_SOME_NOT_MAPPED
1302	0x80070516	No system quota limits are specifically set for this account.	ERROR_NO_QUOTAS_FOR_ACCOUNT
1303	0x80070517	No encryption key is available. A well-known encryption key was returned.	ERROR_LOCAL_USER_SESSION_KEY
1304	0x80070518	The password is too complex to be converted to a LAN Manager password. The LAN Manager password returned is a NULL string.	ERROR_NULL_LM_PASSWORD
1305	0x80070519	The revision level is unknown.	ERROR_UNKNOWN_REVISION
1306	0x8007051A	Indicates two revision levels are incompatible.	ERROR_REVISION_MISMATCH
1307	0x8007051B	This security ID may not be assigned as the owner of this object.	ERROR_INVALID_OWNER
1308	0x8007051C	This security ID may not be assigned as the primary group of an object.	ERROR_INVALID_PRIMARY_GROUP
1309	0x8007051D	An attempt has been made to operate on an impersonation token by a thread that is not currently impersonating a client.	ERROR_NO_IMPERSONATION_TOKEN
1310	0x8007051E	The group may not be disabled.	ERROR_CANT_DISABLE_MANDATORY
1311	0x8007051F	There are currently no logon servers available to service the logon request.	ERROR_NO_LOGON_SERVERS
1312	0x80070520	A specified logon session does not exist. It may already have been terminated.	ERROR_NO_SUCH_LOGON_SESSION
1313	0x80070521	A specified privilege does not exist.	ERROR_NO_SUCH_PRIVILEGE
1314	0x80070522	A required privilege is not held by the client.	ERROR_PRIVILEGE_NOT_HELD
1315	0x80070523	The name provided is not a properly formed account name.	ERROR_INVALID_ACCOUNT_NAME
1316	0x80070524	The specified account already exists.	ERROR_USER_EXISTS
1317	0x80070525	The specified account does not exist.	ERROR_NO_SUCH_USER
1318	0x80070526	The specified group already exists.	ERROR_GROUP_EXISTS
1319	0x80070527	The specified group does not exist.	ERROR_NO_SUCH_GROUP
1320	0x80070528	Either the specified user account is already a member of the specified group, or the specified group cannot be deleted because it contains a member.	ERROR_MEMBER_IN_GROUP
1321	0x80070529	The specified user account is not a member of the specified group account.	ERROR_MEMBER_NOT_IN_GROUP
1322	0x8007052A	The last remaining administration account cannot be disabled or deleted.	ERROR_LAST_ADMIN

1323	0x8007052B	Unable to update the password. The value provided as the current password is incorrect.	ERROR_WRONG_PASSWORD
1324	0x8007052C	Unable to update the password. The value provided for the new password contains values that are not allowed in passwords.	ERROR_ILL_FORMED_PASSWORD
1325	0x8007052D	Unable to update the password. The value provided for the new password does not meet the length, complexity, or history requirements of the domain.	ERROR_PASSWORD_RESTRICTION
1326	0x8007052E	Logon failure: unknown user name or bad password.	ERROR_LOGON_FAILURE
1327	0x8007052F	Logon failure: user account restriction. Possible reasons are blank passwords not allowed, logon hour restrictions, or a policy restriction has been enforced.	ERROR_ACCOUNT_RESTRICTION
1328	0x80070530	Logon failure: account logon time restriction violation.	ERROR_INVALID_LOGON_HOURS
1329	0x80070531	Logon failure: user not allowed to log on to this computer.	ERROR_INVALID_WORKSTATION
1330	0x80070532	Logon failure: the specified account password has expired.	ERROR_PASSWORD_EXPIRED
1331	0x80070533	Logon failure: account currently disabled.	ERROR_ACCOUNT_DISABLED
1332	0x80070534	No mapping between account names and security IDs was done.	ERROR_NONE_MAPPED
1333	0x80070535	Too many local user identifiers (LUIDs) were requested at one time.	ERROR_TOO_MANY_LUIDS_REQUESTED
1334	0x80070536	No more local user identifiers (LUIDs) are available.	ERROR_LUIDS_EXHAUSTED
1335	0x80070537	The subauthority part of a security ID is invalid for this particular use.	ERROR_INVALID_SUB_AUTHORITY
1336	0x80070538	The access control list (ACL) structure is invalid.	ERROR_INVALID_ACL
1337	0x80070539	The security ID structure is invalid.	ERROR_INVALID_SID
1338	0x8007053A	The security descriptor structure is invalid.	ERROR_INVALID_SECURITY_DESCR
1340	0x8007053C	The inherited access control list (ACL) or access control entry (ACE) could not be built.	ERROR_BAD_INHERITANCE_ACL
1341	0x8007053D	The server is currently disabled.	ERROR_SERVER_DISABLED
1342	0x8007053E	The server is currently enabled.	ERROR_SERVER_NOT_DISABLED
1343	0x8007053F	The value provided was an invalid value for an identifier authority.	ERROR_INVALID_ID_AUTHORITY
1344	0x80070540	No more memory is available for security information updates.	ERROR_ALLOTTED_SPACE_EXCEEDED
1345	0x80070541	The specified attributes are invalid, or incompatible with the attributes for the group as a whole.	ERROR_INVALID_GROUP_ATTRIBUTES
1346	0x80070542	Either a required impersonation level was not provided, or the provided impersonation level is invalid.	ERROR_BAD_IMPERSONATION_LEVEL
1347	0x80070543	Cannot open an anonymous level security token.	ERROR_CANT_OPEN_ANONYMOUS
1348	0x80070544	The validation information class requested was invalid.	ERROR_BAD_VALIDATION_CLASS
1349	0x80070545	The type of the token is inappropriate for its attempted use.	ERROR_BAD_TOKEN_TYPE
1350	0x80070546	Unable to perform a security operation on an object that has no associated security.	ERROR_NO_SECURITY_ON_OBJECT
1351	0x80070547	Configuration information could not be read from the domain controller, either because the machine is unavailable, or access has been denied.	ERROR_CANT_ACCESS_DOMAIN_INFO
1352	0x80070548	The security account manager (SAM) or local security authority (LSA) server was in the wrong state to perform the security operation.	ERROR_INVALID_SERVER_STATE
1353	0x80070549	The domain was in the wrong state to perform the security operation.	ERROR_INVALID_DOMAIN_STATE
1354	0x8007054A	This operation is only allowed for the Primary Domain Controller of the domain.	ERROR_INVALID_DOMAIN_ROLE
1355	0x8007054B	The specified domain either does not exist or could not be contacted.	ERROR_NO_SUCH_DOMAIN
1356	0x8007054C	The specified domain already exists.	ERROR_DOMAIN_EXISTS
1357	0x8007054D	An attempt was made to exceed the limit on the number of domains per server.	ERROR_DOMAIN_LIMIT_EXCEEDED

1358	0x8007054E	Unable to complete the requested operation because of either a catastrophic media failure or a data structure corruption on the disk.	ERROR_INTERNAL_DB_CORRUPTION
1359	0x8007054F	An internal error occurred.	ERROR_INTERNAL_ERROR
1360	0x80070550	Generic access types were contained in an access mask which should already be mapped to nongeneric types.	ERROR_GENERIC_NOT_MAPPED
1361	0x80070551	A security descriptor is not in the right format (absolute or self-relative).	ERROR_BAD_DESCRIPTOR_FORMAT
1362	0x80070552	The requested action is restricted for use by logon processes only. The calling process has not registered as a logon process.	ERROR_NOT_LOGON_PROCESS
1363	0x80070553	Cannot start a new logon session with an ID that is already in use.	ERROR_LOGON_SESSION_EXISTS
1364	0x80070554	A specified authentication package is unknown.	ERROR_NO_SUCH_PACKAGE
1365	0x80070555	The logon session is not in a state that is consistent with the requested operation.	ERROR_BAD_LOGON_SESSION_STATE
1366	0x80070556	The logon session ID is already in use.	ERROR_LOGON_SESSION_COLLISION
1367	0x80070557	A logon request contained an invalid logon type value.	ERROR_INVALID_LOGON_TYPE
1368	0x80070558	Unable to impersonate using a named pipe until data has been read from that pipe.	ERROR_CANNOT_IMPERSONATE
1369	0x80070559	The transaction state of a registry subtree is incompatible with the requested operation.	ERROR_RXACT_INVALID_STATE
1370	0x8007055A	An internal security database corruption has been encountered.	ERROR_RXACT_COMMIT_FAILURE
1371	0x8007055B	Cannot perform this operation on built-in accounts.	ERROR_SPECIAL_ACCOUNT
1372	0x8007055C	Cannot perform this operation on this built-in special group.	ERROR_SPECIAL_GROUP
1373	0x8007055D	Cannot perform this operation on this built-in special user.	ERROR_SPECIAL_USER
1374	0x8007055E	The user cannot be removed from a group because the group is currently the user's primary group.	ERROR_MEMBERS_PRIMARY_GROUP
1375	0x8007055F	The token is already in use as a primary token.	ERROR_TOKEN_ALREADY_IN_USE
1376	0x80070560	The specified local group does not exist.	ERROR_NO_SUCH_ALIAS
1377	0x80070561	The specified account name is not a member of the group.	ERROR_MEMBER_NOT_IN_ALIAS
1378	0x80070562	The specified account name is already a member of the group.	ERROR_MEMBER_IN_ALIAS
1379	0x80070563	The specified local group already exists.	ERROR_ALIAS_EXISTS
1380	0x80070564	Logon failure: the user has not been granted the requested logon type at this computer.	ERROR_LOGON_NOT_GRANTED
1381	0x80070565	The maximum number of secrets that may be stored in a single system has been exceeded.	ERROR_TOO_MANY_SECRETS
1382	0x80070566	The length of a secret exceeds the maximum length allowed.	ERROR_SECRET_TOO_LONG
1383	0x80070567	The local security authority database contains an internal inconsistency.	ERROR_INTERNAL_DB_ERROR
1384	0x80070568	During a logon attempt, the user's security context accumulated too many security IDs.	ERROR_TOO_MANY_CONTEXT_IDS
1385	0x80070569	Logon failure: the user has not been granted the requested logon type at this computer.	ERROR_LOGON_TYPE_NOT_GRANTED
1386	0x8007056A	A cross-encrypted password is necessary to change a user password.	ERROR_NT_CROSS_ENCRYPTION_REQUIRED
1387	0x8007056B	A member could not be added to or removed from the local group because the member does not exist.	ERROR_NO_SUCH_MEMBER
1388	0x8007056C	A new member could not be added to a local group because the member has the wrong account type.	ERROR_INVALID_MEMBER
1389	0x8007056D	Too many security IDs have been specified.	ERROR_TOO_MANY_SIDS
1390	0x8007056E	A cross-encrypted password is necessary to change this user password.	ERROR_LM_CROSS_ENCRYPTION_REQUIRED
1391	0x8007056F	Indicates an ACL contains no inheritable components.	ERROR_NO_INHERITANCE
1392	0x80070570	The file or directory is corrupted and unreadable.	ERROR_FILE_CORRUPT
1393	0x80070571	The disk structure is corrupted and unreadable.	ERROR_DISK_CORRUPT

1394	0x80070572	There is no user session key for the specified logon session.	ERROR_NO_USER_SESSION_KEY
1395	0x80070573	The service being accessed is licensed for a particular number of connections. No more connections can be made to the service at this time because there are already as many connections as the service can accept.	ERROR_LICENSE_QUOTA_EXCEEDED
1396	0x80070574	Logon Failure: The target account name is incorrect.	ERROR_WRONG_TARGET_NAME
1397	0x80070575	Mutual Authentication failed. The server's password is out of date at the domain controller.	ERROR_MUTUAL_AUTH_FAILED
1398	0x80070576	There is a time and/or date difference between the client and server.	ERROR_TIME_SKEW
1399	0x80070577	This operation cannot be performed on the current domain.	ERROR_CURRENT_DOMAIN_NOT_ALLOWED
1400	0x80070578	Invalid window handle.	ERROR_INVALID_WINDOW_HANDLE
1401	0x80070579	Invalid menu handle.	ERROR_INVALID_MENU_HANDLE
1402	0x8007057A	Invalid cursor handle.	ERROR_INVALID_CURSOR_HANDLE
1403	0x8007057B	Invalid accelerator table handle.	ERROR_INVALID_ACCEL_HANDLE
1404	0x8007057C	Invalid hook handle.	ERROR_INVALID_HOOK_HANDLE
1405	0x8007057D	Invalid handle to a multiple-window position structure.	ERROR_INVALID_DWP_HANDLE
1406	0x8007057E	Cannot create a top-level child window.	ERROR_TLW_WITH_WSCHILD
1407	0x8007057F	Cannot find window class.	ERROR_CANNOT_FIND_WND_CLASS
1408	0x80070580	Invalid window; it belongs to other thread.	ERROR_WINDOW_OF_OTHER_THREAD
1409	0x80070581	Hot key is already registered.	ERROR_HOTKEY_ALREADY_REGISTERED
1410	0x80070582	Class already exists.	ERROR_CLASS_ALREADY_EXISTS
1411	0x80070583	Class does not exist.	ERROR_CLASS_DOES_NOT_EXIST
1412	0x80070584	Class still has open windows.	ERROR_CLASS_HAS_WINDOWS
1413	0x80070585	Invalid index.	ERROR_INVALID_INDEX
1414	0x80070586	Invalid icon handle.	ERROR_INVALID_ICON_HANDLE
1415	0x80070587	Using private DIALOG window words.	ERROR_PRIVATE_DIALOG_INDEX
1416	0x80070588	The list box identifier was not found.	ERROR_LISTBOX_ID_NOT_FOUND
1417	0x80070589	No wildcards were found.	ERROR_NO_WILDCARD_CHARACTERS
1418	0x8007058A	Thread does not have a clipboard open.	ERROR_CLIPBOARD_NOT_OPEN
1419	0x8007058B	Hot key is not registered.	ERROR_HOTKEY_NOT_REGISTERED
1420	0x8007058C	The window is not a valid dialog window.	ERROR_WINDOW_NOT_DIALOG
1421	0x8007058D	Control ID not found.	ERROR_CONTROL_ID_NOT_FOUND
1422	0x8007058E	Invalid message for a combo box because it does not have an edit control.	ERROR_INVALID_COMBOBOX_MESSAGE
1423	0x8007058F	The window is not a combo box.	ERROR_WINDOW_NOT_COMBOBOX
1424	0x80070590	Height must be less than 256.	ERROR_INVALID_EDIT_HEIGHT
1425	0x80070591	Invalid device context (DC) handle.	ERROR_DC_NOT_FOUND
1426	0x80070592	Invalid hook procedure type.	ERROR_INVALID_HOOK_FILTER
1427	0x80070593	Invalid hook procedure.	ERROR_INVALID_FILTER_PROC
1428	0x80070594	Cannot set nonlocal hook without a module handle.	ERROR_HOOK_NEEDS_HMOD
1429	0x80070595	This hook procedure can only be set globally.	ERROR_GLOBAL_ONLY_HOOK
1430	0x80070596	The journal hook procedure is already installed.	ERROR_JOURNAL_HOOK_SET
1431	0x80070597	The hook procedure is not installed.	ERROR_HOOK_NOT_INSTALLED
1432	0x80070598	Invalid message for single-selection list box.	ERROR_INVALID_LB_MESSAGE
1433	0x80070599	LB_SETCOUNT sent to non-lazy list box.	ERROR_SETCOUNT_ON_BAD_LB
1434	0x8007059A	This list box does not support tab stops.	ERROR_LB_WITHOUT_TABSTOPS
1435	0x8007059B	Cannot destroy object created by another thread.	ERROR_DESTROY_OBJECT_OF_OTHER_THREAD
1436	0x8007059C	Child windows cannot have menus.	ERROR_CHILD_WINDOW_MENU
1437	0x8007059D	The window does not have a system menu.	ERROR_NO_SYSTEM_MENU
1438	0x8007059E	Invalid message box style.	ERROR_INVALID_MSGBOX_STYLE
1439	0x8007059F	Invalid system-wide (SPI_*) parameter.	ERROR_INVALID_SPI_VALUE
1440	0x800705A0	Screen already locked.	ERROR_SCREEN_ALREADY_LOCKED
1441	0x800705A1	All handles to windows in a multiple-window position structure must have the same parent.	ERROR_HWNDLS_HAVE_DIFF_PARENT
1442	0x800705A2	The window is not a child window.	ERROR_NOT_CHILD_WINDOW
1443	0x800705A3	Invalid GW_* command.	ERROR_INVALID_GW_COMMAND
1444	0x800705A4	Invalid thread identifier.	ERROR_INVALID_THREAD_ID

1445	0x800705A5	Cannot process a message from a window that is not a multiple document interface (MDI) window.	ERROR_NON_MDICHILD_WINDOW
1446	0x800705A6	Popup menu already active.	ERROR_POPUP_ALREADY_ACTIVE
1447	0x800705A7	The window does not have scroll bars.	ERROR_NO_SCROLLBARS
1448	0x800705A8	Scroll bar range cannot be greater than MAXLONG.	ERROR_INVALID_SCROLLBAR_RANGE
1449	0x800705A9	Cannot show or remove the window in the way specified.	ERROR_INVALID_SHOWWIN_COMMAND
1450	0x800705AA	Insufficient system resources exist to complete the requested service.	ERROR_NO_SYSTEM_RESOURCES
1451	0x800705AB	Insufficient system resources exist to complete the requested service.	ERROR_NONPAGED_SYSTEM_RESOURCES
1452	0x800705AC	Insufficient system resources exist to complete the requested service.	ERROR_PAGED_SYSTEM_RESOURCES
1453	0x800705AD	Insufficient quota to complete the requested service.	ERROR_WORKING_SET_QUOTA
1454	0x800705AE	Insufficient quota to complete the requested service.	ERROR_PAGEFILE_QUOTA
1455	0x800705AF	The paging file is too small for this operation to complete.	ERROR_COMMITMENT_LIMIT
1456	0x800705B0	A menu item was not found.	ERROR_MENU_ITEM_NOT_FOUND
1457	0x800705B1	Invalid keyboard layout handle.	ERROR_INVALID_KEYBOARD_HANDLE
1458	0x800705B2	Hook type not allowed.	ERROR_HOOK_TYPE_NOT_ALLOWED
1459	0x800705B3	This operation requires an interactive window station.	ERROR_REQUIRES_INTERACTIVE_WINDOWSTATION
1460	0x800705B4	This operation returned because the timeout period expired.	ERROR_TIMEOUT
1461	0x800705B5	Invalid monitor handle.	ERROR_INVALID_MONITOR_HANDLE
1462	0x800705B6	Incorrect size argument.	ERROR_INCORRECT_SIZE
1463	0x800705B7	The symbolic link cannot be followed because its type is disabled.	ERROR_SYMLINK_CLASS_DISABLED
1464	0x800705B8	This application does not support the current operation on symbolic links.	ERROR_SYMLINK_NOT_SUPPORTED
1465	0x800705B9	Windows was unable to parse the requested XML data.	ERROR_XML_PARSE_ERROR
1466	0x800705BA	An error was encountered while processing an XML digital signature.	ERROR_XMLDSIG_ERROR
1467	0x800705BB	This application must be restarted.	ERROR_RESTART_APPLICATION
1468	0x800705BC	The caller made the connection request in the wrong routing compartment.	ERROR_WRONG_COMPARTMENT
1469	0x800705BD	There was an AuthIP failure when attempting to connect to the remote host.	ERROR_AUTHIP_FAILURE
1500	0x800705DC	The event log file is corrupted.	ERROR_EVENTLOG_FILE_CORRUPT
1501	0x800705DD	No event log file could be opened, so the event logging service did not start.	ERROR_EVENTLOG_CANT_START
1502	0x800705DE	The event log file is full.	ERROR_LOG_FILE_FULL
1503	0x800705DF	The event log file has changed between read operations.	ERROR_EVENTLOG_FILE_CHANGED
1550	0x8007060E	The specified task name is invalid.	ERROR_INVALID_TASK_NAME
1551	0x8007060F	The specified task index is invalid.	ERROR_INVALID_TASK_INDEX
1552	0x80070610	The specified thread is already joining a task.	ERROR_THREAD_ALREADY_IN_TASK
1601	0x80070641	The Windows Installer Service could not be accessed. This can occur if the Windows Installer is not correctly installed. Contact your support personnel for assistance.	ERROR_INSTALL_SERVICE_FAILURE
1602	0x80070642	User cancelled installation.	ERROR_INSTALL_USEREXIT
1603	0x80070643	Fatal error during installation.	ERROR_INSTALL_FAILURE
1604	0x80070644	Installation suspended, incomplete.	ERROR_INSTALL_SUSPEND
1605	0x80070645	This action is only valid for products that are currently installed.	ERROR_UNKNOWN_PRODUCT
1606	0x80070646	Feature ID not registered.	ERROR_UNKNOWN_FEATURE
1607	0x80070647	Component ID not registered.	ERROR_UNKNOWN_COMPONENT
1608	0x80070648	Unknown property.	ERROR_UNKNOWN_PROPERTY
1609	0x80070649	Handle is in an invalid state.	ERROR_INVALID_HANDLE_STATE
1610	0x8007064A	The configuration data for this product is corrupt. Contact your support personnel.	ERROR_BAD_CONFIGURATION
1611	0x8007064B	Component qualifier not present.	ERROR_INDEX_ABSENT

1612	0x8007064C	The installation source for this product is not available. Verify that the source exists and that you can access it.	ERROR_INSTALL_SOURCE_ABSENT
1613	0x8007064D	This installation package cannot be installed by the Windows Installer service. You must install a Windows service pack that contains a newer version of the Windows Installer service.	ERROR_INSTALL_PACKAGE_VERSION
1614	0x8007064E	Product is uninstalled.	ERROR_PRODUCT_UNINSTALLED
1615	0x8007064F	SQL query syntax invalid or unsupported.	ERROR_BAD_QUERY_SYNTAX
1616	0x80070650	Record field does not exist.	ERROR_INVALID_FIELD
1617	0x80070651	The device has been removed.	ERROR_DEVICE_REMOVED
1618	0x80070652	Another installation is already in progress. Complete that installation before proceeding with this install.	ERROR_INSTALL_ALREADY_RUNNING
1619	0x80070653	This installation package could not be opened. Verify that the package exists and that you can access it, or contact the application vendor to verify that this is a valid Windows Installer package.	ERROR_INSTALL_PACKAGE_OPEN_FAILED
1620	0x80070654	This installation package could not be opened. Contact the application vendor to verify that this is a valid Windows Installer package.	ERROR_INSTALL_PACKAGE_INVALID
1621	0x80070655	There was an error starting the Windows Installer service user interface. Contact your support personnel.	ERROR_INSTALL_UI_FAILURE
1622	0x80070656	Error opening installation log file. Verify that the specified log file location exists and that you can write to it.	ERROR_INSTALL_LOG_FAILURE
1623	0x80070657	The language of this installation package is not supported by your system.	ERROR_INSTALL_LANGUAGE_UNSUPPORTED
1624	0x80070658	Error applying transforms. Verify that the specified transform paths are valid.	ERROR_INSTALL_TRANSFORM_FAILURE
1625	0x80070659	This installation is forbidden by system policy. Contact your system administrator.	ERROR_INSTALL_PACKAGE_REJECTED
1626	0x8007065A	Function could not be executed.	ERROR_FUNCTION_NOT_CALLED
1627	0x8007065B	Function failed during execution.	ERROR_FUNCTION_FAILED
1628	0x8007065C	Invalid or unknown table specified.	ERROR_INVALID_TABLE
1629	0x8007065D	Data supplied is of wrong type.	ERROR_DATATYPE_MISMATCH
1630	0x8007065E	Data of this type is not supported.	ERROR_UNSUPPORTED_TYPE
1631	0x8007065F	The Windows Installer service failed to start. Contact your support personnel.	ERROR_CREATE_FAILED
1632	0x80070660	The Temp folder is on a drive that is full or is inaccessible. Free up space on the drive or verify that you have write permission on the Temp folder.	ERROR_INSTALL_TEMP_UNWRITABLE
1633	0x80070661	This installation package is not supported by this processor type. Contact your product vendor.	ERROR_INSTALL_PLATFORM_UNSUPPORTED
1634	0x80070662	Component not used on this computer.	ERROR_INSTALL_NOTUSED
1635	0x80070663	This update package could not be opened. Verify that the update package exists and that you can access it, or contact the application vendor to verify that this is a valid Windows Installer update package.	ERROR_PATCH_PACKAGE_OPEN_FAILED
1636	0x80070664	This update package could not be opened. Contact the application vendor to verify that this is a valid Windows Installer update package.	ERROR_PATCH_PACKAGE_INVALID
1637	0x80070665	This update package cannot be processed by the Windows Installer service. You must install a Windows service pack that contains a newer version of the Windows Installer service.	ERROR_PATCH_PACKAGE_UNSUPPORTED
1638	0x80070666	Another version of this product is already installed. Installation of this version cannot continue. To configure or remove the existing version of this product, use Add/Remove Programs on the Control Panel.	ERROR_PRODUCT_VERSION
1639	0x80070667	Invalid command line argument. Consult the Windows Installer SDK for detailed command line help.	ERROR_INVALID_COMMAND_LINE
1640	0x80070668	Only administrators have permission to add, remove, or configure server software during a	ERROR_INSTALL_REMOTE_DISALLOWED

		Terminal services remote session. If you want to install or configure software on the server, contact your network administrator.	
1641	0x80070669	The requested operation completed successfully. The system will be restarted so the changes can take effect.	ERROR_SUCCESS_REBOOT_INITIATED
1642	0x8007066A	The upgrade cannot be installed by the Windows Installer service because the program to be upgraded may be missing, or the upgrade may update a different version of the program. Verify that the program to be upgraded exists on your computer and that you have the correct upgrade.	ERROR_PATCH_TARGET_NOT_FOUND
1643	0x8007066B	The update package is not permitted by software restriction policy.	ERROR_PATCH_PACKAGE_REJECTED
1644	0x8007066C	One or more customizations are not permitted by software restriction policy.	ERROR_INSTALL_TRANSFORM_REJECTED
1645	0x8007066D	The Windows Installer does not permit installation from a Remote Desktop Connection.	ERROR_INSTALL_REMOTE_PROHIBITED
1646	0x8007066E	Uninstallation of the update package is not supported.	ERROR_PATCH_REMOVAL_UNSUPPORTED
1647	0x8007066F	The update is not applied to this product.	ERROR_UNKNOWN_PATCH
1648	0x80070670	No valid sequence could be found for the set of updates.	ERROR_PATCH_NO_SEQUENCE
1649	0x80070671	Update removal was disallowed by policy.	ERROR_PATCH_REMOVAL_DISALLOWED
1650	0x80070672	The XML update data is invalid.	ERROR_INVALID_PATCH_XML
1651	0x80070673	Windows Installer does not permit updating of managed advertised products. At least one feature of the product must be installed before applying the update.	ERROR_PATCH_MANAGED_ADVERTISED_PRODUCT
1652	0x80070674	The Windows Installer service is not accessible in Safe Mode. Please try again when your computer is not in Safe Mode or you can use System Restore to return your machine to a previous good state.	ERROR_INSTALL_SERVICE_SAFEBOOT
1700	0x800706A4	The string binding is invalid.	RPC_S_INVALID_STRING_BINDING
1701	0x800706A5	The binding handle is not the correct type.	RPC_S_WRONG_KIND_OF_BINDING
1702	0x800706A6	The binding handle is invalid.	RPC_S_INVALID_BINDING
1703	0x800706A7	The RPC protocol sequence is not supported.	RPC_S_PROTSEQ_NOT_SUPPORTED
1704	0x800706A8	The RPC protocol sequence is invalid.	RPC_S_INVALID_RPC_PROTSEQ
1705	0x800706A9	The string universal unique identifier (UUID) is invalid.	RPC_S_INVALID_STRING_UUID
1706	0x800706AA	The endpoint format is invalid.	RPC_S_INVALID_ENDPOINT_FORMAT
1707	0x800706AB	The network address is invalid.	RPC_S_INVALID_NET_ADDR
1708	0x800706AC	No endpoint was found.	RPC_S_NO_ENDPOINT_FOUND
1709	0x800706AD	The timeout value is invalid.	RPC_S_INVALID_TIMEOUT
1710	0x800706AE	The object universal unique identifier (UUID) was not found.	RPC_S_OBJECT_NOT_FOUND
1711	0x800706AF	The object universal unique identifier (UUID) has already been registered.	RPC_S_ALREADY_REGISTERED
1712	0x800706B0	The type universal unique identifier (UUID) has already been registered.	RPC_S_TYPE_ALREADY_REGISTERED
1713	0x800706B1	The RPC server is already listening.	RPC_S_ALREADY_LISTENING
1714	0x800706B2	No protocol sequences have been registered.	RPC_S_NO_PROTSEQS_REGISTERED
1715	0x800706B3	The RPC server is not listening.	RPC_S_NOT_LISTENING
1716	0x800706B4	The manager type is unknown.	RPC_S_UNKNOWN_MGR_TYPE
1717	0x800706B5	The interface is unknown.	RPC_S_UNKNOWN_IF
1718	0x800706B6	There are no bindings.	RPC_S_NO_BINDINGS
1719	0x800706B7	There are no protocol sequences.	RPC_S_NO_PROTSEQS
1720	0x800706B8	The endpoint cannot be created.	RPC_S_CANT_CREATE_ENDPOINT
1721	0x800706B9	Not enough resources are available to complete this operation.	RPC_S_OUT_OF_RESOURCES
1722	0x800706BA	The RPC server is unavailable.	RPC_S_SERVER_UNAVAILABLE
1723	0x800706BB	The RPC server is too busy to complete this operation.	RPC_S_SERVER_TOO_BUSY
1724	0x800706BC	The network options are invalid.	RPC_S_INVALID_NETWORK_OPTIONS
1725	0x800706BD	There are no remote procedure calls active on this thread.	RPC_S_NO_CALL_ACTIVE
1726	0x800706BE	The remote procedure call failed.	RPC_S_CALL_FAILED

1727	0x800706BF	The remote procedure call failed and did not execute.	RPC_S_CALL_FAILED_DNE
1728	0x800706C0	A remote procedure call (RPC) protocol error occurred.	RPC_S_PROTOCOL_ERROR
1729	0x800706C1	Access to the HTTP proxy is denied.	RPC_S_PROXY_ACCESS_DENIED
1730	0x800706C2	The transfer syntax is not supported by the RPC server.	RPC_S_UNSUPPORTED_TRANS_SYN
1732	0x800706C4	The universal unique identifier (UUID) type is not supported.	RPC_S_UNSUPPORTED_TYPE
1733	0x800706C5	The tag is invalid.	RPC_S_INVALID_TAG
1734	0x800706C6	The array bounds are invalid.	RPC_S_INVALID_BOUND
1735	0x800706C7	The binding does not contain an entry name.	RPC_S_NO_ENTRY_NAME
1736	0x800706C8	The name syntax is invalid.	RPC_S_INVALID_NAME_SYNTAX
1737	0x800706C9	The name syntax is not supported.	RPC_S_UNSUPPORTED_NAME_SYNTAX
1739	0x800706CB	No network address is available to use to construct a universal unique identifier (UUID).	RPC_S_UUID_NO_ADDRESS
1740	0x800706CC	The endpoint is a duplicate.	RPC_S_DUPLICATE_ENDPOINT
1741	0x800706CD	The authentication type is unknown.	RPC_S_UNKNOWN_AUTHN_TYPE
1742	0x800706CE	The maximum number of calls is too small.	RPC_S_MAX_CALLS_TOO_SMALL
1743	0x800706CF	The string is too long.	RPC_S_STRING_TOO_LONG
1744	0x800706D0	The RPC protocol sequence was not found.	RPC_S_PROTSEQ_NOT_FOUND
1745	0x800706D1	The procedure number is out of range.	RPC_S_PROCNUM_OUT_OF_RANGE
1746	0x800706D2	The binding does not contain any authentication information.	RPC_S_BINDING_HAS_NO_AUTH
1747	0x800706D3	The authentication service is unknown.	RPC_S_UNKNOWN_AUTHN_SERVICE
1748	0x800706D4	The authentication level is unknown.	RPC_S_UNKNOWN_AUTHN_LEVEL
1749	0x800706D5	The security context is invalid.	RPC_S_INVALID_AUTH_IDENTITY
1750	0x800706D6	The authorization service is unknown.	RPC_S_UNKNOWN_AUTHZ_SERVICE
1751	0x800706D7	The entry is invalid.	EPT_S_INVALID_ENTRY
1752	0x800706D8	The server endpoint cannot perform the operation.	EPT_S_CANT_PERFORM_OP
1753	0x800706D9	There are no more endpoints available from the endpoint mapper.	EPT_S_NOT_REGISTERED
1754	0x800706DA	No interfaces have been exported.	RPC_S_NOTHING_TO_EXPORT
1755	0x800706DB	The entry name is incomplete.	RPC_S_INCOMPLETE_NAME
1756	0x800706DC	The version option is invalid.	RPC_S_INVALID_VERS_OPTION
1757	0x800706DD	There are no more members.	RPC_S_NO_MORE_MEMBERS
1758	0x800706DE	There is nothing to unexport.	RPC_S_NOT_ALL_OBJS_UNEXPORTED
1759	0x800706DF	The interface was not found.	RPC_S_INTERFACE_NOT_FOUND
1760	0x800706E0	The entry already exists.	RPC_S_ENTRY_ALREADY_EXISTS
1761	0x800706E1	The entry is not found.	RPC_S_ENTRY_NOT_FOUND
1762	0x800706E2	The name service is unavailable.	RPC_S_NAME_SERVICE_UNAVAILABLE
1763	0x800706E3	The network address family is invalid.	RPC_S_INVALID_NAF_ID
1764	0x800706E4	The requested operation is not supported.	RPC_S_CANNOT_SUPPORT
1765	0x800706E5	No security context is available to allow impersonation.	RPC_S_NO_CONTEXT_AVAILABLE
1766	0x800706E6	An internal error occurred in a remote procedure call (RPC).	RPC_S_INTERNAL_ERROR
1767	0x800706E7	The RPC server attempted an integer division by zero.	RPC_S_ZERO_DIVIDE
1768	0x800706E8	An addressing error occurred in the RPC server.	RPC_S_ADDRESS_ERROR
1769	0x800706E9	A floating-point operation at the RPC server caused a division by zero.	RPC_S_FP_DIV_ZERO
1770	0x800706EA	A floating-point underflow occurred at the RPC server.	RPC_S_FP_UNDERFLOW
1771	0x800706EB	A floating-point overflow occurred at the RPC server.	RPC_S_FP_OVERFLOW
1772	0x800706EC	The list of RPC servers available for the binding of auto handles has been exhausted.	RPC_X_NO_MORE_ENTRIES
1773	0x800706ED	Unable to open the character translation table file.	RPC_X_SS_CHAR_TRANS_OPEN_FAIL
1774	0x800706EE	The file containing the character translation table has fewer than 512 bytes.	RPC_X_SS_CHAR_TRANS_SHORT_FILE
1775	0x800706EF	A null context handle was passed from the client to the host during a remote procedure call.	RPC_X_SS_IN_NULL_CONTEXT
1777	0x800706F1	The context handle changed during a remote procedure call.	RPC_X_SS_CONTEXT_DAMAGED

1778	0x800706F2	The binding handles passed to a remote procedure call do not match.	RPC_X_SS_HANDLES_MISMATCH
1779	0x800706F3	The stub is unable to get the remote procedure call handle.	RPC_X_SS_CANNOT_GET_CALL_HANDLE
1780	0x800706F4	A null reference pointer was passed to the stub.	RPC_X_NULL_REF_POINTER
1781	0x800706F5	The enumeration value is out of range.	RPC_X_ENUM_VALUE_OUT_OF_RANGE
1782	0x800706F6	The byte count is too small.	RPC_X_BYTE_COUNT_TOO_SMALL
1783	0x800706F7	The stub received bad data.	RPC_X_BAD_STUB_DATA
1784	0x800706F8	The supplied user buffer is not valid for the requested operation.	ERROR_INVALID_USER_BUFFER
1785	0x800706F9	The disk media is not recognized. It may not be formatted.	ERROR_UNRECOGNIZED_MEDIA
1786	0x800706FA	The workstation does not have a trust secret.	ERROR_NO_TRUST_LSA_SECRET
1787	0x800706FB	The security database on the server does not have a computer account for this workstation trust relationship.	ERROR_NO_TRUST_SAM_ACCOUNT
1788	0x800706FC	The trust relationship between the primary domain and the trusted domain failed.	ERROR_TRUSTED_DOMAIN_FAILURE
1789	0x800706FD	The trust relationship between this workstation and the primary domain failed.	ERROR_TRUSTED_RELATIONSHIP_FAILURE
1790	0x800706FE	The network logon failed.	ERROR_TRUST_FAILURE
1791	0x800706FF	A remote procedure call is already in progress for this thread.	RPC_S_CALL_IN_PROGRESS
1792	0x80070700	An attempt was made to logon, but the network logon service was not started.	ERROR_NETLOGON_NOT_STARTED
1793	0x80070701	The user's account has expired.	ERROR_ACCOUNT_EXPIRED
1794	0x80070702	The redirector is in use and cannot be unloaded.	ERROR_REDIRECTOR_HAS_OPEN_HANDLES
1795	0x80070703	The specified printer driver is already installed.	ERROR_PRINTER_DRIVER_ALREADY_INSTALLED
1796	0x80070704	The specified port is unknown.	ERROR_UNKNOWN_PORT
1797	0x80070705	The printer driver is unknown.	ERROR_UNKNOWN_PRINTER_DRIVER
1798	0x80070706	The print processor is unknown.	ERROR_UNKNOWN_PRINTPROCESSOR
1799	0x80070707	The specified separator file is invalid.	ERROR_INVALID_SEPARATOR_FILE
1800	0x80070708	The specified priority is invalid.	ERROR_INVALID_PRIORITY
1801	0x80070709	The printer name is invalid.	ERROR_INVALID_PRINTER_NAME
1802	0x8007070A	The printer already exists.	ERROR_PRINTER_ALREADY_EXISTS
1803	0x8007070B	The printer command is invalid.	ERROR_INVALID_PRINTER_COMMAND
1804	0x8007070C	The specified datatype is invalid.	ERROR_INVALID_DATATYPE
1805	0x8007070D	The environment specified is invalid.	ERROR_INVALID_ENVIRONMENT
1806	0x8007070E	There are no more bindings.	RPC_S_NO_MORE_BINDINGS
1807	0x8007070F	The account used is an interdomain trust account. Use your global user account or local user account to access this server.	ERROR_NOLOGON_INTERDOMAIN_TRUST_ACCOUNT
1808	0x80070710	The account used is a computer account. Use your global user account or local user account to access this server.	ERROR_NOLOGON_WORKSTATION_TRUST_ACCOUNT
1809	0x80070711	The account used is a server trust account. Use your global user account or local user account to access this server.	ERROR_NOLOGON_SERVER_TRUST_ACCOUNT
1810	0x80070712	The name or security ID (SID) of the domain specified is inconsistent with the trust information for that domain.	ERROR_DOMAIN_TRUST_INCONSISTENT
1811	0x80070713	The server is in use and cannot be unloaded.	ERROR_SERVER_HAS_OPEN_HANDLES
1812	0x80070714	The specified image file did not contain a resource section.	ERROR_RESOURCE_DATA_NOT_FOUND
1813	0x80070715	The specified resource type cannot be found in the image file.	ERROR_RESOURCE_TYPE_NOT_FOUND
1814	0x80070716	The specified resource name cannot be found in the image file.	ERROR_RESOURCE_NAME_NOT_FOUND
1815	0x80070717	The specified resource language ID cannot be found in the image file.	ERROR_RESOURCE_LANG_NOT_FOUND
1816	0x80070718	Not enough quota is available to process this command.	ERROR_NOT_ENOUGH_QUOTA
1817	0x80070719	No interfaces have been registered.	RPC_S_NO_INTERFACES
1818	0x8007071A	The remote procedure call was cancelled.	RPC_S_CALL_CANCELLED
1819	0x8007071B	The binding handle does not contain all required information.	RPC_S_BINDING_INCOMPLETE
1820	0x8007071C	A communications failure occurred during a remote procedure call.	RPC_S_COMM_FAILURE

1821	0x8007071D	The requested authentication level is not supported.	RPC_S_UNSUPPORTED_AUTHN_LEVEL
1822	0x8007071E	No principal name registered.	RPC_S_NO_PRINC_NAME
1823	0x8007071F	The error specified is not a valid Windows RPC error code.	RPC_S_NOT_RPC_ERROR
1824	0x80070720	A UUID that is valid only on this computer has been allocated.	RPC_S_UUID_LOCAL_ONLY
1825	0x80070721	A security package specific error occurred.	RPC_S_SEC_PKG_ERROR
1826	0x80070722	Thread is not canceled.	RPC_S_NOT_CANCELLED
1827	0x80070723	Invalid operation on the encoding/decoding handle.	RPC_X_INVALID_ES_ACTION
1828	0x80070724	Incompatible version of the serializing package.	RPC_X_WRONG_ES_VERSION
1829	0x80070725	Incompatible version of the RPC stub.	RPC_X_WRONG_STUB_VERSION
1830	0x80070726	The RPC pipe object is invalid or corrupted.	RPC_X_INVALID_PIPE_OBJECT
1831	0x80070727	An invalid operation was attempted on an RPC pipe object.	RPC_X_WRONG_PIPE_ORDER
1832	0x80070728	Unsupported RPC pipe version.	RPC_X_WRONG_PIPE_VERSION
1898	0x8007076A	The group member was not found.	RPC_S_GROUP_MEMBER_NOT_FOUND
1899	0x8007076B	The endpoint mapper database entry could not be created.	EPT_S_CANT_CREATE
1900	0x8007076C	The object universal unique identifier (UUID) is the nil UUID.	RPC_S_INVALID_OBJECT
1901	0x8007076D	The specified time is invalid.	ERROR_INVALID_TIME
1902	0x8007076E	The specified form name is invalid.	ERROR_INVALID_FORM_NAME
1903	0x8007076F	The specified form size is invalid.	ERROR_INVALID_FORM_SIZE
1904	0x80070770	The specified printer handle is already being waited on	ERROR_ALREADY_WAITING
1905	0x80070771	The specified printer has been deleted.	ERROR_PRINTER_DELETED
1906	0x80070772	The state of the printer is invalid.	ERROR_INVALID_PRINTER_STATE
1907	0x80070773	The user's password must be changed before logging on the first time.	ERROR_PASSWORD_MUST_CHANGE
1908	0x80070774	Could not find the domain controller for this domain.	ERROR_DOMAIN_CONTROLLER_NOT_FOUND
1909	0x80070775	The referenced account is currently locked out and may not be logged on to.	ERROR_ACCOUNT_LOCKED_OUT
1910	0x80070776	The object exporter specified was not found.	OR_INVALID_OXID
1911	0x80070777	The object specified was not found.	OR_INVALID_OID
1912	0x80070778	The object resolver set specified was not found.	OR_INVALID_SET
1913	0x80070779	Some data remains to be sent in the request buffer.	RPC_S_SEND_INCOMPLETE
1914	0x8007077A	Invalid asynchronous remote procedure call handle.	RPC_S_INVALID_ASYNC_HANDLE
1915	0x8007077B	Invalid asynchronous RPC call handle for this operation.	RPC_S_INVALID_ASYNC_CALL
1916	0x8007077C	The RPC pipe object has already been closed.	RPC_X_PIPE_CLOSED
1917	0x8007077D	The RPC call completed before all pipes were processed.	RPC_X_PIPE_DISCIPLINE_ERROR
1918	0x8007077E	No more data is available from the RPC pipe.	RPC_X_PIPE_EMPTY
1919	0x8007077F	No site name is available for this machine.	ERROR_NO_SITENAME
1920	0x80070780	The file cannot be accessed by the system.	ERROR_CANT_ACCESS_FILE
1921	0x80070781	The name of the file cannot be resolved by the system.	ERROR_CANT_RESOLVE_FILENAME
1922	0x80070782	The entry is not of the expected type.	RPC_S_ENTRY_TYPE_MISMATCH
1923	0x80070783	Not all object UUIDs could be exported to the specified entry.	RPC_S_NOT_ALL_OBJS_EXPORTED
1924	0x80070784	Interface could not be exported to the specified entry.	RPC_S_INTERFACE_NOT_EXPORTED
1925	0x80070785	The specified profile entry could not be added.	RPC_S_PROFILE_NOT_ADDED
1926	0x80070786	The specified profile element could not be added.	RPC_S_PRF_ELT_NOT_ADDED
1927	0x80070787	The specified profile element could not be removed.	RPC_S_PRF_ELT_NOT_REMOVED
1928	0x80070788	The group element could not be added.	RPC_S_GRP_ELT_NOT_ADDED
1929	0x80070789	The group element could not be removed.	RPC_S_GRP_ELT_NOT_REMOVED
1930	0x8007078A	The printer driver is not compatible with a policy enabled on your computer that blocks NT 4.0 drivers.	ERROR_KM_DRIVER_BLOCKED

1931	0x8007078B	The context has expired and can no longer be used.	ERROR_CONTEXT_EXPIRED
1932	0x8007078C	The current user's delegated trust creation quota has been exceeded.	ERROR_PER_USER_TRUST_QUOTA_EXCEEDED
1933	0x8007078D	The total delegated trust creation quota has been exceeded.	ERROR_ALL_USER_TRUST_QUOTA_EXCEEDED
1934	0x8007078E	The current user's delegated trust deletion quota has been exceeded.	ERROR_USER_DELETE_TRUST_QUOTA_EXCEEDED
1935	0x8007078F	Logon Failure: The machine you are logging onto is protected by an authentication firewall. The specified account is not allowed to authenticate to the machine.	ERROR_AUTHENTICATION_FIREWALL_FAILED
1936	0x80070790	Remote connections to the Print Spooler are blocked by a policy set on your machine.	ERROR_REMOTE_PRINT_CONNECTIONS_BLOCKED
1937	0x80070791	Logon Failure: Authentication failed because NTLM authentication has been disabled.	ERROR_NTLM_BLOCKED
2000	0x800707D0	The pixel format is invalid.	ERROR_INVALID_PIXEL_FORMAT
2001	0x800707D1	The specified driver is invalid.	ERROR_BAD_DRIVER
2002	0x800707D2	The window style or class attribute is invalid for this operation.	ERROR_INVALID_WINDOW_STYLE
2003	0x800707D3	The requested metafile operation is not supported.	ERROR_METAFILE_NOT_SUPPORTED
2004	0x800707D4	The requested transformation operation is not supported.	ERROR_TRANSFORM_NOT_SUPPORTED
2005	0x800707D5	The requested clipping operation is not supported.	ERROR_CLIPPING_NOT_SUPPORTED
2010	0x800707DA	The specified color management module is invalid.	ERROR_INVALID_CMM
2011	0x800707DB	The specified color profile is invalid.	ERROR_INVALID_PROFILE
2012	0x800707DC	The specified tag was not found.	ERROR_TAG_NOT_FOUND
2013	0x800707DD	A required tag is not present.	ERROR_TAG_NOT_PRESENT
2014	0x800707DE	The specified tag is already present.	ERROR_DUPLICATE_TAG
2015	0x800707DF	The specified color profile is not associated with the specified device.	ERROR_PROFILE_NOT_ASSOCIATED_WITH_DEVICE
2016	0x800707E0	The specified color profile was not found.	ERROR_PROFILE_NOT_FOUND
2017	0x800707E1	The specified color space is invalid.	ERROR_INVALID_COLORSPACE
2018	0x800707E2	Image Color Management is not enabled.	ERROR_ICM_NOT_ENABLED
2019	0x800707E3	There was an error while deleting the color transform.	ERROR_DELETING_ICM_XFORM
2020	0x800707E4	The specified color transform is invalid.	ERROR_INVALID_TRANSFORM
2021	0x800707E5	The specified transform does not match the bitmap's color space.	ERROR_COLORSPACE_MISMATCH
2022	0x800707E6	The specified named color index is not present in the profile.	ERROR_INVALID_COLORINDEX
2023	0x800707E7	The specified profile is intended for a device of a different type than the specified device.	ERROR_PROFILE_DOES_NOT_MATCH_DEVICE
2108	0x8007083C	The network connection was made successfully, but the user had to be prompted for a password other than the one originally specified.	ERROR_CONNECTED_OTHER_PASSWORD
2109	0x8007083D	The network connection was made successfully using default credentials.	ERROR_CONNECTED_OTHER_PASSWORD_DEFAULT
2202	0x8007089A	The specified username is invalid.	ERROR_BAD_USERNAME
2250	0x800708CA	This network connection does not exist.	ERROR_NOT_CONNECTED
2401	0x80070961	This network connection has files open or requests pending.	ERROR_OPEN_FILES
2402	0x80070962	Active connections still exist.	ERROR_ACTIVE_CONNECTIONS
2404	0x80070964	The device is in use by an active process and cannot be disconnected.	ERROR_DEVICE_IN_USE
3000	0x80070BB8	The specified print monitor is unknown.	ERROR_UNKNOWN_PRINT_MONITOR
3001	0x80070BB9	The specified printer driver is currently in use.	ERROR_PRINTER_DRIVER_IN_USE
3002	0x80070BBA	The spool file was not found.	ERROR_SPOOL_FILE_NOT_FOUND
3003	0x80070BBB	A StartDocPrinter call was not issued.	ERROR_SPL_NO_STARTDOC
3004	0x80070BBC	An AddJob call was not issued.	ERROR_SPL_NO_ADDJOB
3005	0x80070BBD	The specified print processor has already been installed.	ERROR_PRINT_PROCESSOR_ALREADY_INSTALLED
3006	0x80070BBE	The specified print monitor has already been installed.	ERROR_PRINT_MONITOR_ALREADY_INSTALLED
3007	0x80070BBF	The specified print monitor does not have the required functions.	ERROR_INVALID_PRINT_MONITOR

3008	0x80070BC0	The specified print monitor is currently in use.	ERROR_PRINT_MONITOR_IN_USE
3009	0x80070BC1	The requested operation is not allowed when there are jobs queued to the printer.	ERROR_PRINTER_HAS_JOBS_QUEUED
3010	0x80070BC2	The requested operation is successful. Changes will not be effective until the system is rebooted.	ERROR_SUCCESS_REBOOT_REQUIRED
3011	0x80070BC3	The requested operation is successful. Changes will not be effective until the service is restarted.	ERROR_SUCCESS_RESTART_REQUIRED
3012	0x80070BC4	No printers were found.	ERROR_PRINTER_NOT_FOUND
3013	0x80070BC5	The printer driver is known to be unreliable.	ERROR_PRINTER_DRIVER_WARNED
3014	0x80070BC6	The printer driver is known to harm the system.	ERROR_PRINTER_DRIVER_BLOCKED
3015	0x80070BC7	The specified printer driver package is currently in use.	ERROR_PRINTER_DRIVER_PACKAGE_IN_USE
3016	0x80070BC8	Unable to find a core driver package that is required by the printer driver package.	ERROR_CORE_DRIVER_PACKAGE_NOT_FOUND
3017	0x80070BC9	The requested operation failed. A system reboot is required to roll back changes made.	ERROR_FAIL_REBOOT_REQUIRED
3018	0x80070BCA	The requested operation failed. A system reboot has been initiated to roll back changes made.	ERROR_FAIL_REBOOT_INITIATED
3019	0x80070BCB	The specified printer driver was not found on the system and needs to be downloaded.	ERROR_PRINTER_DRIVER_DOWNLOAD_NEEDED
3020	0x80070BCC	The requested print job has failed to print. A print system update requires the job to be resubmitted.	ERROR_PRINT_JOB_RESTART_REQUIRED
3950	0x80070F6E	Reissue the given operation as a cached IO operation	ERROR_IO_REISSUE_AS_CACHED
4000	0x80070FA0	WINS encountered an error while processing the command.	ERROR_WINS_INTERNAL
4001	0x80070FA1	The local WINS cannot be deleted.	ERROR_CAN_NOT_DEL_LOCAL_WINS
4002	0x80070FA2	The importation from the file failed.	ERROR_STATIC_INIT
4003	0x80070FA3	The backup failed. Was a full backup done before?	ERROR_INC_BACKUP
4004	0x80070FA4	The backup failed. Check the directory to which you are backing the database.	ERROR_FULL_BACKUP
4005	0x80070FA5	The name does not exist in the WINS database.	ERROR_REC_NON_EXISTENT
4006	0x80070FA6	Replication with a nonconfigured partner is not allowed.	ERROR_RPL_NOT_ALLOWED
4100	0x80071004	The DHCP client has obtained an IP address that is already in use on the network. The local interface will be disabled until the DHCP client can obtain a new address.	ERROR_DHCP_ADDRESS_CONFLICT
4200	0x80071068	The GUID passed was not recognized as valid by a WMI data provider.	ERROR_WMI_GUID_NOT_FOUND
4201	0x80071069	The instance name passed was not recognized as valid by a WMI data provider.	ERROR_WMI_INSTANCE_NOT_FOUND
4202	0x8007106A	The data item ID passed was not recognized as valid by a WMI data provider.	ERROR_WMI_ITEMID_NOT_FOUND
4203	0x8007106B	The WMI request could not be completed and should be retried.	ERROR_WMI_TRY_AGAIN
4204	0x8007106C	The WMI data provider could not be located.	ERROR_WMI_DP_NOT_FOUND
4205	0x8007106D	The WMI data provider references an instance set that has not been registered.	ERROR_WMI_UNRESOLVED_INSTANCE_REF
4206	0x8007106E	The WMI data block or event notification has already been enabled.	ERROR_WMI_ALREADY_ENABLED
4207	0x8007106F	The WMI data block is no longer available.	ERROR_WMI_GUID_DISCONNECTED
4208	0x80071070	The WMI data service is not available.	ERROR_WMI_SERVER_UNAVAILABLE
4209	0x80071071	The WMI data provider failed to carry out the request.	ERROR_WMI_DP_FAILED
4210	0x80071072	The WMI MOF information is not valid.	ERROR_WMI_INVALID_MOF
4211	0x80071073	The WMI registration information is not valid.	ERROR_WMI_INVALID_REGINFO
4212	0x80071074	The WMI data block or event notification has already been disabled.	ERROR_WMI_ALREADY_DISABLED
4213	0x80071075	The WMI data item or data block is read only.	ERROR_WMI_READ_ONLY
4214	0x80071076	The WMI data item or data block could not be changed.	ERROR_WMI_SET_FAILURE
4300	0x800710CC	The media identifier does not represent a valid medium.	ERROR_INVALID_MEDIA

4301	0x800710CD	The library identifier does not represent a valid library.	ERROR_INVALID_LIBRARY
4302	0x800710CE	The media pool identifier does not represent a valid media pool.	ERROR_INVALID_MEDIA_POOL
4303	0x800710CF	The drive and medium are not compatible or exist in different libraries.	ERROR_DRIVE_MEDIA_MISMATCH
4304	0x800710D0	The medium currently exists in an offline library and must be online to perform this operation.	ERROR_MEDIA_OFFLINE
4305	0x800710D1	The operation cannot be performed on an offline library.	ERROR_LIBRARY_OFFLINE
4306	0x800710D2	The library, drive, or media pool is empty.	ERROR_EMPTY
4307	0x800710D3	The library, drive, or media pool must be empty to perform this operation.	ERROR_NOT_EMPTY
4308	0x800710D4	No media is currently available in this media pool or library.	ERROR_MEDIA_UNAVAILABLE
4309	0x800710D5	A resource required for this operation is disabled.	ERROR_RESOURCE_DISABLED
4310	0x800710D6	The media identifier does not represent a valid cleaner.	ERROR_INVALID_CLEANER
4311	0x800710D7	The drive cannot be cleaned or does not support cleaning.	ERROR_UNABLE_TO_CLEAN
4312	0x800710D8	The object identifier does not represent a valid object.	ERROR_OBJECT_NOT_FOUND
4313	0x800710D9	Unable to read from or write to the database.	ERROR_DATABASE_FAILURE
4314	0x800710DA	The database is full.	ERROR_DATABASE_FULL
4315	0x800710DB	The medium is not compatible with the device or media pool.	ERROR_MEDIA_INCOMPATIBLE
4316	0x800710DC	The resource required for this operation does not exist.	ERROR_RESOURCE_NOT_PRESENT
4317	0x800710DD	The operation identifier is not valid.	ERROR_INVALID_OPERATION
4318	0x800710DE	The media is not mounted or ready for use.	ERROR_MEDIA_NOT_AVAILABLE
4319	0x800710DF	The device is not ready for use.	ERROR_DEVICE_NOT_AVAILABLE
4320	0x800710E0	The operator or administrator has refused the request.	ERROR_REQUEST_REFUSED
4321	0x800710E1	The drive identifier does not represent a valid drive.	ERROR_INVALID_DRIVE_OBJECT
4322	0x800710E2	Library is full. No slot is available for use.	ERROR_LIBRARY_FULL
4323	0x800710E3	The transport cannot access the medium.	ERROR_MEDIUM_NOT_ACCESSIBLE
4324	0x800710E4	Unable to load the medium into the drive.	ERROR_UNABLE_TO_LOAD_MEDIUM
4325	0x800710E5	Unable to retrieve the drive status.	ERROR_UNABLE_TO_INVENTORY_DRIVE
4326	0x800710E6	Unable to retrieve the slot status.	ERROR_UNABLE_TO_INVENTORY_SLOT
4327	0x800710E7	Unable to retrieve status about the transport.	ERROR_UNABLE_TO_INVENTORY_TRANSPORT
4328	0x800710E8	Cannot use the transport because it is already in use.	ERROR_TRANSPORT_FULL
4329	0x800710E9	Unable to open or close the inject/eject port.	ERROR_CONTROLLING_IEPORT
4330	0x800710EA	Unable to eject the medium because it is in a drive.	ERROR_UNABLE_TO_EJECT_MOUNTED_MEDIA
4331	0x800710EB	A cleaner slot is already reserved.	ERROR_CLEANER_SLOT_SET
4332	0x800710EC	A cleaner slot is not reserved.	ERROR_CLEANER_SLOT_NOT_SET
4333	0x800710ED	The cleaner cartridge has performed the maximum number of drive cleanings.	ERROR_CLEANER_CARTRIDGE_SPENT
4334	0x800710EE	Unexpected on-medium identifier.	ERROR_UNEXPECTED_OMID
4335	0x800710EF	The last remaining item in this group or resource cannot be deleted.	ERROR_CANT_DELETE_LAST_ITEM
4336	0x800710F0	The message provided exceeds the maximum size allowed for this parameter.	ERROR_MESSAGE_EXCEEDS_MAX_SIZE
4337	0x800710F1	The volume contains system or paging files.	ERROR_VOLUME_CONTAINS_SYS_FILES
4338	0x800710F2	The media type cannot be removed from this library since at least one drive in the library reports it can support this media type.	ERROR_INDIGENOUS_TYPE
4339	0x800710F3	This offline media cannot be mounted on this system since no enabled drives are present which can be used.	ERROR_NO_SUPPORTING_DRIVES
4340	0x800710F4	A cleaner cartridge is present in the tape library.	ERROR_CLEANER_CARTRIDGE_INSTALLED
4341	0x800710F5	Cannot use the ieport because it is not empty.	ERROR_IEPORT_FULL
4350	0x800710FE	This file is currently not available for use on this computer.	ERROR_FILE_OFFLINE

4351	0x800710FF	The remote storage service is not operational at this time.	ERROR_REMOTE_STORAGE_NOT_ACTIVE
4352	0x80071100	The remote storage service encountered a media error.	ERROR_REMOTE_STORAGE_MEDIA_ERROR
4390	0x80071126	The file or directory is not a reparse point.	ERROR_NOT_A_REPARSE_POINT
4391	0x80071127	The reparse point attribute cannot be set because it conflicts with an existing attribute.	ERROR_REPARSE_ATTRIBUTE_CONFLICT
4392	0x80071128	The data present in the reparse point buffer is invalid.	ERROR_INVALID_REPARSE_DATA
4393	0x80071129	The tag present in the reparse point buffer is invalid.	ERROR_REPARSE_TAG_INVALID
4394	0x8007112A	There is a mismatch between the tag specified in the request and the tag present in the reparse point.	ERROR_REPARSE_TAG_MISMATCH
4500	0x80071194	Single Instance Storage is not available on this volume.	ERROR_VOLUME_NOT_SIS_ENABLED
5001	0x80071389	The operation cannot be completed because other resources are dependent on this resource.	ERROR_DEPENDENT_RESOURCE_EXISTS
5002	0x8007138A	The cluster resource dependency cannot be found.	ERROR_DEPENDENCY_NOT_FOUND
5003	0x8007138B	The cluster resource cannot be made dependent on the specified resource because it is already dependent.	ERROR_DEPENDENCY_ALREADY_EXISTS
5004	0x8007138C	The cluster resource is not online.	ERROR_RESOURCE_NOT_ONLINE
5005	0x8007138D	A cluster node is not available for this operation.	ERROR_HOST_NODE_NOT_AVAILABLE
5006	0x8007138E	The cluster resource is not available.	ERROR_RESOURCE_NOT_AVAILABLE
5007	0x8007138F	The cluster resource could not be found.	ERROR_RESOURCE_NOT_FOUND
5008	0x80071390	The cluster is being shut down.	ERROR_SHUTDOWN_CLUSTER
5009	0x80071391	A cluster node cannot be evicted from the cluster unless the node is down or it is the last node.	ERROR_CANT_EVICT_ACTIVE_NODE
5010	0x80071392	The object already exists.	ERROR_OBJECT_ALREADY_EXISTS
5011	0x80071393	The object is already in the list.	ERROR_OBJECT_IN_LIST
5012	0x80071394	The cluster group is not available for any new requests.	ERROR_GROUP_NOT_AVAILABLE
5013	0x80071395	The cluster group could not be found.	ERROR_GROUP_NOT_FOUND
5014	0x80071396	The operation could not be completed because the cluster group is not online.	ERROR_GROUP_NOT_ONLINE
5015	0x80071397	The operation failed because either the specified cluster node is not the owner of the resource, or the node is not a possible owner of the resource.	ERROR_HOST_NODE_NOT_RESOURCE_OWNER
5016	0x80071398	The operation failed because either the specified cluster node is not the owner of the group, or the node is not a possible owner of the group.	ERROR_HOST_NODE_NOT_GROUP_OWNER
5017	0x80071399	The cluster resource could not be created in the specified resource monitor.	ERROR_RESMON_CREATE_FAILED
5018	0x8007139A	The cluster resource could not be brought online by the resource monitor.	ERROR_RESMON_ONLINE_FAILED
5019	0x8007139B	The operation could not be completed because the cluster resource is online.	ERROR_RESOURCE_ONLINE
5020	0x8007139C	The cluster resource could not be deleted or brought offline because it is the quorum resource.	ERROR_QUORUM_RESOURCE
5021	0x8007139D	The cluster could not make the specified resource a quorum resource because it is not capable of being a quorum resource.	ERROR_NOT_QUORUM_CAPABLE
5022	0x8007139E	The cluster software is shutting down.	ERROR_CLUSTER_SHUTTING_DOWN
5023	0x8007139F	The group or resource is not in the correct state to perform the requested operation.	ERROR_INVALID_STATE
5024	0x800713A0	The properties were stored but not all changes will take effect until the next time the resource is brought online.	ERROR_RESOURCE_PROPERTIES_STORED
5025	0x800713A1	The cluster could not make the specified resource a quorum resource because it does not belong to a shared storage class.	ERROR_NOT_QUORUM_CLASS
5026	0x800713A2	The cluster resource could not be deleted since it is a core resource.	ERROR_CORE_RESOURCE
5027	0x800713A3	The quorum resource failed to come online.	ERROR_QUORUM_RESOURCE_ONLINE_FAILED

5028	0x800713A4	The quorum log could not be created or mounted successfully.	ERROR_QUORUMLOG_OPEN_FAILED
5029	0x800713A5	The cluster log is corrupt.	ERROR_CLUSTERLOG_CORRUPT
5030	0x800713A6	The record could not be written to the cluster log since it exceeds the maximum size.	ERROR_CLUSTERLOG_RECORD_EXCEEDS_MAXSIZE
5031	0x800713A7	The cluster log exceeds its maximum size.	ERROR_CLUSTERLOG_EXCEEDS_MAXSIZE
5032	0x800713A8	No checkpoint record was found in the cluster log.	ERROR_CLUSTERLOG_CHKPOINT_NOT_FOUND
5033	0x800713A9	The minimum required disk space needed for logging is not available.	ERROR_CLUSTERLOG_NOT_ENOUGH_SPACE
5034	0x800713AA	The cluster node failed to take control of the quorum resource because the resource is owned by another active node.	ERROR_QUORUM_OWNER_ALIVE
5035	0x800713AB	A cluster network is not available for this operation.	ERROR_NETWORK_NOT_AVAILABLE
5036	0x800713AC	A cluster node is not available for this operation.	ERROR_NODE_NOT_AVAILABLE
5037	0x800713AD	All cluster nodes must be running to perform this operation.	ERROR_ALL_NODES_NOT_AVAILABLE
5038	0x800713AE	A cluster resource failed.	ERROR_RESOURCE_FAILED
5039	0x800713AF	The cluster node is not valid.	ERROR_CLUSTER_INVALID_NODE
5040	0x800713B0	The cluster node already exists.	ERROR_CLUSTER_NODE_EXISTS
5041	0x800713B1	A node is in the process of joining the cluster.	ERROR_CLUSTER_JOIN_IN_PROGRESS
5042	0x800713B2	The cluster node was not found.	ERROR_CLUSTER_NODE_NOT_FOUND
5043	0x800713B3	The cluster local node information was not found.	ERROR_CLUSTER_LOCAL_NODE_NOT_FOUND
5044	0x800713B4	The cluster network already exists.	ERROR_CLUSTER_NETWORK_EXISTS
5045	0x800713B5	The cluster network was not found.	ERROR_CLUSTER_NETWORK_NOT_FOUND
5046	0x800713B6	The cluster network interface already exists.	ERROR_CLUSTER_NETINTERFACE_EXISTS
5047	0x800713B7	The cluster network interface was not found.	ERROR_CLUSTER_NETINTERFACE_NOT_FOUND
5048	0x800713B8	The cluster request is not valid for this object.	ERROR_CLUSTER_INVALID_REQUEST
5049	0x800713B9	The cluster network provider is not valid.	ERROR_CLUSTER_INVALID_NETWORK_PROVIDER
5050	0x800713BA	The cluster node is down.	ERROR_CLUSTER_NODE_DOWN
5051	0x800713BB	The cluster node is not reachable.	ERROR_CLUSTER_NODE_UNREACHABLE
5052	0x800713BC	The cluster node is not a member of the cluster.	ERROR_CLUSTER_NODE_NOT_MEMBER
5053	0x800713BD	A cluster join operation is not in progress.	ERROR_CLUSTER_JOIN_NOT_IN_PROGRESS
5054	0x800713BE	The cluster network is not valid.	ERROR_CLUSTER_INVALID_NETWORK
5056	0x800713C0	The cluster node is up.	ERROR_CLUSTER_NODE_UP
5057	0x800713C1	The cluster IP address is already in use.	ERROR_CLUSTER_IPADDR_IN_USE
5058	0x800713C2	The cluster node is not paused.	ERROR_CLUSTER_NODE_NOT_PAUSED
5059	0x800713C3	No cluster security context is available.	ERROR_CLUSTER_NO_SECURITY_CONTEXT
5060	0x800713C4	The cluster network is not configured for internal cluster communication.	ERROR_CLUSTER_NETWORK_NOT_INTERNAL
5061	0x800713C5	The cluster node is already up.	ERROR_CLUSTER_NODE_ALREADY_UP
5062	0x800713C6	The cluster node is already down.	ERROR_CLUSTER_NODE_ALREADY_DOWN
5063	0x800713C7	The cluster network is already online.	ERROR_CLUSTER_NETWORK_ALREADY_ONLINE
5064	0x800713C8	The cluster network is already offline.	ERROR_CLUSTER_NETWORK_ALREADY_OFFLINE
5065	0x800713C9	The cluster node is already a member of the cluster.	ERROR_CLUSTER_NODE_ALREADY_MEMBER
5066	0x800713CA	The cluster network is the only one configured for internal cluster communication between two or more active cluster nodes. The internal communication capability cannot be removed from the network.	ERROR_CLUSTER_LAST_INTERNAL_NETWORK
5067	0x800713CB	One or more cluster resources depend on the network to provide service to clients. The client access capability cannot be removed from the network.	ERROR_CLUSTER_NETWORK_HAS_DEPENDENTS
5068	0x800713CC	This operation cannot be performed on the cluster resource as it the quorum resource. You may not bring the quorum resource offline or modify its possible owners list.	ERROR_INVALID_OPERATION_ON_QUORUM
5069	0x800713CD	The cluster quorum resource is not allowed to have any dependencies.	ERROR_DEPENDENCY_NOT_ALLOWED
5070	0x800713CE	The cluster node is paused.	ERROR_CLUSTER_NODE_PAUSED
5071	0x800713CF	The cluster resource cannot be brought online. The owner node cannot run this resource.	ERROR_NODE_CANT_HOST_RESOURCE
5072	0x800713D0	The cluster node is not ready to perform the requested operation.	ERROR_CLUSTER_NODE_NOT_READY

5073	0x800713D1	The cluster node is shutting down.	ERROR_CLUSTER_NODE_SHUTTING_DOWN
5074	0x800713D2	The cluster join operation was aborted.	ERROR_CLUSTER_JOIN_ABORTED
5075	0x800713D3	The cluster join operation failed due to incompatible software versions between the joining node and its sponsor.	ERROR_CLUSTER_INCOMPATIBLE_VERSIONS
5076	0x800713D4	This resource cannot be created because the cluster has reached the limit on the number of resources it can monitor.	ERROR_CLUSTER_MAXNUM_OF_RESOURCES_EXCEEDED
5077	0x800713D5	The system configuration changed during the cluster join or form operation. The join or form operation was aborted.	ERROR_CLUSTER_SYSTEM_CONFIG_CHANGED
5078	0x800713D6	The specified resource type was not found.	ERROR_CLUSTER_RESOURCE_TYPE_NOT_FOUND
5079	0x800713D7	The specified node does not support a resource of this type. This may be due to version inconsistencies or due to the absence of the resource DLL on this node.	ERROR_CLUSTER_RESTYPE_NOT_SUPPORTED
5080	0x800713D8	The specified resource name is not supported by this resource DLL. This may be due to a bad (or changed) name supplied to the resource DLL.	ERROR_CLUSTER_RESNAME_NOT_FOUND
5081	0x800713D9	No authentication package could be registered with the RPC server.	ERROR_CLUSTER_NO_RPC_PACKAGES_REGISTERED
5082	0x800713DA	You cannot bring the group online because the owner of the group is not in the preferred list for the group. To change the owner node for the group, move the group.	ERROR_CLUSTER_OWNER_NOT_IN_PREFLIST
5083	0x800713DB	The join operation failed because the cluster database sequence number has changed or is incompatible with the locker node. This may happen during a join operation if the cluster database was changing during the join.	ERROR_CLUSTER_DATABASE_SEQMISMATCH
5084	0x800713DC	The resource monitor will not allow the fail operation to be performed while the resource is in its current state. This may happen if the resource is in a pending state.	ERROR_RESMON_INVALID_STATE
5085	0x800713DD	A non locker code got a request to reserve the lock for making global updates.	ERROR_CLUSTER_GUM_NOT_LOCKER
5086	0x800713DE	The quorum disk could not be located by the cluster service.	ERROR_QUORUM_DISK_NOT_FOUND
5087	0x800713DF	The backed up cluster database is possibly corrupt.	ERROR_DATABASE_BACKUP_CORRUPT
5088	0x800713E0	A DFS root already exists in this cluster node.	ERROR_CLUSTER_NODE_ALREADY_HAS_DFS_ROOT
5089	0x800713E1	An attempt to modify a resource property failed because it conflicts with another existing property.	ERROR_RESOURCE_PROPERTY_UNCHANGEABLE
5890	0x80071702	An operation was attempted that is incompatible with the current membership state of the node.	ERROR_CLUSTER_MEMBERSHIP_INVALID_STATE
5891	0x80071703	The quorum resource does not contain the quorum log.	ERROR_CLUSTER_QUORUMLOG_NOT_FOUND
5892	0x80071704	The membership engine requested shutdown of the cluster service on this node.	ERROR_CLUSTER_MEMBERSHIP_HALT
5893	0x80071705	The join operation failed because the cluster instance ID of the joining node does not match the cluster instance ID of the sponsor node.	ERROR_CLUSTER_INSTANCE_ID_MISMATCH
5894	0x80071706	A matching cluster network for the specified IP address could not be found.	ERROR_CLUSTER_NETWORK_NOT_FOUND_FOR_IP
5895	0x80071707	The actual data type of the property did not match the expected data type of the property.	ERROR_CLUSTER_PROPERTY_DATA_TYPE_MISMATCH
5896	0x80071708	The cluster node was evicted from the cluster successfully, but the node was not cleaned up. To determine what cleanup steps failed and how to recover, see the Failover Clustering application event log using Event Viewer.	ERROR_CLUSTER_EVICT_WITHOUT_CLEANUP
5897	0x80071709	Two or more parameter values specified for a resource's properties are in conflict.	ERROR_CLUSTER_PARAMETER_MISMATCH
5898	0x8007170A	This computer cannot be made a member of a cluster.	ERROR_NODE_CANNOT_BE_CLUSTERED
5899	0x8007170B	This computer cannot be made a member of a cluster because it does not have the correct version of Windows installed.	ERROR_CLUSTER_WRONG_OS_VERSION
5900	0x8007170C	A cluster cannot be created with the specified cluster name because that cluster name is already in use. Specify a different name for the cluster.	ERROR_CLUSTER_CANT_CREATE_DUP_CLUSTER_NAME

5901	0x8007170D	The cluster configuration action has already been committed.	ERROR_CLUSCFG_ALREADY_COMMITTED
5902	0x8007170E	The cluster configuration action could not be rolled back.	ERROR_CLUSCFG_ROLLBACK_FAILED
5903	0x8007170F	The drive letter assigned to a system disk on one node conflicted with the drive letter assigned to a disk on another node.	ERROR_CLUSCFG_SYSTEM_DISK_DRIVE_LETTER_CONFLICT
5904	0x80071710	One or more nodes in the cluster are running a version of Windows that does not support this operation.	ERROR_CLUSTER_OLD_VERSION
5905	0x80071711	The name of the corresponding computer account doesn't match the Network Name for this resource.	ERROR_CLUSTER_MISMATCHED_COMPUTER_ACCT_NAME
5906	0x80071712	No network adapters are available.	ERROR_CLUSTER_NO_NET_ADAPTERS
5907	0x80071713	The cluster node has been poisoned.	ERROR_CLUSTER_POISONED
5908	0x80071714	The group is unable to accept the request since it is moving to another node.	ERROR_CLUSTER_GROUP_MOVING
5909	0x80071715	The resource type cannot accept the request since it is too busy performing another operation.	ERROR_CLUSTER_RESOURCE_TYPE_BUSY
5910	0x80071716	The call to the cluster resource DLL timed out.	ERROR_RESOURCE_CALL_TIMED_OUT
5911	0x80071717	The address is not valid for an IPv6 Address resource. A global IPv6 address is required, and it must match a cluster network. Compatibility addresses are not permitted.	ERROR_INVALID_CLUSTER_IPV6_ADDRESS
5912	0x80071718	An internal cluster error occurred. A call to an invalid function was attempted.	ERROR_CLUSTER_INTERNAL_INVALID_FUNCTION
5913	0x80071719	A parameter value is out of acceptable range.	ERROR_CLUSTER_PARAMETER_OUT_OF_BOUNDS
5914	0x8007171A	A network error occurred while sending data to another node in the cluster. The number of bytes transmitted was less than required.	ERROR_CLUSTER_PARTIAL_SEND
5915	0x8007171B	An invalid cluster registry operation was attempted.	ERROR_CLUSTER_REGISTRY_INVALID_FUNCTION
5916	0x8007171C	An input string of characters is not properly terminated.	ERROR_CLUSTER_INVALID_STRING_TERMINATION
5917	0x8007171D	An input string of characters is not in a valid format for the data it represents.	ERROR_CLUSTER_INVALID_STRING_FORMAT
5918	0x8007171E	An internal cluster error occurred. A cluster database transaction was attempted while a transaction was already in progress.	ERROR_CLUSTER_DATABASE_TRANSACTION_IN_PROGRESS
5919	0x8007171F	An internal cluster error occurred. There was an attempt to commit a cluster database transaction while no transaction was in progress.	ERROR_CLUSTER_DATABASE_TRANSACTION_NOT_IN_PROGRESS
5920	0x80071720	An internal cluster error occurred. Data was not properly initialized.	ERROR_CLUSTER_NULL_DATA
5921	0x80071721	An error occurred while reading from a stream of data. An unexpected number of bytes was returned.	ERROR_CLUSTER_PARTIAL_READ
5922	0x80071722	An error occurred while writing to a stream of data. The required number of bytes could not be written.	ERROR_CLUSTER_PARTIAL_WRITE
5923	0x80071723	An error occurred while deserializing a stream of cluster data.	ERROR_CLUSTER_CANT_DESERIALIZE_DATA
5924	0x80071724	One or more property values for this resource are in conflict with one or more property values associated with its dependent resource(s).	ERROR_DEPENDENT_RESOURCE_PROPERTY_CONFLICT
5925	0x80071725	A quorum of cluster nodes was not present to form a cluster.	ERROR_CLUSTER_NO_QUORUM
5926	0x80071726	The cluster network is not valid for an IPv6 Address resource, or it does not match the configured address.	ERROR_CLUSTER_INVALID_IPV6_NETWORK
5927	0x80071727	The cluster network is not valid for an IPv6 Tunnel resource. Check the configuration of the IP Address resource on which the IPv6 Tunnel resource depends.	ERROR_CLUSTER_INVALID_IPV6_TUNNEL_NETWORK
5928	0x80071728	Quorum resource cannot reside in the Available Storage group.	ERROR_QUORUM_NOT_ALLOWED_IN_THIS_GROUP
5929	0x80071729	The dependencies for this resource are nested too deeply.	ERROR_DEPENDENCY_TREE_TOO_COMPLEX
5930	0x8007172A	The call into the resource DLL raised an unhandled exception.	ERROR_EXCEPTION_IN_RESOURCE_CALL
5931	0x8007172B	The RHS process failed to initialize.	ERROR_CLUSTER_RHS_FAILED_INITIALIZATION

5932	0x8007172C	The Failover Clustering feature is not installed on this node.	ERROR_CLUSTER_NOT_INSTALLED
5933	0x8007172D	The resources must be online on the same node for this operation	ERROR_CLUSTER_RESOURCES_MUST_BE_ONLINE_ON_THE_SAME_NODE
6000	0x80071770	The specified file could not be encrypted.	ERROR_ENCRYPTION_FAILED
6001	0x80071771	The specified file could not be decrypted.	ERROR_DECRYPTION_FAILED
6002	0x80071772	The specified file is encrypted and the user does not have the ability to decrypt it.	ERROR_FILE_ENCRYPTED
6003	0x80071773	There is no valid encryption recovery policy configured for this system.	ERROR_NO_RECOVERY_POLICY
6004	0x80071774	The required encryption driver is not loaded for this system.	ERROR_NO_EFS
6005	0x80071775	The file was encrypted with a different encryption driver than is currently loaded.	ERROR_WRONG_EFS
6006	0x80071776	There are no EFS keys defined for the user.	ERROR_NO_USER_KEYS
6007	0x80071777	The specified file is not encrypted.	ERROR_FILE_NOT_ENCRYPTED
6008	0x80071778	The specified file is not in the defined EFS export format.	ERROR_NOT_EXPORT_FORMAT
6009	0x80071779	The specified file is read only.	ERROR_FILE_READ_ONLY
6010	0x8007177A	The directory has been disabled for encryption.	ERROR_DIR_EFS_DISALLOWED
6011	0x8007177B	The server is not trusted for remote encryption operation.	ERROR_EFS_SERVER_NOT_TRUSTED
6012	0x8007177C	Recovery policy configured for this system contains invalid recovery certificate.	ERROR_BAD_RECOVERY_POLICY
6013	0x8007177D	The encryption algorithm used on the source file needs a bigger key buffer than the one on the destination file.	ERROR_EFS_ALG_BLOB_TOO_BIG
6014	0x8007177E	The disk partition does not support file encryption.	ERROR_VOLUME_NOT_SUPPORT_EFS
6015	0x8007177F	This machine is disabled for file encryption.	ERROR_EFS_DISABLED
6016	0x80071780	A newer system is required to decrypt this encrypted file.	ERROR_EFS_VERSION_NOT_SUPPORT
6017	0x80071781	The remote server sent an invalid response for a file being opened with Client Side Encryption.	ERROR_CS_ENCRYPTION_INVALID_SERVER_RESPONSE
6018	0x80071782	Client Side Encryption is not supported by the remote server even though it claims to support it.	ERROR_CS_ENCRYPTION_UNSUPPORTED_SERVER
6019	0x80071783	File is encrypted and should be opened in Client Side Encryption mode.	ERROR_CS_ENCRYPTION_EXISTING_ENCRYPTED_FILE
6020	0x80071784	A new encrypted file is being created and a \$EFS needs to be provided.	ERROR_CS_ENCRYPTION_NEW_ENCRYPTED_FILE
6021	0x80071785	The SMB client requested a CSE FSCTL on a non-CSE file.	ERROR_CS_ENCRYPTION_FILE_NOT_CSE
6118	0x800717E6	The list of servers for this workgroup is not currently available	ERROR_NO_BROWSER_SERVERS_FOUND
6200	0x80071838	The Task Scheduler service must be configured to run in the System account to function properly. Individual tasks may be configured to run in other accounts.	SCHED_E_SERVICE_NOT_LOCALSYSTEM
6600	0x800719C8	Log service encountered an invalid log sector.	ERROR_LOG_SECTOR_INVALID
6601	0x800719C9	Log service encountered a log sector with invalid block parity.	ERROR_LOG_SECTOR_PARITY_INVALID
6602	0x800719CA	Log service encountered a remapped log sector.	ERROR_LOG_SECTOR_REMAPPED
6603	0x800719CB	Log service encountered a partial or incomplete log block.	ERROR_LOG_BLOCK_INCOMPLETE
6604	0x800719CC	Log service encountered an attempt access data outside the active log range.	ERROR_LOG_INVALID_RANGE
6605	0x800719CD	Log service user marshalling buffers are exhausted.	ERROR_LOG_BLOCKS_EXHAUSTED
6606	0x800719CE	Log service encountered an attempt read from a marshalling area with an invalid read context.	ERROR_LOG_READ_CONTEXT_INVALID
6607	0x800719CF	Log service encountered an invalid log restart area.	ERROR_LOG_RESTART_INVALID
6608	0x800719D0	Log service encountered an invalid log block version.	ERROR_LOG_BLOCK_VERSION
6609	0x800719D1	Log service encountered an invalid log block.	ERROR_LOG_BLOCK_INVALID
6610	0x800719D2	Log service encountered an attempt to read the log with an invalid read mode.	ERROR_LOG_READ_MODE_INVALID

6611	0x800719D3	Log service encountered a log stream with no restart area.	ERROR_LOG_NO_RESTART
6612	0x800719D4	Log service encountered a corrupted metadata file.	ERROR_LOG_METADATA_CORRUPT
6613	0x800719D5	Log service encountered a metadata file that could not be created by the log file system.	ERROR_LOG_METADATA_INVALID
6614	0x800719D6	Log service encountered a metadata file with inconsistent data.	ERROR_LOG_METADATA_INCONSISTENT
6615	0x800719D7	Log service encountered an attempt to erroneously allocate or dispose reservation space.	ERROR_LOG_RESERVATION_INVALID
6616	0x800719D8	Log service cannot delete log file or file system container.	ERROR_LOG_CANT_DELETE
6617	0x800719D9	Log service has reached the maximum allowable containers allocated to a log file.	ERROR_LOG_CONTAINER_LIMIT_EXCEEDED
6618	0x800719DA	Log service has attempted to read or write backward past the start of the log.	ERROR_LOG_START_OF_LOG
6619	0x800719DB	Log policy could not be installed because a policy of the same type is already present.	ERROR_LOG_POLICY_ALREADY_INSTALLED
6620	0x800719DC	Log policy in question was not installed at the time of the request.	ERROR_LOG_POLICY_NOT_INSTALLED
6621	0x800719DD	The installed set of policies on the log is invalid.	ERROR_LOG_POLICY_INVALID
6622	0x800719DE	A policy on the log in question prevented the operation from completing.	ERROR_LOG_POLICY_CONFLICT
6623	0x800719DF	Log space cannot be reclaimed because the log is pinned by the archive tail.	ERROR_LOG_PINNED_ARCHIVE_TAIL
6624	0x800719E0	Log record is not a record in the log file.	ERROR_LOG_RECORD_NONEXISTENT
6625	0x800719E1	Number of reserved log records or the adjustment of the number of reserved log records is invalid.	ERROR_LOG_RECORDS_RESERVED_INVALID
6626	0x800719E2	Reserved log space or the adjustment of the log space is invalid.	ERROR_LOG_SPACE_RESERVED_INVALID
6627	0x800719E3	An new or existing archive tail or base of the active log is invalid.	ERROR_LOG_TAIL_INVALID
6628	0x800719E4	Log space is exhausted.	ERROR_LOG_FULL
6629	0x800719E5	The log could not be set to the requested size.	ERROR_COULD_NOT_RESIZE_LOG
6630	0x800719E6	Log is multiplexed, no direct writes to the physical log is allowed.	ERROR_LOG_MULTIPLEXED
6631	0x800719E7	The operation failed because the log is a dedicated log.	ERROR_LOG_DEDICATED
6632	0x800719E8	The operation requires an archive context.	ERROR_LOG_ARCHIVE_NOT_IN_PROGRESS
6633	0x800719E9	Log archival is in progress.	ERROR_LOG_ARCHIVE_IN_PROGRESS
6634	0x800719EA	The operation requires a non-ephemeral log, but the log is ephemeral.	ERROR_LOG_EPHEMERAL
6635	0x800719EB	The log must have at least two containers before it can be read from or written to.	ERROR_LOG_NOT_ENOUGH_CONTAINERS
6636	0x800719EC	A log client has already registered on the stream.	ERROR_LOG_CLIENT_ALREADY_REGISTERED
6637	0x800719ED	A log client has not been registered on the stream.	ERROR_LOG_CLIENT_NOT_REGISTERED
6638	0x800719EE	A request has already been made to handle the log full condition.	ERROR_LOG_FULL_HANDLER_IN_PROGRESS
6639	0x800719EF	Log service encountered an error when attempting to read from a log container.	ERROR_LOG_CONTAINER_READ_FAILED
6640	0x800719F0	Log service encountered an error when attempting to write to a log container.	ERROR_LOG_CONTAINER_WRITE_FAILED
6641	0x800719F1	Log service encountered an error when attempting to open a log container.	ERROR_LOG_CONTAINER_OPEN_FAILED
6642	0x800719F2	Log service encountered an invalid container state when attempting a requested action.	ERROR_LOG_CONTAINER_STATE_INVALID
6643	0x800719F3	Log service is not in the correct state to perform a requested action.	ERROR_LOG_STATE_INVALID
6644	0x800719F4	Log space cannot be reclaimed because the log is pinned.	ERROR_LOG_PINNED
6645	0x800719F5	Log metadata flush failed.	ERROR_LOG_METADATA_FLUSH_FAILED
6646	0x800719F6	Security on the log and its containers is inconsistent.	ERROR_LOG_INCONSISTENT_SECURITY
6647	0x800719F7	Records were appended to the log or reservation changes were made, but the log could not be flushed.	ERROR_LOG_APPENDED_FLUSH_FAILED

6648	0x800719F8	The log is pinned due to reservation consuming most of the log space. Free some reserved records to make space available.	ERROR_LOG_PINNED_RESERVATION
6700	0x80071A2C	The transaction handle associated with this operation is not valid.	ERROR_INVALID_TRANSACTION
6701	0x80071A2D	The requested operation was made in the context of a transaction that is no longer active.	ERROR_TRANSACTION_NOT_ACTIVE
6702	0x80071A2E	The requested operation is not valid on the Transaction object in its current state.	ERROR_TRANSACTION_REQUEST_NOT_VALID
6703	0x80071A2F	The caller has called a response API, but the response is not expected because the TM did not issue the corresponding request to the caller.	ERROR_TRANSACTION_NOT_REQUESTED
6704	0x80071A30	It is too late to perform the requested operation, since the Transaction has already been aborted.	ERROR_TRANSACTION_ALREADY_ABORTED
6705	0x80071A31	It is too late to perform the requested operation, since the Transaction has already been committed.	ERROR_TRANSACTION_ALREADY_COMMITTED
6706	0x80071A32	The Transaction Manager was unable to be successfully initialized. Transacted operations are not supported.	ERROR_TM_INITIALIZATION_FAILED
6707	0x80071A33	The specified ResourceManager made no changes or updates to the resource under this transaction.	ERROR_RESOURCEMANAGER_READ_ONLY
6708	0x80071A34	The resource manager has attempted to prepare a transaction that it has not successfully joined.	ERROR_TRANSACTION_NOT_JOINED
6709	0x80071A35	The Transaction object already has a superior enlistment, and the caller attempted an operation that would have created a new superior. Only a single superior enlistment is allow.	ERROR_TRANSACTION_SUPERIOR_EXISTS
6710	0x80071A36	The RM tried to register a protocol that already exists.	ERROR_CRM_PROTOCOL_ALREADY_EXISTS
6711	0x80071A37	The attempt to propagate the Transaction failed.	ERROR_TRANSACTION_PROPAGATION_FAILED
6712	0x80071A38	The requested propagation protocol was not registered as a CRM.	ERROR_CRM_PROTOCOL_NOT_FOUND
6713	0x80071A39	The buffer passed in to PushTransaction or PullTransaction is not in a valid format.	ERROR_TRANSACTION_INVALID_MARSHALL_BUFFER
6714	0x80071A3A	The current transaction context associated with the thread is not a valid handle to a transaction object.	ERROR_CURRENT_TRANSACTION_NOT_VALID
6715	0x80071A3B	The specified Transaction object could not be opened, because it was not found.	ERROR_TRANSACTION_NOT_FOUND
6716	0x80071A3C	The specified ResourceManager object could not be opened, because it was not found.	ERROR_RESOURCEMANAGER_NOT_FOUND
6717	0x80071A3D	The specified Enlistment object could not be opened, because it was not found.	ERROR_ENLISTMENT_NOT_FOUND
6718	0x80071A3E	The specified TransactionManager object could not be opened, because it was not found.	ERROR_TRANSACTIONMANAGER_NOT_FOUND
6719	0x80071A3F	The specified ResourceManager was unable to create an enlistment, because its associated TransactionManager is not online.	ERROR_TRANSACTIONMANAGER_NOT_ONLINE
6720	0x80071A40	The specified TransactionManager was unable to create the objects contained in its logfile in the Ob namespace. Therefore, the TransactionManager was unable to recover.	ERROR_TRANSACTIONMANAGER_RECOVERY_NAME_COLLISION
6721	0x80071A41	The call to create a superior Enlistment on this Transaction object could not be completed, because the Transaction object specified for the enlistment is a subordinate branch of the Transaction. Only the root of the Transaction can be enlisted on as a superior.	ERROR_TRANSACTION_NOT_ROOT
6722	0x80071A42	Because the associated transaction manager or resource manager has been closed, the handle is no longer valid.	ERROR_TRANSACTION_OBJECT_EXPIRED
6723	0x80071A43	The specified operation could not be performed on this Superior enlistment, because the enlistment was not created with the corresponding completion response in the NotificationMask.	ERROR_TRANSACTION_RESPONSE_NOT_ENLISTED

6724	0x80071A44	The specified operation could not be performed, because the record that would be logged was too long. This can occur because of two conditions: either there are too many Enlistments on this Transaction, or the combined RecoveryInformation being logged on behalf of those Enlistments is too long.	ERROR_TRANSACTION_RECORD_TOO_LONG
6725	0x80071A45	Implicit transaction are not supported.	ERROR_IMPLICIT_TRANSACTION_NOT_SUPPORTED
6726	0x80071A46	The kernel transaction manager had to abort or forget the transaction because it blocked forward progress.	ERROR_TRANSACTION_INTEGRITY_VIOLATED
6800	0x80071A90	The function attempted to use a name that is reserved for use by another transaction.	ERROR_TRANSACTIONAL_CONFLICT
6801	0x80071A91	Transaction support within the specified file system resource manager is not started or was shutdown due to an error.	ERROR_RM_NOT_ACTIVE
6802	0x80071A92	The metadata of the RM has been corrupted. The RM will not function.	ERROR_RM_METADATA_CORRUPT
6803	0x80071A93	The specified directory does not contain a resource manager.	ERROR_DIRECTORY_NOT_RM
6805	0x80071A95	The remote server or share does not support transacted file operations.	ERROR_TRANSACTIONS_UNSUPPORTED_REMOTE
6806	0x80071A96	The requested log size is invalid.	ERROR_LOG_RESIZE_INVALID_SIZE
6807	0x80071A97	The object (file, stream, link) corresponding to the handle has been deleted by a Transaction Savepoint Rollback.	ERROR_OBJECT_NO_LONGER_EXISTS
6808	0x80071A98	The specified file miniversion was not found for this transacted file open.	ERROR_STREAM_MINIVERSION_NOT_FOUND
6809	0x80071A99	The specified file miniversion was found but has been invalidated. Most likely cause is a transaction savepoint rollback.	ERROR_STREAM_MINIVERSION_NOT_VALID
6810	0x80071A9A	A miniversion may only be opened in the context of the transaction that created it.	ERROR_MINIVERSION_INACCESSIBLE_FROM_SPECIFIED_TRANSACTION
6811	0x80071A9B	It is not possible to open a miniversion with modify access.	ERROR_CANT_OPEN_MINIVERSION_WITH_MODIFY_INTENT
6812	0x80071A9C	It is not possible to create any more miniversions for this stream.	ERROR_CANT_CREATE_MORE_STREAM_MINIVERSIONS
6814	0x80071A9E	The remote server sent mismatching version number or Fid for a file opened with transactions.	ERROR_REMOTE_FILE_VERSION_MISMATCH
6815	0x80071A9F	The handle has been invalidated by a transaction. The most likely cause is the presence of memory mapping on a file or an open handle when the transaction ended or rolled back to savepoint.	ERROR_HANDLE_NO_LONGER_VALID
6816	0x80071AA0	There is no transaction metadata on the file.	ERROR_NO_TXF_METADATA
6817	0x80071AA1	The log data is corrupt.	ERROR_LOG_CORRUPTION_DETECTED
6818	0x80071AA2	The file can't be recovered because there is a handle still open on it.	ERROR_CANT_RECOVER_WITH_HANDLE_OPEN
6819	0x80071AA3	The transaction outcome is unavailable because the resource manager responsible for it has disconnected.	ERROR_RM_DISCONNECTED
6820	0x80071AA4	The request was rejected because the enlistment in question is not a superior enlistment.	ERROR_ENLISTMENT_NOT_SUPERIOR
6821	0x80071AA5	The transactional resource manager is already consistent. Recovery is not needed.	ERROR_RECOVERY_NOT_NEEDED
6822	0x80071AA6	The transactional resource manager has already been started.	ERROR_RM_ALREADY_STARTED
6823	0x80071AA7	The file cannot be opened transactionally, because its identity depends on the outcome of an unresolved transaction.	ERROR_FILE_IDENTITY_NOT_PERSISTENT
6824	0x80071AA8	The operation cannot be performed because another transaction is depending on the fact that this property will not change.	ERROR_CANT_BREAK_TRANSACTIONAL_DEPENDENCY
6825	0x80071AA9	The operation would involve a single file with two transactional resource managers and is therefore not allowed.	ERROR_CANT_CROSS_RM_BOUNDARY
6826	0x80071AAA	The STxf directory must be empty for this operation to succeed.	ERROR_TXF_DIR_NOT_EMPTY
6827	0x80071AAB	The operation would leave a transactional resource manager in an inconsistent state and is therefore not allowed.	ERROR_INDOUBT_TRANSACTIONS_EXIST

6828	0x80071AAC	The operation could not be completed because the transaction manager does not have a log.	ERROR_TM_VOLATILE
6829	0x80071AAD	A rollback could not be scheduled because a previously scheduled rollback has already executed or been queued for execution.	ERROR_ROLLBACK_TIMER_EXPIRED
6830	0x80071AAE	The transactional metadata attribute on the file or directory is corrupt and unreadable.	ERROR_TXF_ATTRIBUTE_CORRUPT
6831	0x80071AAF	The encryption operation could not be completed because a transaction is active.	ERROR_EFS_NOT_ALLOWED_IN_TRANSACTION
6832	0x80071AB0	This object is not allowed to be opened in a transaction.	ERROR_TRANSACTIONAL_OPEN_NOT_ALLOWED
6833	0x80071AB1	An attempt to create space in the transactional resource manager's log failed. The failure status has been recorded in the event log.	ERROR_LOG_GROWTH_FAILED
6834	0x80071AB2	Memory mapping (creating a mapped section) a remote file under a transaction is not supported.	ERROR_TRANSACTED_MAPPING_UNSUPPORTED_REMOTE
6835	0x80071AB3	Transaction metadata is already present on this file and cannot be superseded.	ERROR_TXF_METADATA_ALREADY_PRESENT
6836	0x80071AB4	A transaction scope could not be entered because the scope handler has not been initialized.	ERROR_TRANSACTION_SCOPE_CALLBACKS_NOT_SET
6837	0x80071AB5	Promotion was required in order to allow the resource manager to enlist, but the transaction was set to disallow it.	ERROR_TRANSACTION_REQUIRED_PROMOTION
6838	0x80071AB6	This file is open for modification in an unresolved transaction and may be opened for execute only by a transacted reader.	ERROR_CANNOT_EXECUTE_FILE_IN_TRANSACTION
6839	0x80071AB7	The request to thaw frozen transactions was ignored because transactions had not previously been frozen.	ERROR_TRANSACTIONS_NOT_FROZEN
6840	0x80071AB8	Transactions cannot be frozen because a freeze is already in progress.	ERROR_TRANSACTION_FREEZE_IN_PROGRESS
6841	0x80071AB9	The target volume is not a snapshot volume. This operation is only valid on a volume mounted as a snapshot.	ERROR_NOT_SNAPSHOT_VOLUME
6842	0x80071ABA	The savepoint operation failed because files are open on the transaction. This is not permitted.	ERROR_NO_SAVEPOINT_WITH_OPEN_FILES
6843	0x80071ABB	Windows has discovered corruption in a file, and that file has since been repaired. Data loss may have occurred.	ERROR_DATA_LOST_REPAIR
6844	0x80071ABC	The sparse operation could not be completed because a transaction is active on the file.	ERROR_SPARSE_NOT_ALLOWED_IN_TRANSACTION
6845	0x80071ABD	The call to create a TransactionManager object failed because the Tm Identity stored in the logfile does not match the Tm Identity that was passed in as an argument.	ERROR_TM_IDENTITY_MISMATCH
6846	0x80071ABE	I/O was attempted on a section object that has been floated as a result of a transaction ending. There is no valid data.	ERROR_FLOATED_SECTION
6847	0x80071ABF	The transactional resource manager cannot currently accept transacted work due to a transient condition such as low resources.	ERROR_CANNOT_ACCEPT_TRANSACTED_WORK
6848	0x80071AC0	The transactional resource manager had too many transactions outstanding that could not be aborted. The transactional resource manager has been shut down.	ERROR_CANNOT_ABORT_TRANSACTIONS
6849	0x80071AC1	The operation could not be completed due to bad clusters on disk.	ERROR_BAD_CLUSTERS
6850	0x80071AC2	The compression operation could not be completed because a transaction is active on the file.	ERROR_COMPRESSION_NOT_ALLOWED_IN_TRANSACTION
6851	0x80071AC3	The operation could not be completed because the volume is dirty. Please run chkdsk and try again.	ERROR_VOLUME_DIRTY
6852	0x80071AC4	The link tracking operation could not be completed because a transaction is active.	ERROR_NO_LINK_TRACKING_IN_TRANSACTION
6853	0x80071AC5	This operation cannot be performed in a transaction.	ERROR_OPERATION_NOT_SUPPORTED_IN_TRANSACTION
7001	0x80071B59	The specified session name is invalid.	ERROR_CTX_WINSTATION_NAME_INVALID
7002	0x80071B5A	The specified protocol driver is invalid.	ERROR_CTX_INVALID_PD
7003	0x80071B5B	The specified protocol driver was not found in the system path.	ERROR_CTX_PD_NOT_FOUND

7004	0x80071B5C	The specified terminal connection driver was not found in the system path.	ERROR_CTX_WD_NOT_FOUND
7005	0x80071B5D	A registry key for event logging could not be created for this session.	ERROR_CTX_CANNOT_MAKE_EVENTLOG_ENTRY
7006	0x80071B5E	A service with the same name already exists on the system.	ERROR_CTX_SERVICE_NAME_COLLISION
7007	0x80071B5F	A close operation is pending on the session.	ERROR_CTX_CLOSE_PENDING
7008	0x80071B60	There are no free output buffers available.	ERROR_CTX_NO_OUTBUF
7009	0x80071B61	The MODEM.INF file was not found.	ERROR_CTX_MODEM_INF_NOT_FOUND
7010	0x80071B62	The modem name was not found in MODEM.INF.	ERROR_CTX_INVALID_MODEMNAME
7011	0x80071B63	The modem did not accept the command sent to it. Verify that the configured modem name matches the attached modem.	ERROR_CTX_MODEM_RESPONSE_ERROR
7012	0x80071B64	The modem did not respond to the command sent to it. Verify that the modem is properly cabled and powered on.	ERROR_CTX_MODEM_RESPONSE_TIMEOUT
7013	0x80071B65	Carrier detect has failed or carrier has been dropped due to disconnect.	ERROR_CTX_MODEM_RESPONSE_NO_CARRIER
7014	0x80071B66	Dial tone not detected within the required time. Verify that the phone cable is properly attached and functional.	ERROR_CTX_MODEM_RESPONSE_NO_DIALTONE
7015	0x80071B67	Busy signal detected at remote site on callback.	ERROR_CTX_MODEM_RESPONSE_BUSY
7016	0x80071B68	Voice detected at remote site on callback.	ERROR_CTX_MODEM_RESPONSE_VOICE
7017	0x80071B69	Transport driver error	ERROR_CTX_TD_ERROR
7022	0x80071B6E	The specified session cannot be found.	ERROR_CTX_WINSTATION_NOT_FOUND
7023	0x80071B6F	The specified session name is already in use.	ERROR_CTX_WINSTATION_ALREADY_EXISTS
7024	0x80071B70	The requested operation cannot be completed because the terminal connection is currently busy processing a connect, disconnect, reset, or delete operation.	ERROR_CTX_WINSTATION_BUSY
7025	0x80071B71	An attempt has been made to connect to a session whose video mode is not supported by the current client.	ERROR_CTX_BAD_VIDEO_MODE
7035	0x80071B7B	The application attempted to enable DOS graphics mode. DOS graphics mode is not supported.	ERROR_CTX_GRAPHICS_INVALID
7037	0x80071B7D	Your interactive logon privilege has been disabled. Please contact your administrator.	ERROR_CTX_LOGON_DISABLED
7038	0x80071B7E	The requested operation can be performed only on the system console. This is most often the result of a driver or system DLL requiring direct console access.	ERROR_CTX_NOT_CONSOLE
7040	0x80071B80	The client failed to respond to the server connect message.	ERROR_CTX_CLIENT_QUERY_TIMEOUT
7041	0x80071B81	Disconnecting the console session is not supported.	ERROR_CTX_CONSOLE_DISCONNECT
7042	0x80071B82	Reconnecting a disconnected session to the console is not supported.	ERROR_CTX_CONSOLE_CONNECT
7044	0x80071B84	The request to control another session remotely was denied.	ERROR_CTX_SHADOW_DENIED
7045	0x80071B85	The requested session access is denied.	ERROR_CTX_WINSTATION_ACCESS_DENIED
7049	0x80071B89	The specified terminal connection driver is invalid.	ERROR_CTX_INVALID_WD
7050	0x80071B8A	The requested session cannot be controlled remotely. This may be because the session is disconnected or does not currently have a user logged on.	ERROR_CTX_SHADOW_INVALID
7051	0x80071B8B	The requested session is not configured to allow remote control.	ERROR_CTX_SHADOW_DISABLED
7052	0x80071B8C	Your request to connect to this Terminal Server has been rejected. Your Terminal Server client license number is currently being used by another user. Please call your system administrator to obtain a unique license number.	ERROR_CTX_CLIENT_LICENSE_IN_USE
7053	0x80071B8D	Your request to connect to this Terminal Server has been rejected. Your Terminal Server client license number has not been entered for this copy of the Terminal Server client. Please contact your system administrator.	ERROR_CTX_CLIENT_LICENSE_NOT_SET

7054	0x80071B8E	The number of connections to this computer is limited and all connections are in use right now. Try connecting later or contact your system administrator.	ERROR_CTX_LICENSE_NOT_AVAILABLE
7055	0x80071B8F	The client you are using is not licensed to use this system. Your logon request is denied.	ERROR_CTX_LICENSE_CLIENT_INVALID
7056	0x80071B90	The system license has expired. Your logon request is denied.	ERROR_CTX_LICENSE_EXPIRED
7057	0x80071B91	Remote control could not be terminated because the specified session is not currently being remotely controlled.	ERROR_CTX_SHADOW_NOT_RUNNING
7058	0x80071B92	The remote control of the console was terminated because the display mode was changed. Changing the display mode in a remote control session is not supported.	ERROR_CTX_SHADOW_ENDED_BY_MODE_CHANGE
7059	0x80071B93	Activation has already been reset the maximum number of times for this installation. Your activation timer will not be cleared.	ERROR_ACTIVATION_COUNT_EXCEEDED
7060	0x80071B94	Remote logins are currently disabled.	ERROR_CTX_WINSTATIONS_DISABLED
7061	0x80071B95	You do not have the proper encryption level to access this Session.	ERROR_CTX_ENCRYPTION_LEVEL_REQUIRED
7062	0x80071B96	The user %s\%s is currently logged on to this computer. Only the current user or an administrator can log on to this computer.	ERROR_CTX_SESSION_IN_USE
7063	0x80071B97	The user %s\%s is already logged on to the console of this computer. You do not have permission to log in at this time. To resolve this issue, contact %s\%s and have them log off.	ERROR_CTX_NO_FORCE_LOGOFF
7064	0x80071B98	Unable to log you on because of an account restriction.	ERROR_CTX_ACCOUNT_RESTRICTION
7065	0x80071B99	The RDP protocol component %2 detected an error in the protocol stream and has disconnected the client.	ERROR_RDP_PROTOCOL_ERROR
7066	0x80071B9A	The Client Drive Mapping Service Has Connected on Terminal Connection.	ERROR_CTX_CDM_CONNECT
7067	0x80071B9B	The Client Drive Mapping Service Has Disconnected on Terminal Connection.	ERROR_CTX_CDM_DISCONNECT
7068	0x80071B9C	The Terminal Server security layer detected an error in the protocol stream and has disconnected the client.	ERROR_CTX_SECURITY_LAYER_ERROR
7069	0x80071B9D	The target session is incompatible with the current session.	ERROR_TS_INCOMPATIBLE_SESSIONS
8001	0x80071F41	The file replication service API was called incorrectly.	FRS_ERR_INVALID_API_SEQUENCE
8002	0x80071F42	The file replication service cannot be started.	FRS_ERR_STARTING_SERVICE
8003	0x80071F43	The file replication service cannot be stopped.	FRS_ERR_STOPPING_SERVICE
8004	0x80071F44	The file replication service API terminated the request. The event log may have more information.	FRS_ERR_INTERNAL_API
8005	0x80071F45	The file replication service terminated the request. The event log may have more information.	FRS_ERR_INTERNAL
8006	0x80071F46	The file replication service cannot be contacted. The event log may have more information.	FRS_ERR_SERVICE_COMM
8007	0x80071F47	The file replication service cannot satisfy the request because the user has insufficient privileges. The event log may have more information.	FRS_ERR_INSUFFICIENT_PRIV
8008	0x80071F48	The file replication service cannot satisfy the request because authenticated RPC is not available. The event log may have more information.	FRS_ERR_AUTHENTICATION
8009	0x80071F49	The file replication service cannot satisfy the request because the user has insufficient privileges on the domain controller. The event log may have more information.	FRS_ERR_PARENT_INSUFFICIENT_PRIV
8010	0x80071F4A	The file replication service cannot satisfy the request because authenticated RPC is not available on the domain controller. The event log may have more information.	FRS_ERR_PARENT_AUTHENTICATION
8011	0x80071F4B	The file replication service cannot communicate with the file replication service on the domain controller. The event log may have more information.	FRS_ERR_CHILD_TO_PARENT_COMM

8012	0x80071F4C	The file replication service on the domain controller cannot communicate with the file replication service on this computer. The event log may have more information.	FRS_ERR_PARENT_TO_CHILD_COMM
8013	0x80071F4D	The file replication service cannot populate the system volume because of an internal error. The event log may have more information.	FRS_ERR_SYSVOL_POPULATE
8014	0x80071F4E	The file replication service cannot populate the system volume because of an internal timeout. The event log may have more information.	FRS_ERR_SYSVOL_POPULATE_TIMEOUT
8015	0x80071F4F	The file replication service cannot process the request. The system volume is busy with a previous request.	FRS_ERR_SYSVOL_IS_BUSY
8016	0x80071F50	The file replication service cannot stop replicating the system volume because of an internal error. The event log may have more information.	FRS_ERR_SYSVOL_DEMOTE
8017	0x80071F51	The file replication service detected an invalid parameter.	FRS_ERR_INVALID_SERVICE_PARAMETER
8200	0x80072008	An error occurred while installing the directory service. For more information, see the event log.	ERROR_DS_NOT_INSTALLED
8201	0x80072009	The directory service evaluated group memberships locally.	ERROR_DS_MEMBERSHIP_EVALUATED_LOCALLY
8202	0x8007200A	The specified directory service attribute or value does not exist.	ERROR_DS_NO_ATTRIBUTE_OR_VALUE
8203	0x8007200B	The attribute syntax specified to the directory service is invalid.	ERROR_DS_INVALID_ATTRIBUTE_SYNTAX
8204	0x8007200C	The attribute type specified to the directory service is not defined.	ERROR_DS_ATTRIBUTE_TYPE_UNDEFINED
8205	0x8007200D	The specified directory service attribute or value already exists.	ERROR_DS_ATTRIBUTE_OR_VALUE_EXISTS
8206	0x8007200E	The directory service is busy.	ERROR_DS_BUSY
8207	0x8007200F	The directory service is unavailable.	ERROR_DS_UNAVAILABLE
8208	0x80072010	The directory service was unable to allocate a relative identifier.	ERROR_DS_NO_RIDS_ALLOCATED
8209	0x80072011	The directory service has exhausted the pool of relative identifiers.	ERROR_DS_NO_MORE_RIDS
8210	0x80072012	The requested operation could not be performed because the directory service is not the master for that type of operation.	ERROR_DS_INCORRECT_ROLE_OWNER
8211	0x80072013	The directory service was unable to initialize the subsystem that allocates relative identifiers.	ERROR_DS_RIDMGR_INIT_ERROR
8212	0x80072014	The requested operation did not satisfy one or more constraints associated with the class of the object.	ERROR_DS_OBJ_CLASS_VIOLATION
8213	0x80072015	The directory service can perform the requested operation only on a leaf object.	ERROR_DS_CANT_ON_NON_LEAF
8214	0x80072016	The directory service cannot perform the requested operation on the RDN attribute of an object.	ERROR_DS_CANT_ON_RDN
8215	0x80072017	The directory service detected an attempt to modify the object class of an object.	ERROR_DS_CANT_MOD_OBJ_CLASS
8216	0x80072018	The requested cross-domain move operation could not be performed.	ERROR_DS_CROSS_DOM_MOVE_ERROR
8217	0x80072019	Unable to contact the global catalog server.	ERROR_DS_GC_NOT_AVAILABLE
8218	0x8007201A	The policy object is shared and can only be modified at the root.	ERROR_SHARED_POLICY
8219	0x8007201B	The policy object does not exist.	ERROR_POLICY_OBJECT_NOT_FOUND
8220	0x8007201C	The requested policy information is only in the directory service.	ERROR_POLICY_ONLY_IN_DS
8221	0x8007201D	A domain controller promotion is currently active.	ERROR_PROMOTION_ACTIVE
8222	0x8007201E	A domain controller promotion is not currently active.	ERROR_NO_PROMOTION_ACTIVE
8224	0x80072020	An operations error occurred.	ERROR_DS_OPERATIONS_ERROR
8225	0x80072021	A protocol error occurred.	ERROR_DS_PROTOCOL_ERROR
8226	0x80072022	The time limit for this request was exceeded.	ERROR_DS_TIMELIMIT_EXCEEDED
8227	0x80072023	The size limit for this request was exceeded.	ERROR_DS_SIZELIMIT_EXCEEDED
8228	0x80072024	The administrative limit for this request was exceeded.	ERROR_DS_ADMIN_LIMIT_EXCEEDED
8229	0x80072025	The compare response was false.	ERROR_DS_COMPARE_FALSE

8230	0x80072026	The compare response was true.	ERROR_DS_COMPARE_TRUE
8231	0x80072027	The requested authentication method is not supported by the server.	ERROR_DS_AUTH_METHOD_NOT_SUPPORTED
8232	0x80072028	A more secure authentication method is required for this server.	ERROR_DS_STRONG_AUTH_REQUIRED
8233	0x80072029	Inappropriate authentication.	ERROR_DS_INAPPROPRIATE_AUTH
8234	0x8007202A	The authentication mechanism is unknown.	ERROR_DS_AUTH_UNKNOWN
8235	0x8007202B	A referral was returned from the server.	ERROR_DS_REFERRAL
8236	0x8007202C	The server does not support the requested critical extension.	ERROR_DS_UNAVAILABLE_CRIT_EXTENSION
8237	0x8007202D	This request requires a secure connection.	ERROR_DS_CONFIDENTIALITY_REQUIRED
8238	0x8007202E	Inappropriate matching.	ERROR_DS_INAPPROPRIATE_MATCHING
8239	0x8007202F	A constraint violation occurred.	ERROR_DS_CONSTRAINT_VIOLATION
8240	0x80072030	There is no such object on the server.	ERROR_DS_NO_SUCH_OBJECT
8241	0x80072031	There is an alias problem.	ERROR_DS_ALIAS_PROBLEM
8242	0x80072032	An invalid dn syntax has been specified.	ERROR_DS_INVALID_DN_SYNTAX
8243	0x80072033	The object is a leaf object.	ERROR_DS_IS_LEAF
8244	0x80072034	There is an alias dereferencing problem.	ERROR_DS_ALIAS_DEREF_PROBLEM
8245	0x80072035	The server is unwilling to process the request.	ERROR_DS_UNWILLING_TO_PERFORM
8246	0x80072036	A loop has been detected.	ERROR_DS_LOOP_DETECT
8247	0x80072037	There is a naming violation.	ERROR_DS_NAMING_VIOLATION
8248	0x80072038	The result set is too large.	ERROR_DS_OBJECT_RESULTS_TOO_LARGE
8249	0x80072039	The operation affects multiple DSAs	ERROR_DS_AFFECTS_MULTIPLE_DSAS
8250	0x8007203A	The server is not operational.	ERROR_DS_SERVER_DOWN
8251	0x8007203B	A local error has occurred.	ERROR_DS_LOCAL_ERROR
8252	0x8007203C	An encoding error has occurred.	ERROR_DS_ENCODING_ERROR
8253	0x8007203D	A decoding error has occurred.	ERROR_DS_DECODING_ERROR
8254	0x8007203E	The search filter cannot be recognized.	ERROR_DS_FILTER_UNKNOWN
8255	0x8007203F	One or more parameters are illegal.	ERROR_DS_PARAM_ERROR
8256	0x80072040	The specified method is not supported.	ERROR_DS_NOT_SUPPORTED
8257	0x80072041	No results were returned.	ERROR_DS_NO_RESULTS_RETURNED
8258	0x80072042	The specified control is not supported by the server.	ERROR_DS_CONTROL_NOT_FOUND
8259	0x80072043	A referral loop was detected by the client.	ERROR_DS_CLIENT_LOOP
8260	0x80072044	The preset referral limit was exceeded.	ERROR_DS_REFERRAL_LIMIT_EXCEEDED
8261	0x80072045	The search requires a SORT control.	ERROR_DS_SORT_CONTROL_MISSING
8262	0x80072046	The search results exceed the offset range specified.	ERROR_DS_OFFSET_RANGE_ERROR
8301	0x8007206D	The root object must be the head of a naming context. The root object cannot have an instantiated parent.	ERROR_DS_ROOT_MUST_BE_NC
8302	0x8007206E	The add replica operation cannot be performed. The naming context must be writeable in order to create the replica.	ERROR_DS_ADD_REPLICA_INHIBITED
8303	0x8007206F	A reference to an attribute that is not defined in the schema occurred.	ERROR_DS_ATT_NOT_DEF_IN_SCHEMA
8304	0x80072070	The maximum size of an object has been exceeded.	ERROR_DS_MAX_OBJ_SIZE_EXCEEDED
8305	0x80072071	An attempt was made to add an object to the directory with a name that is already in use.	ERROR_DS_OBJ_STRING_NAME_EXISTS
8306	0x80072072	An attempt was made to add an object of a class that does not have an RDN defined in the schema.	ERROR_DS_NO_RDN_DEFINED_IN_SCHEMA
8307	0x80072073	An attempt was made to add an object using an RDN that is not the RDN defined in the schema.	ERROR_DS_RDN_DOESNT_MATCH_SCHEMA
8308	0x80072074	None of the requested attributes were found on the objects.	ERROR_DS_NO_REQUESTED_ATTRS_FOUND
8309	0x80072075	The user buffer is too small.	ERROR_DS_USER_BUFFER_TOO_SMALL
8310	0x80072076	The attribute specified in the operation is not present on the object.	ERROR_DS_ATT_IS_NOT_ON_OBJ
8311	0x80072077	Illegal modify operation. Some aspect of the modification is not permitted.	ERROR_DS_ILLEGAL_MOD_OPERATION
8312	0x80072078	The specified object is too large.	ERROR_DS_OBJ_TOO_LARGE
8313	0x80072079	The specified instance type is not valid.	ERROR_DS_BAD_INSTANCE_TYPE
8314	0x8007207A	The operation must be performed at a master DSA.	ERROR_DS_MASTERDSA_REQUIRED
8315	0x8007207B	The object class attribute must be specified.	ERROR_DS_OBJECT_CLASS_REQUIRED
8316	0x8007207C	A required attribute is missing.	ERROR_DS_MISSING_REQUIRED_ATT

8317	0x8007207D	An attempt was made to modify an object to include an attribute that is not legal for its class.	ERROR_DS_ATT_NOT_DEF_FOR_CLASS
8318	0x8007207E	The specified attribute is already present on the object.	ERROR_DS_ATT_ALREADY_EXISTS
8320	0x80072080	The specified attribute is not present, or has no values.	ERROR_DS_CANT_ADD_ATT_VALUES
8321	0x80072081	Multiple values were specified for an attribute that can have only one value.	ERROR_DS_SINGLE_VALUE_CONSTRAINT
8322	0x80072082	A value for the attribute was not in the acceptable range of values.	ERROR_DS_RANGE_CONSTRAINT
8323	0x80072083	The specified value already exists.	ERROR_DS_ATT_VAL_ALREADY_EXISTS
8324	0x80072084	The attribute cannot be removed because it is not present on the object.	ERROR_DS_CANT_REM_MISSING_ATT
8325	0x80072085	The attribute value cannot be removed because it is not present on the object.	ERROR_DS_CANT_REM_MISSING_ATT_VAL
8326	0x80072086	The specified root object cannot be a subref.	ERROR_DS_ROOT_CANT_BE_SUBREF
8327	0x80072087	Chaining is not permitted.	ERROR_DS_NO_CHAINING
8328	0x80072088	Chained evaluation is not permitted.	ERROR_DS_NO_CHAINED_EVAL
8329	0x80072089	The operation could not be performed because the object's parent is either uninstantiated or deleted.	ERROR_DS_NO_PARENT_OBJECT
8330	0x8007208A	Having a parent that is an alias is not permitted. Aliases are leaf objects.	ERROR_DS_PARENT_IS_AN_ALIAS
8331	0x8007208B	The object and parent must be of the same type, either both masters or both replicas.	ERROR_DS_CANT_MIX_MASTER_AND_REPS
8332	0x8007208C	The operation cannot be performed because child objects exist. This operation can only be performed on a leaf object.	ERROR_DS_CHILDREN_EXIST
8333	0x8007208D	Directory object not found.	ERROR_DS_OBJ_NOT_FOUND
8334	0x8007208E	The aliased object is missing.	ERROR_DS_ALIASED_OBJ_MISSING
8335	0x8007208F	The object name has bad syntax.	ERROR_DS_BAD_NAME_SYNTAX
8336	0x80072090	It is not permitted for an alias to refer to another alias.	ERROR_DS_ALIAS_POINTS_TO_ALIAS
8337	0x80072091	The alias cannot be dereferenced.	ERROR_DS_CANT_DEREF_ALIAS
8338	0x80072092	The operation is out of scope.	ERROR_DS_OUT_OF_SCOPE
8339	0x80072093	The operation cannot continue because the object is in the process of being removed.	ERROR_DS_OBJECT_BEING_REMOVED
8340	0x80072094	The DSA object cannot be deleted.	ERROR_DS_CANT_DELETE_DSA_OBJ
8341	0x80072095	A directory service error has occurred.	ERROR_DS_GENERIC_ERROR
8342	0x80072096	The operation can only be performed on an internal master DSA object.	ERROR_DS_DSA_MUST_BE_INT_MASTER
8343	0x80072097	The object must be of class DSA.	ERROR_DS_CLASS_NOT_DSA
8344	0x80072098	Insufficient access rights to perform the operation.	ERROR_DS_INSUFF_ACCESS_RIGHTS
8345	0x80072099	The object cannot be added because the parent is not on the list of possible superiors.	ERROR_DS_ILLEGAL_SUPERIOR
8346	0x8007209A	Access to the attribute is not permitted because the attribute is owned by the Security Accounts Manager (SAM).	ERROR_DS_ATTRIBUTE_OWNED_BY_SAM
8347	0x8007209B	The name has too many parts.	ERROR_DS_NAME_TOO_MANY_PARTS
8348	0x8007209C	The name is too long.	ERROR_DS_NAME_TOO_LONG
8349	0x8007209D	The name value is too long.	ERROR_DS_NAME_VALUE_TOO_LONG
8350	0x8007209E	The directory service encountered an error parsing a name.	ERROR_DS_NAME_UNPARSEABLE
8351	0x8007209F	The directory service cannot get the attribute type for a name.	ERROR_DS_NAME_TYPE_UNKNOWN
8352	0x800720A0	The name does not identify an object; the name identifies a phantom.	ERROR_DS_NOT_AN_OBJECT
8353	0x800720A1	The security descriptor is too short.	ERROR_DS_SEC_DESC_TOO_SHORT
8354	0x800720A2	The security descriptor is invalid.	ERROR_DS_SEC_DESC_INVALID
8355	0x800720A3	Failed to create name for deleted object.	ERROR_DS_NO_DELETED_NAME
8356	0x800720A4	The parent of a new subref must exist.	ERROR_DS_SUBREF_MUST_HAVE_PARENT
8357	0x800720A5	The object must be a naming context.	ERROR_DS_NCNAME_MUST_BE_NC
8358	0x800720A6	It is not permitted to add an attribute which is owned by the system.	ERROR_DS_CANT_ADD_SYSTEM_ONLY
8359	0x800720A7	The class of the object must be structural; you cannot instantiate an abstract class.	ERROR_DS_CLASS_MUST_BE_CONCRETE
8360	0x800720A8	The schema object could not be found.	ERROR_DS_INVALID_DMD

8361	0x800720A9	A local object with this GUID (dead or alive) already exists.	ERROR_DS_OBJ_GUID_EXISTS
8362	0x800720AA	The operation cannot be performed on a back link.	ERROR_DS_NOT_ON_BACKLINK
8363	0x800720AB	The cross reference for the specified naming context could not be found.	ERROR_DS_NO_CROSSREF_FOR_NC
8364	0x800720AC	The operation could not be performed because the directory service is shutting down.	ERROR_DS_SHUTTING_DOWN
8365	0x800720AD	The directory service request is invalid.	ERROR_DS_UNKNOWN_OPERATION
8366	0x800720AE	The role owner attribute could not be read.	ERROR_DS_INVALID_ROLE_OWNER
8367	0x800720AF	The requested FSMO operation failed. The current FSMO holder could not be contacted.	ERROR_DS_COULDNT_CONTACT_FSMO
8368	0x800720B0	Modification of a DN across a naming context is not permitted.	ERROR_DS_CROSS_NC_DN_RENAME
8369	0x800720B1	The attribute cannot be modified because it is owned by the system.	ERROR_DS_CANT_MOD_SYSTEM_ONLY
8370	0x800720B2	Only the replicator can perform this function.	ERROR_DS_REPLICATOR_ONLY
8371	0x800720B3	The specified class is not defined.	ERROR_DS_OBJ_CLASS_NOT_DEFINED
8372	0x800720B4	The specified class is not a subclass.	ERROR_DS_OBJ_CLASS_NOT_SUBCLASS
8373	0x800720B5	The name reference is invalid.	ERROR_DS_NAME_REFERENCE_INVALID
8374	0x800720B6	A cross reference already exists.	ERROR_DS_CROSS_REF_EXISTS
8375	0x800720B7	It is not permitted to delete a master cross reference.	ERROR_DS_CANT_DEL_MASTER_CROSSREF
8376	0x800720B8	Subtree notifications are only supported on NC heads.	ERROR_DS_SUBTREE_NOTIFY_NOT_NC_HEAD
8377	0x800720B9	Notification filter is too complex.	ERROR_DS_NOTIFY_FILTER_TOO_COMPLEX
8378	0x800720BA	Schema update failed: duplicate RDN.	ERROR_DS_DUP_RDN
8379	0x800720BB	Schema update failed: duplicate OID.	ERROR_DS_DUP_OID
8380	0x800720BC	Schema update failed: duplicate MAPI identifier.	ERROR_DS_DUP_MAPI_ID
8381	0x800720BD	Schema update failed: duplicate schema-id GUID.	ERROR_DS_DUP_SCHEMA_ID_GUID
8382	0x800720BE	Schema update failed: duplicate LDAP display name.	ERROR_DS_DUP_LDAP_DISPLAY_NAME
8383	0x800720BF	Schema update failed: range-lower less than range upper.	ERROR_DS_SEMANTIC_ATT_TEST
8384	0x800720C0	Schema update failed: syntax mismatch.	ERROR_DS_SYNTAX_MISMATCH
8385	0x800720C1	Schema deletion failed: attribute is used in must-contain.	ERROR_DS_EXISTS_IN_MUST_HAVE
8386	0x800720C2	Schema deletion failed: attribute is used in may-contain.	ERROR_DS_EXISTS_IN_MAY_HAVE
8387	0x800720C3	Schema update failed: attribute in may-contain does not exist.	ERROR_DS_NONEXISTENT_MAY_HAVE
8388	0x800720C4	Schema update failed: attribute in must-contain does not exist.	ERROR_DS_NONEXISTENT_MUST_HAVE
8389	0x800720C5	Schema update failed: class in aux-class list does not exist or is not an auxiliary class.	ERROR_DS_AUX_CLS_TEST_FAIL
8390	0x800720C6	Schema update failed: class in poss-superiors does not exist.	ERROR_DS_NONEXISTENT_POSS_SUP
8391	0x800720C7	Schema update failed: class in subclassof list does not exist or does not satisfy hierarchy rules.	ERROR_DS_SUB_CLS_TEST_FAIL
8392	0x800720C8	Schema update failed: Rdn-Att-Id has wrong syntax.	ERROR_DS_BAD_RDN_ATT_ID_SYNTAX
8393	0x800720C9	Schema deletion failed: class is used as auxiliary class.	ERROR_DS_EXISTS_IN_AUX_CLS
8394	0x800720CA	Schema deletion failed: class is used as sub class.	ERROR_DS_EXISTS_IN_SUB_CLS
8395	0x800720CB	Schema deletion failed: class is used as poss superior.	ERROR_DS_EXISTS_IN_POSS_SUP
8396	0x800720CC	Schema update failed in recalculating validation cache.	ERROR_DS_RECALCSHEMA_FAILED
8397	0x800720CD	The tree deletion is not finished. The request must be made again to continue deleting the tree.	ERROR_DS_TREE_DELETE_NOT_FINISHED
8398	0x800720CE	The requested delete operation could not be performed.	ERROR_DS_CANT_DELETE
8399	0x800720CF	Cannot read the governs class identifier for the schema record.	ERROR_DS_ATT_SCHEMA_REQ_ID
8400	0x800720D0	The attribute schema has bad syntax.	ERROR_DS_BAD_ATT_SCHEMA_SYNTAX
8401	0x800720D1	The attribute could not be cached.	ERROR_DS_CANT_CACHE_ATT

8402	0x800720D2	The class could not be cached.	ERROR_DS_CANT_CACHE_CLASS
8403	0x800720D3	The attribute could not be removed from the cache.	ERROR_DS_CANT_REMOVE_ATT_CACHE
8404	0x800720D4	The class could not be removed from the cache.	ERROR_DS_CANT_REMOVE_CLASS_CACHE
8405	0x800720D5	The distinguished name attribute could not be read.	ERROR_DS_CANT_RETRIEVE_DN
8406	0x800720D6	No superior reference has been configured for the directory service. The directory service is therefore unable to issue referrals to objects outside this forest.	ERROR_DS_MISSING_SUPREF
8407	0x800720D7	The instance type attribute could not be retrieved.	ERROR_DS_CANT_RETRIEVE_INSTANCE
8408	0x800720D8	An internal error has occurred.	ERROR_DS_CODE_INCONSISTENCY
8409	0x800720D9	A database error has occurred.	ERROR_DS_DATABASE_ERROR
8410	0x800720DA	The attribute GOVERNSID is missing.	ERROR_DS_GOVERNSID_MISSING
8411	0x800720DB	An expected attribute is missing.	ERROR_DS_MISSING_EXPECTED_ATT
8412	0x800720DC	The specified naming context is missing a cross reference.	ERROR_DS_NCNAME_MISSING_CR_REF
8413	0x800720DD	A security checking error has occurred.	ERROR_DS_SECURITY_CHECKING_ERROR
8414	0x800720DE	The schema is not loaded.	ERROR_DS_SCHEMA_NOT_LOADED
8415	0x800720DF	Schema allocation failed. Please check if the machine is running low on memory.	ERROR_DS_SCHEMA_ALLOC_FAILED
8416	0x800720E0	Failed to obtain the required syntax for the attribute schema.	ERROR_DS_ATT_SCHEMA_REQ_SYNTAX
8417	0x800720E1	The global catalog verification failed. The global catalog is not available or does not support the operation. Some part of the directory is currently not available.	ERROR_DS_GCVERIFY_ERROR
8418	0x800720E2	The replication operation failed because of a schema mismatch between the servers involved.	ERROR_DS_DRA_SCHEMA_MISMATCH
8419	0x800720E3	The DSA object could not be found.	ERROR_DS_CANT_FIND_DSA_OBJ
8420	0x800720E4	The naming context could not be found.	ERROR_DS_CANT_FIND_EXPECTED_NC
8421	0x800720E5	The naming context could not be found in the cache.	ERROR_DS_CANT_FIND_NC_IN_CACHE
8422	0x800720E6	The child object could not be retrieved.	ERROR_DS_CANT_RETRIEVE_CHILD
8423	0x800720E7	The modification was not permitted for security reasons.	ERROR_DS_SECURITY_ILLEGAL_MODIFY
8424	0x800720E8	The operation cannot replace the hidden record.	ERROR_DS_CANT_REPLACE_HIDDEN_REC
8425	0x800720E9	The hierarchy file is invalid.	ERROR_DS_BAD_HIERARCHY_FILE
8426	0x800720EA	The attempt to build the hierarchy table failed.	ERROR_DS_BUILD_HIERARCHY_TABLE_FAILED
8427	0x800720EB	The directory configuration parameter is missing from the registry.	ERROR_DS_CONFIG_PARAM_MISSING
8428	0x800720EC	The attempt to count the address book indices failed.	ERROR_DS_COUNTING_AB_INDICES_FAILED
8429	0x800720ED	The allocation of the hierarchy table failed.	ERROR_DS_HIERARCHY_TABLE_MALLOC_FAILED
8430	0x800720EE	The directory service encountered an internal failure.	ERROR_DS_INTERNAL_FAILURE
8431	0x800720EF	The directory service encountered an unknown failure.	ERROR_DS_UNKNOWN_ERROR
8432	0x800720F0	A root object requires a class of 'top'.	ERROR_DS_ROOT_REQUIRES_CLASS_TOP
8433	0x800720F1	This directory server is shutting down, and cannot take ownership of new floating single-master operation roles.	ERROR_DS_REFUSING_FSMO_ROLES
8434	0x800720F2	The directory service is missing mandatory configuration information, and is unable to determine the ownership of floating single-master operation roles.	ERROR_DS_MISSING_FSMO_SETTINGS
8435	0x800720F3	The directory service was unable to transfer ownership of one or more floating single-master operation roles to other servers.	ERROR_DS_UNABLE_TO_SURRENDER_ROLES
8436	0x800720F4	The replication operation failed.	ERROR_DS_DRA_GENERIC
8437	0x800720F5	An invalid parameter was specified for this replication operation.	ERROR_DS_DRA_INVALID_PARAMETER
8438	0x800720F6	The directory service is too busy to complete the replication operation at this time.	ERROR_DS_DRA_BUSY
8439	0x800720F7	The distinguished name specified for this replication operation is invalid.	ERROR_DS_DRA_BAD_DN

8440	0x800720F8	The naming context specified for this replication operation is invalid.	ERROR_DS_DRA_BAD_NC
8441	0x800720F9	The distinguished name specified for this replication operation already exists.	ERROR_DS_DRA_DN_EXISTS
8442	0x800720FA	The replication system encountered an internal error.	ERROR_DS_DRA_INTERNAL_ERROR
8443	0x800720FB	The replication operation encountered a database inconsistency.	ERROR_DS_DRA_INCONSISTENT_DIT
8444	0x800720FC	The server specified for this replication operation could not be contacted.	ERROR_DS_DRA_CONNECTION_FAILED
8445	0x800720FD	The replication operation encountered an object with an invalid instance type.	ERROR_DS_DRA_BAD_INSTANCE_TYPE
8446	0x800720FE	The replication operation failed to allocate memory.	ERROR_DS_DRA_OUT_OF_MEM
8447	0x800720FF	The replication operation encountered an error with the mail system.	ERROR_DS_DRA_MAIL_PROBLEM
8448	0x80072100	The replication reference information for the target server already exists.	ERROR_DS_DRA_REF_ALREADY_EXISTS
8449	0x80072101	The replication reference information for the target server does not exist.	ERROR_DS_DRA_REF_NOT_FOUND
8450	0x80072102	The naming context cannot be removed because it is replicated to another server.	ERROR_DS_DRA_OBJ_IS_REP_SOURCE
8451	0x80072103	The replication operation encountered a database error.	ERROR_DS_DRA_DB_ERROR
8452	0x80072104	The naming context is in the process of being removed or is not replicated from the specified server.	ERROR_DS_DRA_NO_REPLICA
8453	0x80072105	Replication access was denied.	ERROR_DS_DRA_ACCESS_DENIED
8454	0x80072106	The requested operation is not supported by this version of the directory service.	ERROR_DS_DRA_NOT_SUPPORTED
8455	0x80072107	The replication remote procedure call was cancelled.	ERROR_DS_DRA_RPC_CANCELLED
8456	0x80072108	The source server is currently rejecting replication requests.	ERROR_DS_DRA_SOURCE_DISABLED
8457	0x80072109	The destination server is currently rejecting replication requests.	ERROR_DS_DRA_SINK_DISABLED
8458	0x8007210A	The replication operation failed due to a collision of object names.	ERROR_DS_DRA_NAME_COLLISION
8459	0x8007210B	The replication source has been reinstalled.	ERROR_DS_DRA_SOURCE_REINSTALLED
8460	0x8007210C	The replication operation failed because a required parent object is missing.	ERROR_DS_DRA_MISSING_PARENT
8461	0x8007210D	The replication operation was preempted.	ERROR_DS_DRA_PREEMPTED
8462	0x8007210E	The replication synchronization attempt was abandoned because of a lack of updates.	ERROR_DS_DRA_ABANDON_SYNC
8463	0x8007210F	The replication operation was terminated because the system is shutting down.	ERROR_DS_DRA_SHUTDOWN
8464	0x80072110	Synchronization attempt failed because the destination DC is currently waiting to synchronize new partial attributes from source. This condition is normal if a recent schema change modified the partial attribute set. The destination partial attribute set is not a subset of source partial attribute set.	ERROR_DS_DRA_INCOMPATIBLE_PARTIAL_SET
8465	0x80072111	The replication synchronization attempt failed because a master replica attempted to sync from a partial replica.	ERROR_DS_DRA_SOURCE_IS_PARTIAL_REPLICA
8466	0x80072112	The server specified for this replication operation was contacted, but that server was unable to contact an additional server needed to complete the operation.	ERROR_DS_DRA_EXTN_CONNECTION_FAILED
8467	0x80072113	The version of the directory service schema of the source forest is not compatible with the version of directory service on this computer.	ERROR_DS_INSTALL_SCHEMA_MISMATCH
8468	0x80072114	Schema update failed: An attribute with the same link identifier already exists.	ERROR_DS_DUP_LINK_ID
8469	0x80072115	Name translation: Generic processing error.	ERROR_DS_NAME_ERROR_RESOLVING
8470	0x80072116	Name translation: Could not find the name or insufficient right to see name.	ERROR_DS_NAME_ERROR_NOT_FOUND
8471	0x80072117	Name translation: Input name mapped to more than one output name.	ERROR_DS_NAME_ERROR_NOT_UNIQUE
8472	0x80072118	Name translation: Input name found, but not the associated output format.	ERROR_DS_NAME_ERROR_NO_MAPPING

8473	0x80072119	Name translation: Unable to resolve completely, only the domain was found.	ERROR_DS_NAME_ERROR_DOMAIN_ONLY
8474	0x8007211A	Name translation: Unable to perform purely syntactical mapping at the client without going out to the wire.	ERROR_DS_NAME_ERROR_NO_SYNTACTICAL_MAPPING
8475	0x8007211B	Modification of a constructed attribute is not allowed.	ERROR_DS_CONSTRUCTED_ATT_MOD
8476	0x8007211C	The OM-Object-Class specified is incorrect for an attribute with the specified syntax.	ERROR_DS_WRONG_OM_OBJ_CLASS
8477	0x8007211D	The replication request has been posted; waiting for reply.	ERROR_DS_DRA_REPL_PENDING
8478	0x8007211E	The requested operation requires a directory service, and none was available.	ERROR_DS_DS_REQUIRED
8479	0x8007211F	The LDAP display name of the class or attribute contains non-ASCII characters.	ERROR_DS_INVALID_LDAP_DISPLAY_NAME
8480	0x80072120	The requested search operation is only supported for base searches.	ERROR_DS_NON_BASE_SEARCH
8481	0x80072121	The search failed to retrieve attributes from the database.	ERROR_DS_CANT_RETRIEVE_ATTS
8482	0x80072122	The schema update operation tried to add a backward link attribute that has no corresponding forward link.	ERROR_DS_BACKLINK_WITHOUT_LINK
8483	0x80072123	Source and destination of a cross-domain move do not agree on the object's epoch number. Either source or destination does not have the latest version of the object.	ERROR_DS_EPOCH_MISMATCH
8484	0x80072124	Source and destination of a cross-domain move do not agree on the object's current name. Either source or destination does not have the latest version of the object.	ERROR_DS_SRC_NAME_MISMATCH
8485	0x80072125	Source and destination for the cross-domain move operation are identical. Caller should use local move operation instead of cross-domain move operation.	ERROR_DS_SRC_AND_DST_NC_IDENTICAL
8486	0x80072126	Source and destination for a cross-domain move are not in agreement on the naming contexts in the forest. Either source or destination does not have the latest version of the Partitions container.	ERROR_DS_DST_NC_MISMATCH
8487	0x80072127	Destination of a cross-domain move is not authoritative for the destination naming context.	ERROR_DS_NOT_AUTHORITY_FOR_DST_NC
8488	0x80072128	Source and destination of a cross-domain move do not agree on the identity of the source object. Either source or destination does not have the latest version of the source object.	ERROR_DS_SRC_GUID_MISMATCH
8489	0x80072129	Object being moved across-domains is already known to be deleted by the destination server. The source server does not have the latest version of the source object.	ERROR_DS_CANT_MOVE_DELETED_OBJECT
8490	0x8007212A	Another operation which requires exclusive access to the PDC FSMO is already in progress.	ERROR_DS_PDC_OPERATION_IN_PROGRESS
8491	0x8007212B	A cross-domain move operation failed such that two versions of the moved object exist - one each in the source and destination domains. The destination object needs to be removed to restore the system to a consistent state.	ERROR_DS_CROSS_DOMAIN_CLEANUP_REQD
8492	0x8007212C	This object may not be moved across domain boundaries either because cross-domain moves for this class are disallowed, or the object has some special characteristics, e.g.: trust account or restricted RID, which prevent its move.	ERROR_DS_ILLEGAL_XDOM_MOVE_OPERATION
8493	0x8007212D	Can't move objects with memberships across domain boundaries as once moved, this would violate the membership conditions of the account group. Remove the object from any account group memberships and retry.	ERROR_DS_CANT_WITH_ACCT_GROUP_MEMBERSHPS
8494	0x8007212E	A naming context head must be the immediate child of another naming context head, not of an interior node.	ERROR_DS_NC_MUST_HAVE_NC_PARENT
8495	0x8007212F	The directory cannot validate the proposed naming context name because it does not hold a replica of the naming context above the	ERROR_DS_CR_IMPOSSIBLE_TO_VALIDATE

		proposed naming context. Please ensure that the domain naming master role is held by a server that is configured as a global catalog server, and that the server is up to date with its replication partners. (Applies only to Windows 2000 Domain Naming masters)	
8496	0x80072130	Destination domain must be in native mode.	ERROR_DS_DST_DOMAIN_NOT_NATIVE
8497	0x80072131	The operation cannot be performed because the server does not have an infrastructure container in the domain of interest.	ERROR_DS_MISSING_INFRASTRUCTURE_CONTAINER
8498	0x80072132	Cross-domain move of non-empty account groups is not allowed.	ERROR_DS_CANT_MOVE_ACCOUNT_GROUP
8499	0x80072133	Cross-domain move of non-empty resource groups is not allowed.	ERROR_DS_CANT_MOVE_RESOURCE_GROUP
8500	0x80072134	The search flags for the attribute are invalid. The ANR bit is valid only on attributes of Unicode or Teletex strings.	ERROR_DS_INVALID_SEARCH_FLAG
8501	0x80072135	Tree deletions starting at an object which has an NC head as a descendant are not allowed.	ERROR_DS_NO_TREE_DELETE_ABOVE_NC
8502	0x80072136	The directory service failed to lock a tree in preparation for a tree deletion because the tree was in use.	ERROR_DS_COULDNT_LOCK_TREE_FOR_DELETE
8503	0x80072137	The directory service failed to identify the list of objects to delete while attempting a tree deletion.	ERROR_DS_COULDNT_IDENTIFY_OBJECTS_FOR_TREE_DELETE
8504	0x80072138	Security Accounts Manager initialization failed because of the following error: %1. Error Status: 0x%2. Click OK to shut down the system and reboot into Directory Services Restore Mode. Check the event log for detailed information.	ERROR_DS_SAM_INIT_FAILURE
8505	0x80072139	Only an administrator can modify the membership list of an administrative group.	ERROR_DS_SENSITIVE_GROUP_VIOLATION
8506	0x8007213A	Cannot change the primary group ID of a domain controller account.	ERROR_DS_CANT_MOD_PRIMARYGROUPID
8507	0x8007213B	An attempt is made to modify the base schema.	ERROR_DS_ILLEGAL_BASE_SCHEMA_MOD
8508	0x8007213C	Adding a new mandatory attribute to an existing class, deleting a mandatory attribute from an existing class, or adding an optional attribute to the special class Top that is not a backlink attribute (directly or through inheritance, for example, by adding or deleting an auxiliary class) is not allowed.	ERROR_DS_NONSAFE_SCHEMA_CHANGE
8509	0x8007213D	Schema update is not allowed on this DC because the DC is not the schema FSMO Role Owner.	ERROR_DS_SCHEMA_UPDATE_DISALLOWED
8510	0x8007213E	An object of this class cannot be created under the schema container. You can only create attribute-schema and class-schema objects under the schema container.	ERROR_DS_CANT_CREATE_UNDER_SCHEMA
8511	0x8007213F	The replica/child install failed to get the objectVersion attribute on the schema container on the source DC. Either the attribute is missing on the schema container or the credentials supplied do not have permission to read it.	ERROR_DS_INSTALL_NO_SRC_SCH_VERSION
8512	0x80072140	The replica/child install failed to read the objectVersion attribute in the SCHEMA section of the file schema.ini in the system32 directory.	ERROR_DS_INSTALL_NO_SCH_VERSION_IN_INIFILE
8513	0x80072141	The specified group type is invalid.	ERROR_DS_INVALID_GROUP_TYPE
8514	0x80072142	You cannot nest global groups in a mixed domain if the group is security-enabled.	ERROR_DS_NO_NEST_GLOBALGROUP_IN_MIXEDDOMAIN
8515	0x80072143	You cannot nest local groups in a mixed domain if the group is security-enabled.	ERROR_DS_NO_NEST_LOCALGROUP_IN_MIXEDDOMAIN
8516	0x80072144	A global group cannot have a local group as a member.	ERROR_DS_GLOBAL_CANT_HAVE_LOCAL_MEMBER
8517	0x80072145	A global group cannot have a universal group as a member.	ERROR_DS_GLOBAL_CANT_HAVE_UNIVERSAL_MEMBER
8518	0x80072146	A universal group cannot have a local group as a member.	ERROR_DS_UNIVERSAL_CANT_HAVE_LOCAL_MEMBER
8519	0x80072147	A global group cannot have a cross-domain member.	ERROR_DS_GLOBAL_CANT_HAVE_CROSSDOMAIN_MEMBER

8520	0x80072148	A local group cannot have another cross domain local group as a member.	ERROR_DS_LOCAL_CANT_HAVE_CROSSDOMAIN_LOCAL_MEMBER
8521	0x80072149	A group with primary members cannot change to a security-disabled group.	ERROR_DS_HAVE_PRIMARY_MEMBERS
8522	0x8007214A	The schema cache load failed to convert the string default SD on a class-schema object.	ERROR_DS_STRING_SD_CONVERSION_FAILED
8523	0x8007214B	Only DSAs configured to be Global Catalog servers should be allowed to hold the Domain Naming Master FSMO role. (Applies only to Windows 2000 servers)	ERROR_DS_NAMING_MASTER_GC
8524	0x8007214C	The DSA operation is unable to proceed because of a DNS lookup failure.	ERROR_DS_DNS_LOOKUP_FAILURE
8525	0x8007214D	While processing a change to the DNS Host Name for an object, the Service Principal Name values could not be kept in sync.	ERROR_DS_COULDNT_UPDATE_SPNS
8526	0x8007214E	The Security Descriptor attribute could not be read.	ERROR_DS_CANT_RETRIEVE_SD
8527	0x8007214F	The object requested was not found, but an object with that key was found.	ERROR_DS_KEY_NOT_UNIQUE
8528	0x80072150	The syntax of the linked attribute being added is incorrect. Forward links can only have syntax 2.5.5.1, 2.5.5.7, and 2.5.5.14, and backlinks can only have syntax 2.5.5.1	ERROR_DS_WRONG_LINKED_ATT_SYNTAX
8529	0x80072151	Security Account Manager needs to get the boot password.	ERROR_DS_SAM_NEED_BOOTKEY_PASSWORD
8530	0x80072152	Security Account Manager needs to get the boot key from floppy disk.	ERROR_DS_SAM_NEED_BOOTKEY_FLOPPY
8531	0x80072153	Directory Service cannot start.	ERROR_DS_CANT_START
8532	0x80072154	Directory Services could not start.	ERROR_DS_INIT_FAILURE
8533	0x80072155	The connection between client and server requires packet privacy or better.	ERROR_DS_NO_PKT_PRIVACY_ON_CONNECTION
8534	0x80072156	The source domain may not be in the same forest as destination.	ERROR_DS_SOURCE_DOMAIN_IN_FOREST
8535	0x80072157	The destination domain must be in the forest.	ERROR_DS_DESTINATION_DOMAIN_NOT_IN_FOREST
8536	0x80072158	The operation requires that destination domain auditing be enabled.	ERROR_DS_DESTINATION_AUDITING_NOT_ENABLED
8537	0x80072159	The operation couldn't locate a DC for the source domain.	ERROR_DS_CANT_FIND_DC_FOR_SRC_DOMAIN
8538	0x8007215A	The source object must be a group or user.	ERROR_DS_SRC_OBJ_NOT_GROUP_OR_USER
8539	0x8007215B	The source object's SID already exists in destination forest.	ERROR_DS_SRC_SID_EXISTS_IN_FOREST
8540	0x8007215C	The source and destination object must be of the same type.	ERROR_DS_SRC_AND_DST_OBJECT_CLASS_MISMATCH
8541	0x8007215D	Security Accounts Manager initialization failed because of the following error: %1. Error Status: 0x%2. Click OK to shut down the system and reboot into Safe Mode. Check the event log for detailed information.	ERROR_SAM_INIT_FAILURE
8542	0x8007215E	Schema information could not be included in the replication request.	ERROR_DS_DRA_SCHEMA_INFO_SHIP
8543	0x8007215F	The replication operation could not be completed due to a schema incompatibility.	ERROR_DS_DRA_SCHEMA_CONFLICT
8544	0x80072160	The replication operation could not be completed due to a previous schema incompatibility.	ERROR_DS_DRA_EARLIER_SCHEMA_CONFLICT
8545	0x80072161	The replication update could not be applied because either the source or the destination has not yet received information regarding a recent cross-domain move operation.	ERROR_DS_DRA_OBJ_NC_MISMATCH
8546	0x80072162	The requested domain could not be deleted because there exist domain controllers that still host this domain.	ERROR_DS_NC_STILL_HAS_DSAS
8547	0x80072163	The requested operation can be performed only on a global catalog server.	ERROR_DS_GC_REQUIRED
8548	0x80072164	A local group can only be a member of other local groups in the same domain.	ERROR_DS_LOCAL_MEMBER_OF_LOCAL_ONLY
8549	0x80072165	Foreign security principals cannot be members of universal groups.	ERROR_DS_NO_FPO_IN_UNIVERSAL_GROUPS
8550	0x80072166	The attribute is not allowed to be replicated to the GC because of security reasons.	ERROR_DS_CANT_ADD_TO_GC
8551	0x80072167	The checkpoint with the PDC could not be taken because there too many modifications being processed currently.	ERROR_DS_NO_CHECKPOINT_WITH_PDC

8552	0x80072168	The operation requires that source domain auditing be enabled.	ERROR_DS_SOURCE_AUDITING_NOT_ENABLED
8553	0x80072169	Security principal objects can only be created inside domain naming contexts.	ERROR_DS_CANT_CREATE_IN_NONDOMAIN_NC
8554	0x8007216A	A Service Principal Name (SPN) could not be constructed because the provided hostname is not in the necessary format.	ERROR_DS_INVALID_NAME_FOR_SPN
8555	0x8007216B	A Filter was passed that uses constructed attributes.	ERROR_DS_FILTER_USES_CONSTRUCTED_ATTRS
8556	0x8007216C	The unicodePwd attribute value must be enclosed in double quotes.	ERROR_DS_UNICODEPWD_NOT_IN_QUOTES
8557	0x8007216D	Your computer could not be joined to the domain. You have exceeded the maximum number of computer accounts you are allowed to create in this domain. Contact your system administrator to have this limit reset or increased.	ERROR_DS_MACHINE_ACCOUNT_QUOTA_EXCEEDED
8558	0x8007216E	For security reasons, the operation must be run on the destination DC.	ERROR_DS_MUST_BE_RUN_ON_DST_DC
8559	0x8007216F	For security reasons, the source DC must be NT4SP4 or greater.	ERROR_DS_SRC_DC_MUST_BE_SP4_OR_GREATER
8560	0x80072170	Critical Directory Service System objects cannot be deleted during tree delete operations. The tree delete may have been partially performed.	ERROR_DS_CANT_TREE_DELETE_CRITICAL_OBJ
8561	0x80072171	Directory Services could not start because of the following error: %1. Error Status: 0x%2. Please click OK to shutdown the system. You can use the recovery console to diagnose the system further.	ERROR_DS_INIT_FAILURE_CONSOLE
8562	0x80072172	Security Accounts Manager initialization failed because of the following error: %1. Error Status: 0x%2. Please click OK to shutdown the system. You can use the recovery console to diagnose the system further.	ERROR_DS_SAM_INIT_FAILURE_CONSOLE
8563	0x80072173	The version of the operating system installed is incompatible with the current forest functional level. You must upgrade to a new version of the operating system before this server can become a domain controller in this forest.	ERROR_DS_FOREST_VERSION_TOO_HIGH
8564	0x80072174	The version of the operating system installed is incompatible with the current domain functional level. You must upgrade to a new version of the operating system before this server can become a domain controller in this domain.	ERROR_DS_DOMAIN_VERSION_TOO_HIGH
8565	0x80072175	The version of the operating system installed on this server no longer supports the current forest functional level. You must raise the forest functional level before this server can become a domain controller in this forest.	ERROR_DS_FOREST_VERSION_TOO_LOW
8566	0x80072176	The version of the operating system installed on this server no longer supports the current domain functional level. You must raise the domain functional level before this server can become a domain controller in this domain.	ERROR_DS_DOMAIN_VERSION_TOO_LOW
8567	0x80072177	The version of the operating system installed on this server is incompatible with the functional level of the domain or forest.	ERROR_DS_INCOMPATIBLE_VERSION
8568	0x80072178	The functional level of the domain (or forest) cannot be raised to the requested value, because there exist one or more domain controllers in the domain (or forest) that are at a lower incompatible functional level.	ERROR_DS_LOW_DSA_VERSION
8569	0x80072179	The forest functional level cannot be raised to the requested value since one or more domains are still in mixed domain mode. All domains in the forest must be in native mode, for you to raise the forest functional level.	ERROR_DS_NO_BEHAVIOR_VERSION_IN_MIXEDDOMAIN
8570	0x8007217A	The sort order requested is not supported.	ERROR_DS_NOT_SUPPORTED_SORT_ORDER
8571	0x8007217B	The requested name already exists as a unique identifier.	ERROR_DS_NAME_NOT_UNIQUE
8572	0x8007217C	The machine account was created pre-NT4. The account needs to be recreated.	ERROR_DS_MACHINE_ACCOUNT_CREATED_PRENT4
8573	0x8007217D	The database is out of version store.	ERROR_DS_OUT_OF_VERSION_STORE

8574	0x8007217E	Unable to continue operation because multiple conflicting controls were used.	ERROR_DS_INCOMPATIBLE_CONTROLS_USED
8575	0x8007217F	Unable to find a valid security descriptor reference domain for this partition.	ERROR_DS_NO_REF_DOMAIN
8576	0x80072180	Schema update failed: The link identifier is reserved.	ERROR_DS_RESERVED_LINK_ID
8577	0x80072181	Schema update failed: There are no link identifiers available.	ERROR_DS_LINK_ID_NOT_AVAILABLE
8578	0x80072182	An account group cannot have a universal group as a member.	ERROR_DS_AG_CANT_HAVE_UNIVERSAL_MEMBER
8579	0x80072183	Rename or move operations on naming context heads or read-only objects are not allowed.	ERROR_DS_MODIFYDN_DISALLOWED_BY_INSTANCE_TYPE
8580	0x80072184	Move operations on objects in the schema naming context are not allowed.	ERROR_DS_NO_OBJECT_MOVE_IN_SCHEMA_NC
8581	0x80072185	A system flag has been set on the object and does not allow the object to be moved or renamed.	ERROR_DS_MODIFYDN_DISALLOWED_BY_FLAG
8582	0x80072186	This object is not allowed to change its grandparent container. Moves are not forbidden on this object, but are restricted to sibling containers.	ERROR_DS_MODIFYDN_WRONG_GRANDPARENT
8583	0x80072187	Unable to resolve completely, a referral to another forest is generated.	ERROR_DS_NAME_ERROR_TRUST_REFERRAL
8584	0x80072188	The requested action is not supported on standard server.	ERROR_NOT_SUPPORTED_ON_STANDARD_SERVER
8585	0x80072189	Could not access a partition of the directory service located on a remote server. Make sure at least one server is running for the partition in question.	ERROR_DS_CANT_ACCESS_REMOTE_PART_OF_AD
8586	0x8007218A	The directory cannot validate the proposed naming context (or partition) name because it does not hold a replica nor can it contact a replica of the naming context above the proposed naming context. Please ensure that the parent naming context is properly registered in DNS, and at least one replica of this naming context is reachable by the Domain Naming master.	ERROR_DS_CR_IMPOSSIBLE_TO_VALIDATE_V2
8587	0x8007218B	The thread limit for this request was exceeded.	ERROR_DS_THREAD_LIMIT_EXCEEDED
8588	0x8007218C	The Global catalog server is not in the closest site.	ERROR_DS_NOT_CLOSEST
8589	0x8007218D	The DS cannot derive a service principal name (SPN) with which to mutually authenticate the target server because the corresponding server object in the local DS database has no serverReference attribute.	ERROR_DS_CANT_DERIVE_SPN_WITHOUT_SERVER_REF
8590	0x8007218E	The Directory Service failed to enter single user mode.	ERROR_DS_SINGLE_USER_MODE_FAILED
8591	0x8007218F	The Directory Service cannot parse the script because of a syntax error.	ERROR_DS_NTDSRIPT_SYNTAX_ERROR
8592	0x80072190	The Directory Service cannot process the script because of an error.	ERROR_DS_NTDSRIPT_PROCESS_ERROR
8593	0x80072191	The directory service cannot perform the requested operation because the servers involved are of different replication epochs (which is usually related to a domain rename that is in progress).	ERROR_DS_DIFFERENT_REPL_EPOCHS
8594	0x80072192	The directory service binding must be renegotiated due to a change in the server extensions information.	ERROR_DS_DRS_EXTENSIONS_CHANGED
8595	0x80072193	Operation not allowed on a disabled cross ref.	ERROR_DS_REPLICA_SET_CHANGE_NOT_ALLOWED_ON_DISABLED_CR
8596	0x80072194	Schema update failed: No values for msDS-IntId are available.	ERROR_DS_NO_MSDS_INTID
8597	0x80072195	Schema update failed: Duplicate msDS-IntId. Retry the operation.	ERROR_DS_DUP_MSDS_INTID
8598	0x80072196	Schema deletion failed: attribute is used in rDNAttID.	ERROR_DS_EXISTS_IN_RDNATTID
8599	0x80072197	The directory service failed to authorize the request.	ERROR_DS_AUTHORIZATION_FAILED
8600	0x80072198	The Directory Service cannot process the script because it is invalid.	ERROR_DS_INVALID_SCRIPT
8601	0x80072199	The remote create cross reference operation failed on the Domain Naming Master FSMO. The operation's error is in the extended data.	ERROR_DS_REMOTE_CROSSREF_OP_FAILED

8602	0x8007219A	A cross reference is in use locally with the same name.	ERROR_DS_CROSS_REF_BUSY
8603	0x8007219B	The DS cannot derive a service principal name (SPN) with which to mutually authenticate the target server because the server's domain has been deleted from the forest.	ERROR_DS_CANT_DERIVE_SPN_FOR_DELETED_DOMAIN
8604	0x8007219C	Writeable NCs prevent this DC from demoting.	ERROR_DS_CANT_DEMOTE_WITH_WRITEABLE_NC
8605	0x8007219D	The requested object has a non-unique identifier and cannot be retrieved.	ERROR_DS_DUPLICATE_ID_FOUND
8606	0x8007219E	Insufficient attributes were given to create an object. This object may not exist because it may have been deleted and already garbage collected.	ERROR_DS_INSUFFICIENT_ATTR_TO_CREATE_OBJECT
8607	0x8007219F	The group cannot be converted due to attribute restrictions on the requested group type.	ERROR_DS_GROUP_CONVERSION_ERROR
8608	0x800721A0	Cross-domain move of non-empty basic application groups is not allowed.	ERROR_DS_CANT_MOVE_APP_BASIC_GROUP
8609	0x800721A1	Cross-domain move of non-empty query based application groups is not allowed.	ERROR_DS_CANT_MOVE_APP_QUERY_GROUP
8610	0x800721A2	The FSMO role ownership could not be verified because its directory partition has not replicated successfully with atleast one replication partner.	ERROR_DS_ROLE_NOT_VERIFIED
8611	0x800721A3	The target container for a redirection of a well known object container cannot already be a special container.	ERROR_DS_WKO_CONTAINER_CANNOT_BE_SPECIAL
8612	0x800721A4	The Directory Service cannot perform the requested operation because a domain rename operation is in progress.	ERROR_DS_DOMAIN_RENAME_IN_PROGRESS
8613	0x800721A5	The directory service detected a child partition below the requested partition name. The partition hierarchy must be created in a top down method.	ERROR_DS_EXISTING_AD_CHILD_NC
8614	0x800721A6	The directory service cannot replicate with this server because the time since the last replication with this server has exceeded the tombstone lifetime.	ERROR_DS_REPL_LIFETIME_EXCEEDED
8615	0x800721A7	The requested operation is not allowed on an object under the system container.	ERROR_DS_DISALLOWED_IN_SYSTEM_CONTAINER
8616	0x800721A8	The LDAP servers network send queue has filled up because the client is not processing the results of it's requests fast enough. No more requests will be processed until the client catches up. If the client does not catch up then it will be disconnected.	ERROR_DS_LDAP_SEND_QUEUE_FULL
8617	0x800721A9	The scheduled replication did not take place because the system was too busy to execute the request within the schedule window. The replication queue is overloaded. Consider reducing the number of partners or decreasing the scheduled replication frequency.	ERROR_DS_DRA_OUT_SCHEDULE_WINDOW
8618	0x800721AA	At this time, it cannot be determined if the branch replication policy is available on the hub domain controller. Please retry at a later time to account for replication latencies.	ERROR_DS_POLICY_NOT_KNOWN
8619	0x800721AB	The site settings object for the specified site does not exist.	ERROR_NO_SITE_SETTINGS_OBJECT
8620	0x800721AC	The local account store does not contain secret material for the specified account.	ERROR_NO_SECRETS
8621	0x800721AD	Could not find a writable domain controller in the domain.	ERROR_NO_WRITABLE_DC_FOUND
8622	0x800721AE	The server object for the domain controller does not exist.	ERROR_DS_NO_SERVER_OBJECT
8623	0x800721AF	The NTDS Settings object for the domain controller does not exist.	ERROR_DS_NO_NTDSA_OBJECT
8624	0x800721B0	The requested search operation is not supported for ASQ searches.	ERROR_DS_NON_ASQ_SEARCH
8625	0x800721B1	A required audit event could not be generated for the operation.	ERROR_DS_AUDIT_FAILURE
8626	0x800721B2	The search flags for the attribute are invalid. The subtree index bit is valid only on single valued attributes.	ERROR_DS_INVALID_SEARCH_FLAG_SUBTREE

8627	0x800721B3	The search flags for the attribute are invalid. The tuple index bit is valid only on attributes of Unicode strings.	ERROR_DS_INVALID_SEARCH_FLAG_TUPLE
8628	0x800721B4	The address books are nested too deeply. Failed to build the hierarchy table.	ERROR_DS_HIERARCHY_TABLE_TOO_DEEP
9001	0x80072329	DNS server unable to interpret format.	DNS_ERROR_RCODE_FORMAT_ERROR
9002	0x8007232A	DNS server failure.	DNS_ERROR_RCODE_SERVER_FAILURE
9003	0x8007232B	DNS name does not exist.	DNS_ERROR_RCODE_NAME_ERROR
9004	0x8007232C	DNS request not supported by name server.	DNS_ERROR_RCODE_NOT_IMPLEMENTED
9005	0x8007232D	DNS operation refused.	DNS_ERROR_RCODE_REFUSED
9006	0x8007232E	DNS name that ought not exist, does exist.	DNS_ERROR_RCODE_YXDOMAIN
9007	0x8007232F	DNS RR set that ought not exist, does exist.	DNS_ERROR_RCODE_YXRRSET
9008	0x80072330	DNS RR set that ought to exist, does not exist.	DNS_ERROR_RCODE_NXRRSET
9009	0x80072331	DNS server not authoritative for zone.	DNS_ERROR_RCODE_NOTAUTH
9010	0x80072332	DNS name in update or prereq is not in zone.	DNS_ERROR_RCODE_NOTZONE
9016	0x80072338	DNS signature failed to verify.	DNS_ERROR_RCODE_BADSIG
9017	0x80072339	DNS bad key.	DNS_ERROR_RCODE_BADKEY
9018	0x8007233A	DNS signature validity expired.	DNS_ERROR_RCODE_BADTIME
9501	0x8007251D	No records found for given DNS query.	DNS_INFO_NO_RECORDS
9502	0x8007251E	Bad DNS packet.	DNS_ERROR_BAD_PACKET
9503	0x8007251F	No DNS packet.	DNS_ERROR_NO_PACKET
9504	0x80072520	DNS error, check rcode.	DNS_ERROR_RCODE
9505	0x80072521	Unsecured DNS packet.	DNS_ERROR_UNSECURE_PACKET
9551	0x8007254F	Invalid DNS type.	DNS_ERROR_INVALID_TYPE
9552	0x80072550	Invalid IP address.	DNS_ERROR_INVALID_IP_ADDRESS
9553	0x80072551	Invalid property.	DNS_ERROR_INVALID_PROPERTY
9554	0x80072552	Try DNS operation again later.	DNS_ERROR_TRY_AGAIN_LATER
9555	0x80072553	Record for given name and type is not unique.	DNS_ERROR_NOT_UNIQUE
9556	0x80072554	DNS name does not comply with RFC specifications.	DNS_ERROR_NON_RFC_NAME
9557	0x80072555	DNS name is a fully-qualified DNS name.	DNS_STATUS_FQDN
9558	0x80072556	DNS name is dotted (multi-label).	DNS_STATUS_DOTTED_NAME
9559	0x80072557	DNS name is a single-part name.	DNS_STATUS_SINGLE_PART_NAME
9560	0x80072558	DNS name contains an invalid character.	DNS_ERROR_INVALID_NAME_CHAR
9561	0x80072559	DNS name is entirely numeric.	DNS_ERROR_NUMERIC_NAME
9562	0x8007255A	The operation requested is not permitted on a DNS root server.	DNS_ERROR_NOT_ALLOWED_ON_ROOT_SERVER
9563	0x8007255B	The record could not be created because this part of the DNS namespace has been delegated to another server.	DNS_ERROR_NOT_ALLOWED_UNDER_DELEGATION
9564	0x8007255C	The DNS server could not find a set of root hints.	DNS_ERROR_CANNOT_FIND_ROOT_HINTS
9565	0x8007255D	The DNS server found root hints but they were not consistent across all adapters.	DNS_ERROR_INCONSISTENT_ROOT_HINTS
9566	0x8007255E	The specified value is too small for this parameter.	DNS_ERROR_DWORD_VALUE_TOO_SMALL
9567	0x8007255F	The specified value is too large for this parameter.	DNS_ERROR_DWORD_VALUE_TOO_LARGE
9568	0x80072560	This operation is not allowed while the DNS server is loading zones in the background. Please try again later.	DNS_ERROR_BACKGROUND_LOADING
9569	0x80072561	The operation requested is not permitted on against a DNS server running on a read-only DC.	DNS_ERROR_NOT_ALLOWED_ON_RODC
9570	0x80072562	No data is allowed to exist underneath a DNAME record.	DNS_ERROR_NOT_ALLOWED_UNDER_DNAME
9601	0x80072581	DNS zone does not exist.	DNS_ERROR_ZONE_DOES_NOT_EXIST
9602	0x80072582	DNS zone information not available.	DNS_ERROR_NO_ZONE_INFO
9603	0x80072583	Invalid operation for DNS zone.	DNS_ERROR_INVALID_ZONE_OPERATION
9604	0x80072584	Invalid DNS zone configuration.	DNS_ERROR_ZONE_CONFIGURATION_ERROR
9605	0x80072585	DNS zone has no start of authority (SOA) record.	DNS_ERROR_ZONE_HAS_NO_SOA_RECORD
9606	0x80072586	DNS zone has no Name Server (NS) record.	DNS_ERROR_ZONE_HAS_NO_NS_RECORDS
9607	0x80072587	DNS zone is locked.	DNS_ERROR_ZONE_LOCKED
9608	0x80072588	DNS zone creation failed.	DNS_ERROR_ZONE_CREATION_FAILED
9609	0x80072589	DNS zone already exists.	DNS_ERROR_ZONE_ALREADY_EXISTS
9610	0x8007258A	DNS automatic zone already exists.	DNS_ERROR_AUTOZONE_ALREADY_EXISTS
9611	0x8007258B	Invalid DNS zone type.	DNS_ERROR_INVALID_ZONE_TYPE

9612	0x8007258C	Secondary DNS zone requires master IP address.	DNS_ERROR_SECONDARY_REQUIRES_MASTER_IP
9613	0x8007258D	DNS zone not secondary.	DNS_ERROR_ZONE_NOT_SECONDARY
9614	0x8007258E	Need secondary IP address.	DNS_ERROR_NEED_SECONDARY_ADDRESSES
9615	0x8007258F	WINS initialization failed.	DNS_ERROR_WINS_INIT_FAILED
9616	0x80072590	Need WINS servers.	DNS_ERROR_NEED_WINS_SERVERS
9617	0x80072591	NBTSTAT initialization call failed.	DNS_ERROR_NBSTAT_INIT_FAILED
9618	0x80072592	Invalid delete of start of authority (SOA)	DNS_ERROR_SOA_DELETE_INVALID
9619	0x80072593	A conditional forwarding zone already exists for that name.	DNS_ERROR_FORWARDER_ALREADY_EXISTS
9620	0x80072594	This zone must be configured with one or more master DNS server IP addresses.	DNS_ERROR_ZONE_REQUIRES_MASTER_IP
9621	0x80072595	The operation cannot be performed because this zone is shutdown.	DNS_ERROR_ZONE_IS_SHUTDOWN
9651	0x800725B3	Primary DNS zone requires datafile.	DNS_ERROR_PRIMARY_REQUIRES_DATAFILE
9652	0x800725B4	Invalid datafile name for DNS zone.	DNS_ERROR_INVALID_DATAFILE_NAME
9653	0x800725B5	Failed to open datafile for DNS zone.	DNS_ERROR_DATAFILE_OPEN_FAILURE
9654	0x800725B6	Failed to write datafile for DNS zone.	DNS_ERROR_FILE_WRITEBACK_FAILED
9655	0x800725B7	Failure while reading datafile for DNS zone.	DNS_ERROR_DATAFILE_PARSING
9701	0x800725E5	DNS record does not exist.	DNS_ERROR_RECORD_DOES_NOT_EXIST
9702	0x800725E6	DNS record format error.	DNS_ERROR_RECORD_FORMAT
9703	0x800725E7	Node creation failure in DNS.	DNS_ERROR_NODE_CREATION_FAILED
9704	0x800725E8	Unknown DNS record type.	DNS_ERROR_UNKNOWN_RECORD_TYPE
9705	0x800725E9	DNS record timed out.	DNS_ERROR_RECORD_TIMED_OUT
9706	0x800725EA	Name not in DNS zone.	DNS_ERROR_NAME_NOT_IN_ZONE
9707	0x800725EB	CNAME loop detected.	DNS_ERROR_CNAME_LOOP
9708	0x800725EC	Node is a CNAME DNS record.	DNS_ERROR_NODE_IS_CNAME
9709	0x800725ED	A CNAME record already exists for given name.	DNS_ERROR_CNAME_COLLISION
9710	0x800725EE	Record only at DNS zone root.	DNS_ERROR_RECORD_ONLY_AT_ZONE_ROOT
9711	0x800725EF	DNS record already exists.	DNS_ERROR_RECORD_ALREADY_EXISTS
9712	0x800725F0	Secondary DNS zone data error.	DNS_ERROR_SECONDARY_DATA
9713	0x800725F1	Could not create DNS cache data.	DNS_ERROR_NO_CREATE_CACHE_DATA
9714	0x800725F2	DNS name does not exist.	DNS_ERROR_NAME_DOES_NOT_EXIST
9715	0x800725F3	Could not create pointer (PTR) record.	DNS_WARNING_PTR_CREATE_FAILED
9716	0x800725F4	DNS domain was undeleted.	DNS_WARNING_DOMAIN_UNDELETED
9717	0x800725F5	The directory service is unavailable.	DNS_ERROR_DS_UNAVAILABLE
9718	0x800725F6	DNS zone already exists in the directory service.	DNS_ERROR_DS_ZONE_ALREADY_EXISTS
9719	0x800725F7	DNS server not creating or reading the boot file for the directory service integrated DNS zone.	DNS_ERROR_NO_BOOTFILE_IF_DS_ZONE
9720	0x800725F8	Node is a DNAME DNS record.	DNS_ERROR_NODE_IS_DNAME
9721	0x800725F9	A DNAME record already exists for given name.	DNS_ERROR_DNAME_COLLISION
9722	0x800725FA	An alias loop has been detected with either CNAME or DNAME records.	DNS_ERROR_ALIAS_LOOP
9751	0x80072617	DNS AXFR (zone transfer) complete.	DNS_INFO_AXFR_COMPLETE
9752	0x80072618	DNS zone transfer failed.	DNS_ERROR_AXFR
9753	0x80072619	Added local WINS server.	DNS_INFO_ADDED_LOCAL_WINS
9801	0x80072649	Secure update call needs to continue update request.	DNS_STATUS_CONTINUE_NEEDED
9851	0x8007267B	TCP/IP network protocol not installed.	DNS_ERROR_NO_TCPIP
9852	0x8007267C	No DNS servers configured for local system.	DNS_ERROR_NO_DNS_SERVERS
9901	0x800726AD	The specified directory partition does not exist.	DNS_ERROR_DP_DOES_NOT_EXIST
9902	0x800726AE	The specified directory partition already exists.	DNS_ERROR_DP_ALREADY_EXISTS
9903	0x800726AF	This DNS server is not enlisted in the specified directory partition.	DNS_ERROR_DP_NOT_ENLISTED
9904	0x800726B0	This DNS server is already enlisted in the specified directory partition.	DNS_ERROR_DP_ALREADY_ENLISTED
9905	0x800726B1	The directory partition is not available at this time. Please wait a few minutes and try again.	DNS_ERROR_DP_NOT_AVAILABLE
9906	0x800726B2	The application directory partition operation failed. The domain controller holding the domain naming master role is down or unable to service the request or is not running Windows Server 2003.	DNS_ERROR_DP_FSMO_ERROR

10004	0x80072714	A blocking operation was interrupted by a call to WSACancelBlockingCall.	WSAEINTR
10009	0x80072719	The file handle supplied is not valid.	WSAEBADF
10013	0x8007271D	An attempt was made to access a socket in a way forbidden by its access permissions.	WSAEACCES
10014	0x8007271E	The system detected an invalid pointer address in attempting to use a pointer argument in a call.	WSAEFAULT
10022	0x80072726	An invalid argument was supplied.	WSAEINVAL
10024	0x80072728	Too many open sockets.	WSAEMFILE
10035	0x80072733	A non-blocking socket operation could not be completed immediately.	WSAEWOULDBLOCK
10036	0x80072734	A blocking operation is currently executing.	WSAEINPROGRESS
10037	0x80072735	An operation was attempted on a non-blocking socket that already had an operation in progress.	WSAEALREADY
10038	0x80072736	An operation was attempted on something that is not a socket.	WSAENOTSOCK
10039	0x80072737	A required address was omitted from an operation on a socket.	WSAEDESTADDRREQ
10040	0x80072738	A message sent on a datagram socket was larger than the internal message buffer or some other network limit, or the buffer used to receive a datagram into was smaller than the datagram itself.	WSAEMSGSIZE
10041	0x80072739	A protocol was specified in the socket function call that does not support the semantics of the socket type requested.	WSAEPROTOTYPE
10042	0x8007273A	An unknown, invalid, or unsupported option or level was specified in a getsockopt or setsockopt call.	WSAENOPROTOOPT
10043	0x8007273B	The requested protocol has not been configured into the system, or no implementation for it exists.	WSAEPROTONOSUPPORT
10044	0x8007273C	The support for the specified socket type does not exist in this address family.	WSAESOCKTNOSUPPORT
10045	0x8007273D	The attempted operation is not supported for the type of object referenced.	WSAEOPNOTSUPP
10046	0x8007273E	The protocol family has not been configured into the system or no implementation for it exists.	WSAEPFNOSUPPORT
10047	0x8007273F	An address incompatible with the requested protocol was used.	WSAEAFNOSUPPORT
10048	0x80072740	Only one usage of each socket address (protocol/network address/port) is normally permitted.	WSAEADDRINUSE
10049	0x80072741	The requested address is not valid in its context.	WSAEADDRNOTAVAIL
10050	0x80072742	A socket operation encountered a dead network.	WSAENETDOWN
10051	0x80072743	A socket operation was attempted to an unreachable network.	WSAENETUNREACH
10052	0x80072744	The connection has been broken due to keep-alive activity detecting a failure while the operation was in progress.	WSAENETRESET
10053	0x80072745	An established connection was aborted by the software in your host machine.	WSAECONNABORTED
10054	0x80072746	An existing connection was forcibly closed by the remote host.	WSAECONNRESET
10055	0x80072747	An operation on a socket could not be performed because the system lacked sufficient buffer space or because a queue was full.	WSAENOBUFS
10056	0x80072748	A connect request was made on an already connected socket.	WSAEISCONN
10057	0x80072749	A request to send or receive data was disallowed because the socket is not connected and (when sending on a datagram socket using a sendto call) no address was supplied.	WSAENOTCONN
10058	0x8007274A	A request to send or receive data was disallowed because the socket had already been shut down in that direction with a previous shutdown call.	WSAESHUTDOWN
10059	0x8007274B	Too many references to some kernel object.	WSAETOOMANYREFS

10060	0x8007274C	A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond.	WSAETIMEDOUT
10061	0x8007274D	No connection could be made because the target machine actively refused it.	WSAECONNREFUSED
10062	0x8007274E	Cannot translate name.	WSAELOOP
10063	0x8007274F	Name component or name was too long.	WSAENAMETOOLONG
10064	0x80072750	A socket operation failed because the destination host was down.	WSAEHOSTDOWN
10065	0x80072751	A socket operation was attempted to an unreachable host.	WSAEHOSTUNREACH
10066	0x80072752	Cannot remove a directory that is not empty.	WSAENOTEMPTY
10067	0x80072753	A Windows Sockets implementation may have a limit on the number of applications that may use it simultaneously.	WSAEPROCLIM
10068	0x80072754	Ran out of quota.	WSAEUSERS
10069	0x80072755	Ran out of disk quota.	WSAEDQUOT
10070	0x80072756	File handle reference is no longer available.	WSAESTALE
10071	0x80072757	Item is not available locally.	WSAEREMOTE
10091	0x8007276B	WSAStartup cannot function at this time because the underlying system it uses to provide network services is currently unavailable.	WSASYSNOTREADY
10092	0x8007276C	The Windows Sockets version requested is not supported.	WSAVERNOTSUPPORTED
10093	0x8007276D	Either the application has not called WSAStartup, or WSAStartup failed.	WSANOTINITIALISED
10101	0x80072775	Returned by WSARcv or WSARcvFrom to indicate the remote party has initiated a graceful shutdown sequence.	WSAEDISCON
10102	0x80072776	No more results can be returned by WSALookupServiceNext.	WSAENOMORE
10103	0x80072777	A call to WSALookupServiceEnd was made while this call was still processing. The call has been canceled.	WSAECANCELLED
10104	0x80072778	The procedure call table is invalid.	WSAEINVALIDPROCTABLE
10105	0x80072779	The requested service provider is invalid.	WSAEINVALIDPROVIDER
10106	0x8007277A	The requested service provider could not be loaded or initialized.	WSAEPROVIDERFAILEDINIT
10107	0x8007277B	A system call that should never fail has failed.	WSASYSSCALLFAILURE
10108	0x8007277C	No such service is known. The service cannot be found in the specified name space.	WSASERVICE_NOT_FOUND
10109	0x8007277D	The specified class was not found.	WSATYPE_NOT_FOUND
10110	0x8007277E	No more results can be returned by WSALookupServiceNext.	WSA_E_NO_MORE
10111	0x8007277F	A call to WSALookupServiceEnd was made while this call was still processing. The call has been canceled.	WSA_E_CANCELLED
10112	0x80072780	A database query failed because it was actively refused.	WSAEREFUSED
11001	0x80072AF9	No such host is known.	WSAHOST_NOT_FOUND
11002	0x80072AFA	This is usually a temporary error during hostname resolution and means that the local server did not receive a response from an authoritative server.	WSATRY_AGAIN
11003	0x80072AFB	A non-recoverable error occurred during a database lookup.	WSANO_RECOVERY
11004	0x80072AFC	The requested name is valid, but no data of the requested type was found.	WSANO_DATA
11005	0x80072AFD	At least one reserve has arrived.	WSA_QOS_RECEIVERS
11006	0x80072AFE	At least one path has arrived.	WSA_QOS_SENDERS
11007	0x80072AFF	There are no senders.	WSA_QOS_NO_SENDERS
11008	0x80072B00	There are no receivers.	WSA_QOS_NO_RECEIVERS
11009	0x80072B01	Reserve has been confirmed.	WSA_QOS_REQUEST_CONFIRMED
11010	0x80072B02	Error due to lack of resources.	WSA_QOS_ADMISSION_FAILURE
11011	0x80072B03	Rejected for administrative reasons - bad credentials.	WSA_QOS_POLICY_FAILURE
11012	0x80072B04	Unknown or conflicting style.	WSA_QOS_BAD_STYLE

11013	0x80072B05	Problem with some part of the filterspec or providerspecific buffer in general.	WSA_QOS_BAD_OBJECT
11014	0x80072B06	Problem with some part of the flowspec.	WSA_QOS_TRAFFIC_CTRL_ERROR
11015	0x80072B07	General QOS error.	WSA_QOS_GENERIC_ERROR
11016	0x80072B08	An invalid or unrecognized service type was found in the flowspec.	WSA_QOS_ESERVICETYPE
11017	0x80072B09	An invalid or inconsistent flowspec was found in the QOS structure.	WSA_QOS_EFLOWSPEC
11018	0x80072B0A	Invalid QOS provider-specific buffer.	WSA_QOS_EPROVSPECBUF
11019	0x80072B0B	An invalid QOS filter style was used.	WSA_QOS_EFILTERSTYLE
11020	0x80072B0C	An invalid QOS filter type was used.	WSA_QOS_EFILTERTYPE
11021	0x80072B0D	An incorrect number of QOS FILTERSPECs were specified in the FLOWDESCRIPTOR.	WSA_QOS_EFILTERCOUNT
11022	0x80072B0E	An object with an invalid ObjectLength field was specified in the QOS provider-specific buffer.	WSA_QOS_EOBJLENGTH
11023	0x80072B0F	An incorrect number of flow descriptors was specified in the QOS structure.	WSA_QOS_EFLOWCOUNT
11024	0x80072B10	An unrecognized object was found in the QOS provider-specific buffer.	WSA_QOS_EUNKNOWNPSOBJ
11025	0x80072B11	An invalid policy object was found in the QOS provider-specific buffer.	WSA_QOS_EPOLICYOBJ
11026	0x80072B12	An invalid QOS flow descriptor was found in the flow descriptor list.	WSA_QOS_EFLOWDESC
11027	0x80072B13	An invalid or inconsistent flowspec was found in the QOS provider specific buffer.	WSA_QOS_EPSFLOWSPEC
11028	0x80072B14	An invalid FILTERSPEC was found in the QOS provider-specific buffer.	WSA_QOS_EPSFILTERSPEC
11029	0x80072B15	An invalid shape discard mode object was found in the QOS provider specific buffer.	WSA_QOS_ESDMODEOBJ
11030	0x80072B16	An invalid shaping rate object was found in the QOS provider-specific buffer.	WSA_QOS_ESHAPERATEOBJ
11031	0x80072B17	A reserved policy element was found in the QOS provider-specific buffer.	WSA_QOS_RESERVED_PETYPE
13000	0x800732C8	The specified quick mode policy already exists.	ERROR_IPSEC_QM_POLICY_EXISTS
13001	0x800732C9	The specified quick mode policy was not found.	ERROR_IPSEC_QM_POLICY_NOT_FOUND
13002	0x800732CA	The specified quick mode policy is being used.	ERROR_IPSEC_QM_POLICY_IN_USE
13003	0x800732CB	The specified main mode policy already exists.	ERROR_IPSEC_MM_POLICY_EXISTS
13004	0x800732CC	The specified main mode policy was not found.	ERROR_IPSEC_MM_POLICY_NOT_FOUND
13005	0x800732CD	The specified main mode policy is being used.	ERROR_IPSEC_MM_POLICY_IN_USE
13006	0x800732CE	The specified main mode filter already exists.	ERROR_IPSEC_MM_FILTER_EXISTS
13007	0x800732CF	The specified main mode filter was not found.	ERROR_IPSEC_MM_FILTER_NOT_FOUND
13008	0x800732D0	The specified transport mode filter already exists.	ERROR_IPSEC_TRANSPORT_FILTER_EXISTS
13009	0x800732D1	The specified transport mode filter does not exist.	ERROR_IPSEC_TRANSPORT_FILTER_NOT_FOUND
13010	0x800732D2	The specified main mode authentication list exists.	ERROR_IPSEC_MM_AUTH_EXISTS
13011	0x800732D3	The specified main mode authentication list was not found.	ERROR_IPSEC_MM_AUTH_NOT_FOUND
13012	0x800732D4	The specified main mode authentication list is being used.	ERROR_IPSEC_MM_AUTH_IN_USE
13013	0x800732D5	The specified default main mode policy was not found.	ERROR_IPSEC_DEFAULT_MM_POLICY_NOT_FOUND
13014	0x800732D6	The specified default main mode authentication list was not found.	ERROR_IPSEC_DEFAULT_MM_AUTH_NOT_FOUND
13015	0x800732D7	The specified default quick mode policy was not found.	ERROR_IPSEC_DEFAULT_QM_POLICY_NOT_FOUND
13016	0x800732D8	The specified tunnel mode filter exists.	ERROR_IPSEC_TUNNEL_FILTER_EXISTS
13017	0x800732D9	The specified tunnel mode filter was not found.	ERROR_IPSEC_TUNNEL_FILTER_NOT_FOUND
13018	0x800732DA	The Main Mode filter is pending deletion.	ERROR_IPSEC_MM_FILTER_PENDING_DELETION
13019	0x800732DB	The transport filter is pending deletion.	ERROR_IPSEC_TRANSPORT_FILTER_PENDING_DELETION
13020	0x800732DC	The tunnel filter is pending deletion.	ERROR_IPSEC_TUNNEL_FILTER_PENDING_DELETION
13021	0x800732DD	The Main Mode policy is pending deletion.	ERROR_IPSEC_MM_POLICY_PENDING_DELETION
13022	0x800732DE	The Main Mode authentication bundle is pending deletion.	ERROR_IPSEC_MM_AUTH_PENDING_DELETION
13023	0x800732DF	The Quick Mode policy is pending deletion.	ERROR_IPSEC_QM_POLICY_PENDING_DELETION

13024	0x800732E0	The Main Mode policy was successfully added, but some of the requested offers are not supported.	WARNING_IPSEC_MM_POLICY_PRUNED
13025	0x800732E1	The Quick Mode policy was successfully added, but some of the requested offers are not supported.	WARNING_IPSEC_QM_POLICY_PRUNED
13800	0x800735E8	ERROR_IPSEC_IKE_NEG_STATUS_BEGIN	ERROR_IPSEC_IKE_NEG_STATUS_BEGIN
13801	0x800735E9	IKE authentication credentials are unacceptable	ERROR_IPSEC_IKE_AUTH_FAIL
13802	0x800735EA	IKE security attributes are unacceptable	ERROR_IPSEC_IKE_ATTRIB_FAIL
13803	0x800735EB	IKE Negotiation in progress	ERROR_IPSEC_IKE_NEGOTIATION_PENDING
13804	0x800735EC	General processing error	ERROR_IPSEC_IKE_GENERAL_PROCESSING_ERROR
13805	0x800735ED	Negotiation timed out	ERROR_IPSEC_IKE_TIMED_OUT
13806	0x800735EE	IKE failed to find valid machine certificate. Contact your Network Security Administrator about installing a valid certificate in the appropriate Certificate Store.	ERROR_IPSEC_IKE_NO_CERT
13807	0x800735EF	IKE SA deleted by peer before establishment completed	ERROR_IPSEC_IKE_SA_DELETED
13808	0x800735F0	IKE SA deleted before establishment completed	ERROR_IPSEC_IKE_SA_REAPED
13809	0x800735F1	Negotiation request sat in Queue too long	ERROR_IPSEC_IKE_MM_ACQUIRE_DROP
13810	0x800735F2	Negotiation request sat in Queue too long	ERROR_IPSEC_IKE_QM_ACQUIRE_DROP
13811	0x800735F3	Negotiation request sat in Queue too long	ERROR_IPSEC_IKE_QUEUE_DROP_MM
13812	0x800735F4	Negotiation request sat in Queue too long	ERROR_IPSEC_IKE_QUEUE_DROP_NO_MM
13813	0x800735F5	No response from peer	ERROR_IPSEC_IKE_DROP_NO_RESPONSE
13814	0x800735F6	Negotiation took too long	ERROR_IPSEC_IKE_MM_DELAY_DROP
13815	0x800735F7	Negotiation took too long	ERROR_IPSEC_IKE_QM_DELAY_DROP
13816	0x800735F8	Unknown error occurred	ERROR_IPSEC_IKE_ERROR
13817	0x800735F9	Certificate Revocation Check failed	ERROR_IPSEC_IKE_CRL_FAILED
13818	0x800735FA	Invalid certificate key usage	ERROR_IPSEC_IKE_INVALID_KEY_USAGE
13819	0x800735FB	Invalid certificate type	ERROR_IPSEC_IKE_INVALID_CERT_TYPE
13820	0x800735FC	IKE negotiation failed because the machine certificate used does not have a private key. IPsec certificates require a private key. Contact your Network Security administrator about replacing with a certificate that has a private key.	ERROR_IPSEC_IKE_NO_PRIVATE_KEY
13822	0x800735FE	Failure in Diffie-Helman computation	ERROR_IPSEC_IKE_DH_FAIL
13824	0x80073600	Invalid header	ERROR_IPSEC_IKE_INVALID_HEADER
13825	0x80073601	No policy configured	ERROR_IPSEC_IKE_NO_POLICY
13826	0x80073602	Failed to verify signature	ERROR_IPSEC_IKE_INVALID_SIGNATURE
13827	0x80073603	Failed to authenticate using kerberos	ERROR_IPSEC_IKE_KERBEROS_ERROR
13828	0x80073604	Peer's certificate did not have a public key	ERROR_IPSEC_IKE_NO_PUBLIC_KEY
13829	0x80073605	Error processing error payload	ERROR_IPSEC_IKE_PROCESS_ERR
13830	0x80073606	Error processing SA payload	ERROR_IPSEC_IKE_PROCESS_ERR_SA
13831	0x80073607	Error processing Proposal payload	ERROR_IPSEC_IKE_PROCESS_ERR_PROP
13832	0x80073608	Error processing Transform payload	ERROR_IPSEC_IKE_PROCESS_ERR_TRANS
13833	0x80073609	Error processing KE payload	ERROR_IPSEC_IKE_PROCESS_ERR_KEY
13834	0x8007360A	Error processing ID payload	ERROR_IPSEC_IKE_PROCESS_ERR_ID
13835	0x8007360B	Error processing Cert payload	ERROR_IPSEC_IKE_PROCESS_ERR_CERT
13836	0x8007360C	Error processing Certificate Request payload	ERROR_IPSEC_IKE_PROCESS_ERR_CERT_REQ
13837	0x8007360D	Error processing Hash payload	ERROR_IPSEC_IKE_PROCESS_ERR_HASH
13838	0x8007360E	Error processing Signature payload	ERROR_IPSEC_IKE_PROCESS_ERR_SIG
13839	0x8007360F	Error processing Nonce payload	ERROR_IPSEC_IKE_PROCESS_ERR_NONCE
13840	0x80073610	Error processing Notify payload	ERROR_IPSEC_IKE_PROCESS_ERR_NOTIFY
13841	0x80073611	Error processing Delete Payload	ERROR_IPSEC_IKE_PROCESS_ERR_DELETE
13842	0x80073612	Error processing VendorId payload	ERROR_IPSEC_IKE_PROCESS_ERR_VENDOR
13843	0x80073613	Invalid payload received	ERROR_IPSEC_IKE_INVALID_PAYLOAD
13844	0x80073614	Soft SA loaded	ERROR_IPSEC_IKE_LOAD_SOFT_SA
13845	0x80073615	Soft SA torn down	ERROR_IPSEC_IKE_SOFT_SA_TORN_DOWN
13846	0x80073616	Invalid cookie received.	ERROR_IPSEC_IKE_INVALID_COOKIE
13847	0x80073617	Peer failed to send valid machine certificate	ERROR_IPSEC_IKE_NO_PEER_CERT
13848	0x80073618	Certification Revocation check of peer's certificate failed	ERROR_IPSEC_IKE_PEER_CRL_FAILED
13849	0x80073619	New policy invalidated SAs formed with old policy	ERROR_IPSEC_IKE_POLICY_CHANGE
13850	0x8007361A	There is no available Main Mode IKE policy.	ERROR_IPSEC_IKE_NO_MM_POLICY

13851	0x8007361B	Failed to enable TCB privilege.	ERROR_IPSEC_IKE_NOTCBPRIV
13852	0x8007361C	Failed to load SECURITY.DLL.	ERROR_IPSEC_IKE_SECLOADFAIL
13853	0x8007361D	Failed to obtain security function table dispatch address from SSPI.	ERROR_IPSEC_IKE_FAILSSPINIT
13854	0x8007361E	Failed to query Kerberos package to obtain max token size.	ERROR_IPSEC_IKE_FAILQUERYSSP
13855	0x8007361F	Failed to obtain Kerberos server credentials for ISAKMP/ERROR_IPSEC_IKE service. Kerberos authentication will not function. The most likely reason for this is lack of domain membership. This is normal if your computer is a member of a workgroup.	ERROR_IPSEC_IKE_SRVACQFAIL
13856	0x80073620	Failed to determine SSPI principal name for ISAKMP/ERROR_IPSEC_IKE service (QueryCredentialsAttributes).	ERROR_IPSEC_IKE_SRVQUERYCRED
13857	0x80073621	Failed to obtain new SPI for the inbound SA from Ipsec driver. The most common cause for this is that the driver does not have the correct filter. Check your policy to verify the filters.	ERROR_IPSEC_IKE_GETSPIFAIL
13858	0x80073622	Given filter is invalid	ERROR_IPSEC_IKE_INVALID_FILTER
13859	0x80073623	Memory allocation failed.	ERROR_IPSEC_IKE_OUT_OF_MEMORY
13860	0x80073624	Failed to add Security Association to IPsec Driver. The most common cause for this is if the IKE negotiation took too long to complete. If the problem persists, reduce the load on the faulting machine.	ERROR_IPSEC_IKE_ADD_UPDATE_KEY_FAILED
13861	0x80073625	Invalid policy	ERROR_IPSEC_IKE_INVALID_POLICY
13862	0x80073626	Invalid DOI	ERROR_IPSEC_IKE_UNKNOWN_DOI
13863	0x80073627	Invalid situation	ERROR_IPSEC_IKE_INVALID_SITUATION
13864	0x80073628	Diffie-Hellman failure	ERROR_IPSEC_IKE_DH_FAILURE
13865	0x80073629	Invalid Diffie-Hellman group	ERROR_IPSEC_IKE_INVALID_GROUP
13866	0x8007362A	Error encrypting payload	ERROR_IPSEC_IKE_ENCRYPT
13867	0x8007362B	Error decrypting payload	ERROR_IPSEC_IKE_DECRYPT
13868	0x8007362C	Policy match error	ERROR_IPSEC_IKE_POLICY_MATCH
13869	0x8007362D	Unsupported ID	ERROR_IPSEC_IKE_UNSUPPORTED_ID
13870	0x8007362E	Hash verification failed	ERROR_IPSEC_IKE_INVALID_HASH
13871	0x8007362F	Invalid hash algorithm	ERROR_IPSEC_IKE_INVALID_HASH_ALG
13872	0x80073630	Invalid hash size	ERROR_IPSEC_IKE_INVALID_HASH_SIZE
13873	0x80073631	Invalid encryption algorithm	ERROR_IPSEC_IKE_INVALID_ENCRYPT_ALG
13874	0x80073632	Invalid authentication algorithm	ERROR_IPSEC_IKE_INVALID_AUTH_ALG
13875	0x80073633	Invalid certificate signature	ERROR_IPSEC_IKE_INVALID_SIG
13876	0x80073634	Load failed	ERROR_IPSEC_IKE_LOAD_FAILED
13877	0x80073635	Deleted via RPC call	ERROR_IPSEC_IKE_RPC_DELETE
13878	0x80073636	Temporary state created to perform reinit. This is not a real failure.	ERROR_IPSEC_IKE_BENIGN_REINIT
13879	0x80073637	The lifetime value received in the Responder Lifetime Notify is below the Windows 2000 configured minimum value. Please fix the policy on the peer machine.	ERROR_IPSEC_IKE_INVALID_RESPONDER_LIFETIME_NOTIFY
13881	0x80073639	Key length in certificate is too small for configured security requirements.	ERROR_IPSEC_IKE_INVALID_CERT_KEYLEN
13882	0x8007363A	Max number of established MM SAs to peer exceeded.	ERROR_IPSEC_IKE_MM_LIMIT
13883	0x8007363B	IKE received a policy that disables negotiation.	ERROR_IPSEC_IKE_NEGOTIATION_DISABLED
13884	0x8007363C	Reached maximum quick mode limit for the main mode. New main mode will be started.	ERROR_IPSEC_IKE_QM_LIMIT
13885	0x8007363D	Main mode SA lifetime expired or peer sent a main mode delete.	ERROR_IPSEC_IKE_MM_EXPIRED
13886	0x8007363E	Main mode SA assumed to be invalid because peer stopped responding.	ERROR_IPSEC_IKE_PEER_MM_ASSUMED_INVALID
13887	0x8007363F	Certificate doesn't chain to a trusted root in IPsec policy.	ERROR_IPSEC_IKE_CERT_CHAIN_POLICY_MISMATCH
13888	0x80073640	Received unexpected message ID.	ERROR_IPSEC_IKE_UNEXPECTED_MESSAGE_ID
13889	0x80073641	Received invalid authentication offers.	ERROR_IPSEC_IKE_INVALID_AUTH_PAYLOAD
13890	0x80073642	Sent DOS cookie notify to initiator.	ERROR_IPSEC_IKE_DOS_COOKIE_SENT
13891	0x80073643	IKE service is shutting down.	ERROR_IPSEC_IKE_SHUTTING_DOWN
13892	0x80073644	Could not verify binding between CGA address and certificate.	ERROR_IPSEC_IKE_CGA_AUTH_FAILED
13893	0x80073645	Error processing NatOA payload.	ERROR_IPSEC_IKE_PROCESS_ERR_NATOA

13894	0x80073646	Parameters of the main mode are invalid for this quick mode.	ERROR_IPSEC_IKE_INVALID_MM_FOR_QM
13895	0x80073647	Quick mode SA was expired by IPsec driver.	ERROR_IPSEC_IKE_QM_EXPIRED
13896	0x80073648	Too many dynamically added IKEEXT filters were detected.	ERROR_IPSEC_IKE_TOO_MANY_FILTERS
13897	0x80073649	ERROR_IPSEC_IKE_NEG_STATUS_END	ERROR_IPSEC_IKE_NEG_STATUS_END
13910	0x80073656	The SPI in the packet does not match a valid IPsec SA.	ERROR_IPSEC_BAD_SPI
13911	0x80073657	Packet was received on an IPsec SA whose lifetime has expired.	ERROR_IPSEC_SA_LIFETIME_EXPIRED
13912	0x80073658	Packet was received on an IPsec SA that doesn't match the packet characteristics.	ERROR_IPSEC_WRONG_SA
13913	0x80073659	Packet sequence number replay check failed.	ERROR_IPSEC_REPLAY_CHECK_FAILED
13914	0x8007365A	IPsec header and/or trailer in the packet is invalid.	ERROR_IPSEC_INVALID_PACKET
13915	0x8007365B	IPsec integrity check failed.	ERROR_IPSEC_INTEGRITY_CHECK_FAILED
13916	0x8007365C	IPsec dropped a clear text packet.	ERROR_IPSEC_CLEAR_TEXT_DROP
14000	0x800736B0	The requested section was not present in the activation context.	ERROR_SXS_SECTION_NOT_FOUND
14001	0x800736B1	The application has failed to start because its side-by-side configuration is incorrect. Please see the application event log for more detail.	ERROR_SXS_CANT_GEN_ACTCTX
14002	0x800736B2	The application binding data format is invalid.	ERROR_SXS_INVALID_ACTCTXDATA_FORMAT
14003	0x800736B3	The referenced assembly is not installed on your system.	ERROR_SXS_ASSEMBLY_NOT_FOUND
14004	0x800736B4	The manifest file does not begin with the required tag and format information.	ERROR_SXS_MANIFEST_FORMAT_ERROR
14005	0x800736B5	The manifest file contains one or more syntax errors.	ERROR_SXS_MANIFEST_PARSE_ERROR
14006	0x800736B6	The application attempted to activate a disabled activation context.	ERROR_SXS_ACTIVATION_CONTEXT_DISABLED
14007	0x800736B7	The requested lookup key was not found in any active activation context.	ERROR_SXS_KEY_NOT_FOUND
14008	0x800736B8	A component version required by the application conflicts with another component version already active.	ERROR_SXS_VERSION_CONFLICT
14009	0x800736B9	The type requested activation context section does not match the query API used.	ERROR_SXS_WRONG_SECTION_TYPE
14010	0x800736BA	Lack of system resources has required isolated activation to be disabled for the current thread of execution.	ERROR_SXS_THREAD_QUERIES_DISABLED
14011	0x800736BB	An attempt to set the process default activation context failed because the process default activation context was already set.	ERROR_SXS_PROCESS_DEFAULT_ALREADY_SET
14012	0x800736BC	The encoding group identifier specified is not recognized.	ERROR_SXS_UNKNOWN_ENCODING_GROUP
14013	0x800736BD	The encoding requested is not recognized.	ERROR_SXS_UNKNOWN_ENCODING
14014	0x800736BE	The manifest contains a reference to an invalid URI.	ERROR_SXS_INVALID_XML_NAMESPACE_URI
14015	0x800736BF	The application manifest contains a reference to a dependent assembly which is not installed	ERROR_SXS_ROOT_MANIFEST_DEPENDENCY_NOT_INSTALLED
14016	0x800736C0	The manifest for an assembly used by the application has a reference to a dependent assembly which is not installed	ERROR_SXS_LEAF_MANIFEST_DEPENDENCY_NOT_INSTALLED
14017	0x800736C1	The manifest contains an attribute for the assembly identity which is not valid.	ERROR_SXS_INVALID_ASSEMBLY_IDENTITY_ATTRIBUTE
14018	0x800736C2	The manifest is missing the required default namespace specification on the assembly element.	ERROR_SXS_MANIFEST_MISSING_REQUIRED_DEFAULT_NAMESPACE
14019	0x800736C3	The manifest has a default namespace specified on the assembly element but its value is not "urn:schemas-microsoft-com:asm.v1".	ERROR_SXS_MANIFEST_INVALID_REQUIRED_DEFAULT_NAMESPACE
14020	0x800736C4	The private manifest probed has crossed reparse-point-associated path	ERROR_SXS_PRIVATE_MANIFEST_CROSS_PATH_WITH_REPARSE_POINT
14021	0x800736C5	Two or more components referenced directly or indirectly by the application manifest have files by the same name.	ERROR_SXS_DUPLICATE_DLL_NAME
14022	0x800736C6	Two or more components referenced directly or indirectly by the application manifest have window classes with the same name.	ERROR_SXS_DUPLICATE_WINDOWCLASS_NAME
14023	0x800736C7	Two or more components referenced directly or indirectly by the application manifest have the same COM server CLSIDs.	ERROR_SXS_DUPLICATE_CLSID

14024	0x800736C8	Two or more components referenced directly or indirectly by the application manifest have proxies for the same COM interface IIDs.	ERROR_SXS_DUPLICATE_IID
14025	0x800736C9	Two or more components referenced directly or indirectly by the application manifest have the same COM type library TLBIDs.	ERROR_SXS_DUPLICATE_TLBID
14026	0x800736CA	Two or more components referenced directly or indirectly by the application manifest have the same COM ProgIDs.	ERROR_SXS_DUPLICATE_PROGID
14027	0x800736CB	Two or more components referenced directly or indirectly by the application manifest are different versions of the same component which is not permitted.	ERROR_SXS_DUPLICATE_ASSEMBLY_NAME
14028	0x800736CC	A component's file does not match the verification information present in the component manifest.	ERROR_SXS_FILE_HASH_MISMATCH
14029	0x800736CD	The policy manifest contains one or more syntax errors.	ERROR_SXS_POLICY_PARSE_ERROR
14030	0x800736CE	Manifest Parse Error : A string literal was expected, but no opening quote character was found.	ERROR_SXS_XML_E_MISSINGQUOTE
14031	0x800736CF	Manifest Parse Error : Incorrect syntax was used in a comment.	ERROR_SXS_XML_E_COMMENTSYNTAX
14032	0x800736D0	Manifest Parse Error : A name was started with an invalid character.	ERROR_SXS_XML_E_BADSTARTNAMECHAR
14033	0x800736D1	Manifest Parse Error : A name contained an invalid character.	ERROR_SXS_XML_E_BADNAMECHAR
14034	0x800736D2	Manifest Parse Error : A string literal contained an invalid character.	ERROR_SXS_XML_E_BADCHARINSTRING
14035	0x800736D3	Manifest Parse Error : Invalid syntax for an xml declaration.	ERROR_SXS_XML_E_XMLDECLSYNTAX
14036	0x800736D4	Manifest Parse Error : An Invalid character was found in text content.	ERROR_SXS_XML_E_BADCHARDATA
14037	0x800736D5	Manifest Parse Error : Required white space was missing.	ERROR_SXS_XML_E_MISSINGWHITESPACE
14038	0x800736D6	Manifest Parse Error : The character '>' was expected.	ERROR_SXS_XML_E_EXPECTINGTAGEND
14039	0x800736D7	Manifest Parse Error : A semi colon character was expected.	ERROR_SXS_XML_E_MISSINGSEMICOLON
14040	0x800736D8	Manifest Parse Error : Unbalanced parentheses.	ERROR_SXS_XML_E_UNBALANCEDPAREN
14041	0x800736D9	Manifest Parse Error : Internal error.	ERROR_SXS_XML_E_INTERNALERROR
14042	0x800736DA	Manifest Parse Error : Whitespace is not allowed at this location.	ERROR_SXS_XML_E_UNEXPECTED_WHITESPACE
14043	0x800736DB	Manifest Parse Error : End of file reached in invalid state for current encoding.	ERROR_SXS_XML_E_INCOMPLETE_ENCODING
14044	0x800736DC	Manifest Parse Error : Missing parenthesis.	ERROR_SXS_XML_E_MISSING_PAREN
14045	0x800736DD	Manifest Parse Error : A single or double closing quote character (' or ") is missing.	ERROR_SXS_XML_E_EXPECTINGCLOSEQUOTE
14046	0x800736DE	Manifest Parse Error : Multiple colons are not allowed in a name.	ERROR_SXS_XML_E_MULTIPLE_COLONS
14047	0x800736DF	Manifest Parse Error : Invalid character for decimal digit.	ERROR_SXS_XML_E_INVALID_DECIMAL
14048	0x800736E0	Manifest Parse Error : Invalid character for hexadecimal digit.	ERROR_SXS_XML_E_INVALID_HEXIDECIMAL
14049	0x800736E1	Manifest Parse Error : Invalid unicode character value for this platform.	ERROR_SXS_XML_E_INVALID_UNICODE
14050	0x800736E2	Manifest Parse Error : Expecting whitespace or '?'.	ERROR_SXS_XML_E_WHITESPACEORQUESTIONMARK
14051	0x800736E3	Manifest Parse Error : End tag was not expected at this location.	ERROR_SXS_XML_E_UNEXPECTEDENDTAG
14052	0x800736E4	Manifest Parse Error : The following tags were not closed: %1.	ERROR_SXS_XML_E_UNCLOSEDTAG
14053	0x800736E5	Manifest Parse Error : Duplicate attribute.	ERROR_SXS_XML_E_DUPLICATEATTRIBUTE
14054	0x800736E6	Manifest Parse Error : Only one top level element is allowed in an XML document.	ERROR_SXS_XML_E_MULTPLEROOTS
14055	0x800736E7	Manifest Parse Error : Invalid at the top level of the document.	ERROR_SXS_XML_E_INVALIDATROOTLEVEL
14056	0x800736E8	Manifest Parse Error : Invalid xml declaration.	ERROR_SXS_XML_E_BADXMLDECL
14057	0x800736E9	Manifest Parse Error : XML document must have a top level element.	ERROR_SXS_XML_E_MISSINGROOT
14058	0x800736EA	Manifest Parse Error : Unexpected end of file.	ERROR_SXS_XML_E_UNEXPECTEDEOF

14059	0x800736EB	Manifest Parse Error : Parameter entities cannot be used inside markup declarations in an internal subset.	ERROR_SXS_XML_E_BADPEREFINSUBSET
14060	0x800736EC	Manifest Parse Error : Element was not closed.	ERROR_SXS_XML_E_UNCLOSEDSTARTTAG
14061	0x800736ED	Manifest Parse Error : End element was missing the character '>'.	ERROR_SXS_XML_E_UNCLOSEDENDTAG
14062	0x800736EE	Manifest Parse Error : A string literal was not closed.	ERROR_SXS_XML_E_UNCLOSEDSTRING
14063	0x800736EF	Manifest Parse Error : A comment was not closed.	ERROR_SXS_XML_E_UNCLOSEDCOMMENT
14064	0x800736F0	Manifest Parse Error : A declaration was not closed.	ERROR_SXS_XML_E_UNCLOSEDDECL
14065	0x800736F1	Manifest Parse Error : A CDATA section was not closed.	ERROR_SXS_XML_E_UNCLOSEDCDATA
14066	0x800736F2	Manifest Parse Error : The namespace prefix is not allowed to start with the reserved string "xml".	ERROR_SXS_XML_E_RESERVEDNAMESPACE
14067	0x800736F3	Manifest Parse Error : System does not support the specified encoding.	ERROR_SXS_XML_E_INVALIDENCODING
14068	0x800736F4	Manifest Parse Error : Switch from current encoding to specified encoding not supported.	ERROR_SXS_XML_E_INVALIDSWITCH
14069	0x800736F5	Manifest Parse Error : The name 'xml' is reserved and must be lower case.	ERROR_SXS_XML_E_BADXMLCASE
14070	0x800736F6	Manifest Parse Error : The standalone attribute must have the value 'yes' or 'no'.	ERROR_SXS_XML_E_INVALID_STANDALONE
14071	0x800736F7	Manifest Parse Error : The standalone attribute cannot be used in external entities.	ERROR_SXS_XML_E_UNEXPECTED_STANDALONE
14072	0x800736F8	Manifest Parse Error : Invalid version number.	ERROR_SXS_XML_E_INVALID_VERSION
14073	0x800736F9	Manifest Parse Error : Missing equals sign between attribute and attribute value.	ERROR_SXS_XML_E_MISSINGEQUALS
14074	0x800736FA	Assembly Protection Error : Unable to recover the specified assembly.	ERROR_SXS_PROTECTION_RECOVERY_FAILED
14075	0x800736FB	Assembly Protection Error : The public key for an assembly was too short to be allowed.	ERROR_SXS_PROTECTION_PUBLIC_KEY_TOO_SHORT
14076	0x800736FC	Assembly Protection Error : The catalog for an assembly is not valid, or does not match the assembly's manifest.	ERROR_SXS_PROTECTION_CATALOG_NOT_VALID
14077	0x800736FD	An HRESULT could not be translated to a corresponding Win32 error code.	ERROR_SXS_UNTRANSLATABLE_HRESULT
14078	0x800736FE	Assembly Protection Error : The catalog for an assembly is missing.	ERROR_SXS_PROTECTION_CATALOG_FILE_MISSING
14079	0x800736FF	The supplied assembly identity is missing one or more attributes which must be present in this context.	ERROR_SXS_MISSING_ASSEMBLY_IDENTITY_ATTRIBUTE
14080	0x80073700	The supplied assembly identity has one or more attribute names that contain characters not permitted in XML names.	ERROR_SXS_INVALID_ASSEMBLY_IDENTITY_ATTRIBUTE_NAME
14081	0x80073701	The referenced assembly could not be found.	ERROR_SXS_ASSEMBLY_MISSING
14082	0x80073702	The activation context activation stack for the running thread of execution is corrupt.	ERROR_SXS_CORRUPT_ACTIVATION_STACK
14083	0x80073703	The application isolation metadata for this process or thread has become corrupt.	ERROR_SXS_CORRUPTION
14084	0x80073704	The activation context being deactivated is not the most recently activated one.	ERROR_SXS_EARLY_DEACTIVATION
14085	0x80073705	The activation context being deactivated is not active for the current thread of execution.	ERROR_SXS_INVALID_DEACTIVATION
14086	0x80073706	The activation context being deactivated has already been deactivated.	ERROR_SXS_MULTIPLE_DEACTIVATION
14087	0x80073707	A component used by the isolation facility has requested to terminate the process.	ERROR_SXS_PROCESS_TERMINATION_REQUESTED
14088	0x80073708	A kernel mode component is releasing a reference on an activation context.	ERROR_SXS_RELEASE_ACTIVATION_CONTEXT
14089	0x80073709	The activation context of system default assembly could not be generated.	ERROR_SXS_SYSTEM_DEFAULT_ACTIVATION_CONTEXT_EMPTY
14090	0x8007370A	The value of an attribute in an identity is not within the legal range.	ERROR_SXS_INVALID_IDENTITY_ATTRIBUTE_VALUE
14091	0x8007370B	The name of an attribute in an identity is not within the legal range.	ERROR_SXS_INVALID_IDENTITY_ATTRIBUTE_NAME
14092	0x8007370C	An identity contains two definitions for the same attribute.	ERROR_SXS_IDENTITY_DUPLICATE_ATTRIBUTE
14093	0x8007370D	The identity string is malformed. This may be due to a trailing comma, more than two unnamed attributes, missing attribute name or	ERROR_SXS_IDENTITY_PARSE_ERROR

		missing attribute value.	
14094	0x8007370E	A string containing localized substitutable content was malformed. Either a dollar sign (\$) was followed by something other than a left parenthesis or another dollar sign or a substitution's right parenthesis was not found.	ERROR_MALFORMED_SUBSTITUTION_STRING
14095	0x8007370F	The public key token does not correspond to the public key specified.	ERROR_SXS_INCORRECT_PUBLIC_KEY_TOKEN
14096	0x80073710	A substitution string had no mapping.	ERROR_UNMAPPED_SUBSTITUTION_STRING
14097	0x80073711	The component must be locked before making the request.	ERROR_SXS_ASSEMBLY_NOT_LOCKED
14098	0x80073712	The component store has been corrupted.	ERROR_SXS_COMPONENT_STORE_CORRUPT
14099	0x80073713	An advanced installer failed during setup or servicing.	ERROR_ADVANCED_INSTALLER_FAILED
14100	0x80073714	The character encoding in the XML declaration did not match the encoding used in the document.	ERROR_XML_ENCODING_MISMATCH
14101	0x80073715	The identities of the manifests are identical but their contents are different.	ERROR_SXS_MANIFEST_IDENTITY_SAME_BUT_CONTENTS_DIFFERENT
14102	0x80073716	The component identities are different.	ERROR_SXS_IDENTITIES_DIFFERENT
14103	0x80073717	The assembly is not a deployment.	ERROR_SXS_ASSEMBLY_IS_NOT_A_DEPLOYMENT
14104	0x80073718	The file is not a part of the assembly.	ERROR_SXS_FILE_NOT_PART_OF_ASSEMBLY
14105	0x80073719	The size of the manifest exceeds the maximum allowed.	ERROR_SXS_MANIFEST_TOO_BIG
14106	0x8007371A	The setting is not registered.	ERROR_SXS_SETTING_NOT_REGISTERED
14107	0x8007371B	One or more required members of the transaction are not present.	ERROR_SXS_TRANSACTION_CLOSURE_INCOMPLETE
14108	0x8007371C	The SMI primitive installer failed during setup or servicing.	ERROR_SMI_PRIMITIVE_INSTALLER_FAILED
14109	0x8007371D	A generic command executable returned a result that indicates failure.	ERROR_GENERIC_COMMAND_FAILED
14110	0x8007371E	A component is missing file verification information in its manifest.	ERROR_SXS_FILE_HASH_MISSING
15000	0x80073A98	The specified channel path is invalid.	ERROR_EVT_INVALID_CHANNEL_PATH
15001	0x80073A99	The specified query is invalid.	ERROR_EVT_INVALID_QUERY
15002	0x80073A9A	The publisher metadata cannot be found in the resource.	ERROR_EVT_PUBLISHER_METADATA_NOT_FOUND
15003	0x80073A9B	The template for an event definition cannot be found in the resource (error = %1).	ERROR_EVT_EVENT_TEMPLATE_NOT_FOUND
15004	0x80073A9C	The specified publisher name is invalid.	ERROR_EVT_INVALID_PUBLISHER_NAME
15005	0x80073A9D	The event data raised by the publisher is not compatible with the event template definition in the publisher's manifest	ERROR_EVT_INVALID_EVENT_DATA
15007	0x80073A9F	The specified channel could not be found. Check channel configuration.	ERROR_EVT_CHANNEL_NOT_FOUND
15008	0x80073AA0	The specified xml text was not well-formed. See Extended Error for more details.	ERROR_EVT_MALFORMED_XML_TEXT
15009	0x80073AA1	The caller is trying to subscribe to a direct channel which is not allowed. The events for a direct channel go directly to a logfile and cannot be subscribed to.	ERROR_EVT_SUBSCRIPTION_TO_DIRECT_CHANNEL
15010	0x80073AA2	Configuration error.	ERROR_EVT_CONFIGURATION_ERROR
15011	0x80073AA3	The query result is stale / invalid. This may be due to the log being cleared or rolling over after the query result was created. Users should handle this code by releasing the query result object and reissuing the query.	ERROR_EVT_QUERY_RESULT_STALE
15012	0x80073AA4	Query result is currently at an invalid position.	ERROR_EVT_QUERY_RESULT_INVALID_POSITION
15013	0x80073AA5	Registered MSXML doesn't support validation.	ERROR_EVT_NON_VALIDATING_MSXML
15014	0x80073AA6	An expression can only be followed by a change of scope operation if it itself evaluates to a node set and is not already part of some other change of scope operation.	ERROR_EVT_FILTER_ALREADYSCOPED
15015	0x80073AA7	Can't perform a step operation from a term that does not represent an element set.	ERROR_EVT_FILTER_NOTELTSET
15016	0x80073AA8	Left hand side arguments to binary operators must be either attributes, nodes or variables and right hand side arguments must be constants.	ERROR_EVT_FILTER_INVARG
15017	0x80073AA9	A step operation must involve either a node test or, in the case of a predicate, an algebraic expression against which to test each node in the node set identified by the preceding node	ERROR_EVT_FILTER_INVTEST

		set can be evaluated.	
15018	0x80073AAA	This data type is currently unsupported.	ERROR_EVT_FILTER_INVTYPE
15019	0x80073AAB	A syntax error occurred at position %!d!	ERROR_EVT_FILTER_PARSEERR
15020	0x80073AAC	This operator is unsupported by this implementation of the filter.	ERROR_EVT_FILTER_UNSUPPORTEDOP
15021	0x80073AAD	The token encountered was unexpected.	ERROR_EVT_FILTER_UNEXPECTEDTOKEN
15022	0x80073AAE	The requested operation cannot be performed over an enabled direct channel. The channel must first be disabled before performing the requested operation.	ERROR_EVT_INVALID_OPERATION_OVER_ENABLED_DIRECT_CHANNEL
15023	0x80073AAF	Channel property %!s! contains invalid value. The value has invalid type, is outside of valid range, can't be updated or is not supported by this type of channel.	ERROR_EVT_INVALID_CHANNEL_PROPERTY_VALUE
15024	0x80073AB0	Publisher property %!s! contains invalid value. The value has invalid type, is outside of valid range, can't be updated or is not supported by this type of publisher.	ERROR_EVT_INVALID_PUBLISHER_PROPERTY_VALUE
15025	0x80073AB1	The channel fails to activate.	ERROR_EVT_CHANNEL_CANNOT_ACTIVATE
15026	0x80073AB2	The xpath expression exceeded supported complexity. Please symplify it or split it into two or more simple expressions.	ERROR_EVT_FILTER_TOO_COMPLEX
15027	0x80073AB3	the message resource is present but the message is not found in the string/message table	ERROR_EVT_MESSAGE_NOT_FOUND
15028	0x80073AB4	The message id for the desired message could not be found.	ERROR_EVT_MESSAGE_ID_NOT_FOUND
15029	0x80073AB5	The substitution string for insert index (%1) could not be found.	ERROR_EVT_UNRESOLVED_VALUE_INSERT
15030	0x80073AB6	The description string for parameter reference (%1) could not be found.	ERROR_EVT_UNRESOLVED_PARAMETER_INSERT
15031	0x80073AB7	The maximum number of replacements has been reached.	ERROR_EVT_MAX_INSERTS_REACHED
15032	0x80073AB8	The event definition could not be found for event id (%1).	ERROR_EVT_EVENT_DEFINITION_NOT_FOUND
15033	0x80073AB9	The locale specific resource for the desired message is not present.	ERROR_EVT_MESSAGE_LOCALE_NOT_FOUND
15034	0x80073ABA	The resource is too old to be compatible.	ERROR_EVT_VERSION_TOO_OLD
15035	0x80073ABB	The resource is too new to be compatible.	ERROR_EVT_VERSION_TOO_NEW
15036	0x80073ABC	The channel at index %!d! of the query can't be opened.	ERROR_EVT_CANNOT_OPEN_CHANNEL_OF_QUERY
15037	0x80073ABD	The publisher has been disabled and its resource is not avaiable. This usually occurs when the publisher is in the process of being uninstalled or upgraded.	ERROR_EVT_PUBLISHER_DISABLED
15038	0x80073ABE	Attempted to create a numeric type that is outside of its valid range.	ERROR_EVT_FILTER_OUT_OF_RANGE
15080	0x80073AE8	The subscription fails to activate.	ERROR_EC_SUBSCRIPTION_CANNOT_ACTIVATE
15081	0x80073AE9	The log of the subscription is in disabled state, and can not be used to forward events to. The log must first be enabled before the subscription can be activated.	ERROR_EC_LOG_DISABLED
15082	0x80073AEA	When forwarding events from local machine to itself, the query of the subscription can't contain target log of the subscription.	ERROR_EC_CIRCULAR_FORWARDING
15083	0x80073AEB	The credential store that is used to save credentials is full.	ERROR_EC_CREDSTORE_FULL
15084	0x80073AEC	The credential used by this subscription can't be found in credential store.	ERROR_EC_CRED_NOT_FOUND
15085	0x80073AED	No active channel is found for the query.	ERROR_EC_NO_ACTIVE_CHANNEL
15100	0x80073AFC	The resource loader failed to find MUI file.	ERROR_MUI_FILE_NOT_FOUND
15101	0x80073AFD	The resource loader failed to load MUI file because the file fail to pass validation.	ERROR_MUI_INVALID_FILE
15102	0x80073AFE	The RC Manifest is corrupted with garbage data or unsupported version or missing required item.	ERROR_MUI_INVALID_RC_CONFIG
15103	0x80073AFF	The RC Manifest has invalid culture name.	ERROR_MUI_INVALID_LOCALE_NAME
15104	0x80073B00	The RC Manifest has invalid ultimatefallback name.	ERROR_MUI_INVALID_ULTIMATEFALLBACK_NAME
15105	0x80073B01	The resource loader cache doesn't have loaded MUI entry.	ERROR_MUI_FILE_NOT_LOADED
15106	0x80073B02	User stopped resource enumeration.	ERROR_RESOURCE_ENUM_USER_STOP

15107	0x80073B03	UI language installation failed.	ERROR_MUI_INTLSETTINGS_UILANG_NOT_INSTALLED
15108	0x80073B04	Locale installation failed.	ERROR_MUI_INTLSETTINGS_INVALID_LOCALE_NAME
15200	0x80073B60	The monitor returned a DDC/CI capabilities string that did not comply with the ACCESS.bus 3.0, DDC/CI 1.1 or MCCS 2 Revision 1 specification.	ERROR_MCA_INVALID_CAPABILITIES_STRING
15201	0x80073B61	The monitor's VCP Version (0xDF) VCP code returned an invalid version value.	ERROR_MCA_INVALID_VCP_VERSION
15202	0x80073B62	The monitor does not comply with the MCCS specification it claims to support.	ERROR_MCA_MONITOR_VIOLATES_MCCS_SPECIFICATION
15203	0x80073B63	The MCCS version in a monitor's mcs_ver capability does not match the MCCS version the monitor reports when the VCP Version (0xDF) VCP code is used.	ERROR_MCA_MCCS_VERSION_MISMATCH
15204	0x80073B64	The Monitor Configuration API only works with monitors that support the MCCS 1.0 specification, MCCS 2.0 specification or the MCCS 2.0 Revision 1 specification.	ERROR_MCA_UNSUPPORTED_MCCS_VERSION
15205	0x80073B65	An internal Monitor Configuration API error occurred.	ERROR_MCA_INTERNAL_ERROR
15206	0x80073B66	The monitor returned an invalid monitor technology type. CRT, Plasma and LCD (TFT) are examples of monitor technology types. This error implies that the monitor violated the MCCS 2.0 or MCCS 2.0 Revision 1 specification.	ERROR_MCA_INVALID_TECHNOLOGY_TYPE_RETURNED
15207	0x80073B67	The caller of SetMonitorColorTemperature specified a color temperature that the current monitor did not support. This error implies that the monitor violated the MCCS 2.0 or MCCS 2.0 Revision 1 specification.	ERROR_MCA_UNSUPPORTED_COLOR_TEMPERATURE
15250	0x80073B92	The requested system device cannot be identified due to multiple indistinguishable devices potentially matching the identification criteria.	ERROR_AMBIGUOUS_SYSTEM_DEVICE
15299	0x80073BC3	The requested system device cannot be found.	ERROR_SYSTEM_DEVICE_NOT_FOUND

Filed under: [Error Codes](#)

Comments

[# Can't join Homegroup - Page 3 - Windows 7 Forums](#)

Saturday, February 07, 2009 3:14 AM by [Can't join Homegroup - Page 3 - Windows 7 Forums](#)

PingBack from <http://www.sevenforums.com/network-internet/2479-cant-join-homegroup-3.html#post33473>

Anonymous comments are disabled

About joshpoley

Josh Poley has been a software tester (SDET) at Microsoft since 1998. He initially worked on the very first version of the Passport authentication service (currently called Windows Live ID). Then, in the spring of 2000, Josh moved over and joined a small handful of people who were starting to work on a project code-named Xbox. His initial responsibilities covered various pieces of the low level operating system (file systems, peripheral communication, etc.). Shortly after the Xbox game console launched in 2001, Josh took over as lead of the Kernel Test Team and remained in charge of validating the core operating system throughout the development and launch of the Xbox 360. Then, in the spring of 2007, Josh joined the Zune group as a Test Architect, where he helped solve various problems across the four main test teams in the organization. After a year in Zune, Josh went back to Xbox to help solve some more hard problems there.

© 2009 Microsoft Corporation. All rights reserved. [Terms of Use](#) | [Trademarks](#) | [Privacy Statement](#)